5B115 391CSS



SPRING TRADE LIST
1958



Plant

NURSERYMEN FOR 75 YEARS

THE COLE NURSERY CO. PAINESVILLE, OHIO

Phone ELmwood 2-3121

Ordering Information

PRICES are F.O.B. nursery at Painesville, Ohio, and include careful loading, with damp packing material, on trucks or trailers. Any necessary boxing or wrapping is charged at near cost. This list is based on current conditions and is subject to market and economic changes.

PAYMENT TERMS. Open account is available to firms having an established credit record for prompt payment. New accounts should furnish 3 or 4 trade references and allow time for checking. Credit terms are net 30 days, but 2% discount is awarded for payment in 10 days from invoice date.

Cash with order merits 2% discount. Be sure to include enough to cover packing (average 10%) so as to eliminate C.O.D. costs. Overpayments returned promptly.


C.O.D. orders must be accompanied by at least 1/3 of the total amount of the order, and take no discounts.

SHIPMENTS travel at expense and risk of purchaser. Where damage or delay occurs in shipment, you should make claim to transportation company at once. Please specify routing of your shipments and method you prefer. Where no instructions are given, we will ship according to the situation, as we think best serves your interest.

GUARANTEE. All stock is guaranteed true-to-name and in good healthy condition, but we assume no responsibility after it leaves the nursery. We give no warranty, expressed or implied, as to productiveness or growth and will not in any way be responsible for the results secured in transplanting. It is mutually agreed that our liability for any errors or other causes is confined to free replacement or refund of purchase price.

CLAIMS for errors, rejections, shortages, or any other reason will be entertained only if made within 5 days after arrival of goods.

TRUCKING. During planting season, our trucks make frequent deliveries to Cleveland, Columbus, Cincinnati, Chicago, Detroit, Buffalo, Pittsburgh, Philadelphia and Rochester areas. Trucking can easily be arranged to other cities within 600 miles of Painesville. Rates reasonable.



An Invitation You're always welcome at Cole's. We are located East of Cleveland, halfway between Mentor and Painesville, on Jackson Street. U. S. Route 20 passes one block south of our office.

Our new 800-acre nursery, on Route 23 south of Circleville, Ohio, is exceeding all expectations. Bob Cole will be glad to show you around.

COME SEE AMERICA'S FINEST QUALITY TREES

COLE'S ROYAL FAMILY OF TREES

A SELECT LISTING OF CHOICE NEW TYPES

AND THE MOST POPULAR STANDARDS

Cole's has long been known for producing the finest in trees for all markets. Continuous research for improved varieties and production methods has resulted in our present leadership in this field. Planted in seven-foot rows, our trees have ample room for proper development of root, body, and top. Because all digging and root-pruning is done mechanically, you benefit by a vastly superior root system and consequent transplanting success.

NOTES

The size immediately following the name is the estimated practical height at maturity, under local cultural conditions.

Where an item is usually moved with a ball of earth, we indicate the recommended B&B size after the listing, thusly: (4 to 5 ft. 15" Ball), and the price includes balling charges. Should earth balls be desired on other items, prices and weights are listed opposite page 48.

Although caliper listings of trees are also indicative of top development, we imply no relationship of this measurement to height. This is entirely subject to differences in variety and cultural practices.

AC

	1-4 Each	5-24 Each	
CED descention (anathrinum) 70'		Silver	Manle
CER dasycarpum (saccharinum) — 70'	tanda noth		
Fast growing, graceful. Leaves silvery beneath. S	tands rath	er wet	Conui-
tions, also heat and drought.			
8 to 10 ft		\$ 2.75	\$
1½ to 1½ in	3.80	3.30	3.00
1½ to 1¾ in,	5.00	4.40	4.00
13/4 to 2 in	6.75	6.00	5.50
2 to 2½ in		8.25	
2½ to 3 in		10.50	
3 to 4 in	17.50	15.50	
18 to 24 in. S. (LOS) 200 up, \$4.50 per	100	10.00	
18 to 24 m. S. (LOS)	100		
d. "Beebe Cutleaf Weeping" — 50'	New Su	perior \	ariety
Horizontal branching habit, better than Wier or Sl			•
1½ to 1½ in	4 70	4 15	
174 10 172 111	1.10	1.10	
d. pyramidale — 60'	Pyramidal	Silver	Maple
Symmetrical tree of broad pyramidal habit, full-he	aded even	when	voung.
None distinctive hyddod registry	adea even	***11011	, , , , , , , , , , , , , , , , , , , ,
New, distinctive budded variety.	3.80	3.30	
8 to 10 ft		3.85	3.50
1½ to 1½ in		4.95	4.50
1½ to 1¾ in	5.60		
13/4 to 2 in	7.50	6.75	6.15
2 to 2½ in	10.00	8.75	
2½ to 3 in	13.25	12.00	
3 to 4 in	18.50	16.50	
1 1/2: 1/1 10/	Dinal	Silver	Manla
d. "Pipal" — 70'	ding later	in fall	Tapie
Seedless form, leafing out earlier in spring and hole	umg later	e oo	
1½ to 2 in	0.75	0.00	

EACH RATES in this catalog are for the accomodation of customers who place substantial orders, yet need small amounts of certain items to fill out their plantings. We do not have the facilities to handle orders calling entirely for small quantities of stock.



ACER platanoides columnare — Our finest tree for narrow streets accent and shallow line-planting

line-planting			
ACER — Continued	1-4 Each	5-24 Each	25 Up Each
ginnala — 15-18'		Amur	Maple
Small, multi-stemmed tree with upright-round, dense h	ead. ex		
Leaves turn brilliant scarlet in fall. One of our best s			maray.
3 to 4 ft. heavy	2.25	1.75	1.50
4 to 5 ft. heavy	3.00	2.50	2.25
5 to 6 ft. heavy	3.80	3.30	3.00
6 to 7 ft. heavy	6.20	5.50	5.00
7 to 8 ft. heavy	8.00	7.15	6.50
8 to 9 ft. heavy	10.00	8.80	
platanoides — 50'	1	Norway	Maple
Rounded, dense head. Favorite street and park tree, for			
ability to stand city conditions.			
Our trees are transplanted, spaced, beautifully headed.			
1½ to ½ in	6.20	5.50	5.00
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	7.70	6.90	6.25
	10.00	8.80	8.00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	13.50	12.20 17.75	$11.00 \\ 16.00$
3 to 3½ in	19.75		
		33 00	91 00
	26.00	23.00	21.00
p. columnare (ascendens) — 40' Colu	ımnar l	Norway	Maple
p. columnare (ascendens) — 40' Compact narrow form for street planting, accent and	ı mnar l formal	Norway effect.	Maple Parti-
p. columnare (ascendens) — 40' Columnare (ascendens) — 40' Compact narrow form for street planting, accent and cularly useful for shallow lawnstrips, etc. The most pra	ı mnar l formal	Norway effect.	Maple Parti-
p. columnare (ascendens) — 40' Columnare (ascendens) — 40' Compact narrow form for street planting, accent and cularly useful for shallow lawnstrips, etc. The most pratrees in our region.	imnar l formal ctical o	Norway effect. f all col	Maple Parti- umnar
 p. columnare (ascendens) — 40' Compact narrow form for street planting, accent and cularly useful for shallow lawnstrips, etc. The most pratrees in our region. to 6 ft. branched 	imnar l formal ctical o	Norway effect. f all col	Maple Parti- umnar
 p. columnare (ascendens) — 40' Compact narrow form for street planting, accent and cularly useful for shallow lawnstrips, etc. The most pratrees in our region. to 6 ft. branched to 11/4 in. 	imnar l formal ctical o 4.10 6.75	Norway effect. f all col 3.60 6.00	Maple Parti- umnar 3.25 5.50
p. columnare (ascendens) — 40' Compact narrow form for street planting, accent and cularly useful for shallow lawnstrips, etc. The most pratrees in our region. 5 to 6 ft. branched 1 to 11/4 in. 11/4 to 11/2 in.	mnar language de la formal etical o de	Norway effect. f all col 3.60 6.00 7.15	Maple Parti- umnar 3.25 5.50 6.50
p. columnare (ascendens) — 40' Compact narrow form for street planting, accent and cularly useful for shallow lawnstrips, etc. The most pratrees in our region. 5 to 6 ft. branched 1 to 1¼ in. 1¼ to 1½ in. 1½ to 1¾ in.	mnar l formal ctical o 4.10 6.75 8.00 9.70	Norway effect. f all col 3.60 6.00 7.15 8.50	Maple Parti- umnar 3.25 5.50
p. columnare (ascendens) — 40' Compact narrow form for street planting, accent and cularly useful for shallow lawnstrips, etc. The most pratrees in our region. 5 to 6 ft. branched 1 to 1½ in. 1½ to 1½ in. 1½ to 1¾ in. 1¾ to 2 in.	mnar I formal ctical o 4.10 6.75 8.00 9.70 11.65	Norway effect. f all col 3.60 6.00 7.15 8.50 10.50	Maple Parti- umnar 3.25 5.50 6.50 7.75
p. columnare (ascendens) — 40' Compact narrow form for street planting, accent and cularly useful for shallow lawnstrips, etc. The most pratrees in our region. 5 to 6 ft. branched 1 to 1¼ in. 1¼ to 1½ in. 1½ to 1¾ in. 1¾ to 2 in. 2 to 2½ in.	mnar I formal ctical o 4.10 6.75 8.00 9.70 11.65 15.50	Norway effect. f all col 3.60 6.00 7.15 8.50 10.50 13.75	Maple Parti- umnar 3.25 5.50 6.50 7.75 12.50
p. columnare (ascendens) — 40' Compact narrow form for street planting, accent and cularly useful for shallow lawnstrips, etc. The most pratrees in our region. 5 to 6 ft. branched 1 to 1¼ in. 1¼ to 1½ in. 1½ to 1¾ in. 1½ to 2 in. 2 to 2½ in. 2 to 2½ in. 2½ to 3 in.	mnar I formal ctical o 4.10 6.75 8.00 9.70 11.65 15.50 21.25	Norway effect. f all col 3.60 6.00 7.15 8.50 10.50 13.75 18.75	Maple Parti- umnar 3.25 5.50 6.50 7.75 12.50 17.00
p. columnare (ascendens) — 40' Compact narrow form for street planting, accent and cularly useful for shallow lawnstrips, etc. The most pratrees in our region. 5 to 6 ft. branched 1 to 1¼ in. 1¼ to 1½ in. 1½ to 1¾ in. 1¾ to 2 in. 2 to 2½ in. 2½ to 3 in. 3 to 3½ in.	4.10 6.75 8.00 9.70 11.65 15.50 21.25 29.25	Norway effect. f all col 3.60 6.00 7.15 8.50 10.50 13.75 18.75 26.00	Maple Parti- umnar 3.25 5.50 6.50 7.75 12.50 17.00
p. columnare (ascendens) — 40' Compact narrow form for street planting, accent and cularly useful for shallow lawnstrips, etc. The most pratrees in our region. 5 to 6 ft. branched 1 to 1½ in. 1½ to 1½ in. 1½ to 1¾ in. 1¾ to 2 in. 2 to 2½ in. 2½ to 3 in. 3 to 3½ in. p. Crimson King, Plant Pat. No. 735 — 35' Crimson	mmar I formal ctical o 4.10 6.75 8.00 9.70 11.65 15.50 21.25 29.25	Norway effect. f all col 3.60 6.00 7.15 8.50 10.50 13.75 18.75 26.00	Maple Parti- umnar 3.25 5.50 6.50 7.75 12.50 17.00
p. columnare (ascendens) — 40' Compact narrow form for street planting, accent and cularly useful for shallow lawnstrips, etc. The most pratrees in our region. 5 to 6 ft. branched. 1 to 1¼ in. 1¼ to 1½ in. 1½ to 1¾ in. 1½ to 1¾ in. 2 to 2½ in. 2 to 2½ in. 2 to 3 in. 3 to 3½ in. p. Crimson King, Plant Pat. No. 735 — 35' Crimson Rich maroon leaf color is retained all summer. Very serious colors and colors are the colors and colors.	mmar I formal ctical o 4.10 6.75 8.00 9.70 11.65 15.50 21.25 29.25	Norway effect. f all col 3.60 6.00 7.15 8.50 10.50 13.75 18.75 26.00	Maple Parti- umnar 3.25 5.50 6.50 7.75 12.50 17.00
p. columnare (ascendens) — 40' Compact narrow form for street planting, accent and cularly useful for shallow lawnstrips, etc. The most pratrees in our region. 5 to 6 ft. branched. 1 to 1¼ in. 1¼ to 1½ in. 1½ to 1¾ in. 1½ to 1¾ in. 2 to 2½ in. 2 to 2½ in. 2 to 3 in. 3 to 3½ in. p. Crimson King, Plant Pat. No. 735 — 35' Rich maroon leaf color is retained all summer. Very sin conjunction with "Sunburst" Locust.	mmar I formal ctical o 4.10 6.75 8.00 9.70 11.65 15.50 21.25 29.25 King I	Norway effect. f all col 3.60 6.00 7.15 8.50 10.50 13.75 18.75 26.00 Norway when p	Maple Parti- umnar 3.25 5.50 6.50 7.75 12.50 17.00
p. columnare (ascendens) — 40' Compact narrow form for street planting, accent and cularly useful for shallow lawnstrips, etc. The most pratrees in our region. 5 to 6 ft. branched. 1 to 1¼ in. 1¼ to 1½ in. 1½ to 1¾ in. 2½ to 1¾ in. 2 to 2½ in. 2 to 2½ in. 2½ to 3 in. 3 to 3½ in. p. Crimson King, Plant Pat. No. 735 — 35' Rich maroon leaf color is retained all summer. Very sin conjunction with "Sunburst" Locust. 1 to 1¼ in.	umnar I formal ctical o 4.10 6.75 8.00 9.70 11.65 15.50 21.25 29.25 King I	Norway effect. f all col 3.60 6.00 7.15 8.50 10.50 13.75 18.75 26.00 Norway when p	Maple Parti- umnar 3.25 5.50 6.50 7.75 12.50 17.00 Maple planted
p. columnare (ascendens) — 40' Compact narrow form for street planting, accent and cularly useful for shallow lawnstrips, etc. The most prattrees in our region. 5 to 6 ft. branched. 1 to 1¼ in. 1¼ to 1½ in. 1½ to 1¾ in. 2 to 2½ in. 2 to 2½ in. 2 to 3 in. 3 to 3½ in. p. Crimson King, Plant Pat. No. 735 — 35' Rich maroon leaf color is retained all summer. Very sin conjunction with "Sunburst" Locust. 1 to 1¼ in. 1¼ to 1½ in.	mnar I formal ctical o 4.10 6.75 8.00 9.70 11.65 15.50 21.25 29.25 King I triking 8.60 11.50	Norway effect. f all col 3.60 6.00 7.15 8.50 10.50 13.75 18.75 26.00 Norway when p	Maple Parti- umnar 3.25 5.50 6.50 7.75 12.50 17.00 Maple blanted 9.30
p. columnare (ascendens) — 40' Compact narrow form for street planting, accent and cularly useful for shallow lawnstrips, etc. The most prattrees in our region. 5 to 6 ft. branched. 1 to 1¼ in. 1¼ to 1½ in. 1¼ to 1¾ in. 2 to 2½ in. 2 to 2½ in. 2½ to 3 in. 3 to 3½ in. p. Crimson King, Plant Pat. No. 735 — 35' Rich maroon leaf color is retained all summer. Very sin conjunction with "Sunburst" Locust. 1 to 1¼ in. 1¼ to 1½ in. 1¼ to 1½ in. 1½ to 1¾ in.	mnar I formal ctical o 4.10 6.75 8.00 9.70 11.65 15.50 21.25 29.25 King I triking 8.60 11.50 13.50	Norway effect. f all col 3.60 6.00 7.15 8.50 10.50 13.75 18.75 26.00 Norway when p 7.70 10.25 12.20	Maple Parti- umnar 3.25 5.50 6.50 7.75 12.50 17.00 Maple blanted 9.30 11.00
p. columnare (ascendens) — 40' Compact narrow form for street planting, accent and cularly useful for shallow lawnstrips, etc. The most prattrees in our region. 5 to 6 ft. branched. 1 to 1¼ in. 1¼ to 1½ in. 1½ to 1¾ in. 2½ to 1¾ in. 2 to 2½ in. 2 to 2½ in. 3 to 3½ in. 7. Crimson Rich maroon leaf color is retained all summer. Very sin conjunction with "Sunburst" Locust. 1 to 1¼ in. 1¼ to 1½ in. 1¼ to 1½ in. 1½ to 1¾ in.	mnar I formal ctical o 4.10 6.75 8.00 9.70 11.65 15.50 21.25 29.25 King I triking 8.60 11.50	Norway effect. f all col 3.60 6.00 7.15 8.50 10.50 13.75 18.75 26.00 Norway when p	Maple Parti- umnar 3.25 5.50 6.50 7.75 12.50 17.00 Maple blanted 9.30

A CEP		1-4 Each	5-24 Each	25 Up Each
	— Continued			
p.	Faassen's Redleaf — 35' New variety with colorful, dark maroon foliage all s 1 to 14' in	summer		
	1¼ to 1½ in.	10.50	\$ 7.15 9.45	\$ 6.50 8.50
p.	globosum — 15-18' Dense, formal type useful for street planting and acc stricted areas and under city conditions. 2 yr. head, 6 ft. stem	ent, par	Norway ticularly 8.25	Maple in re-
p.	7 77 7 4-4		Norway	
	Leaves reddish-purple in spring. Compact and relating to 11/4 to 11/2 in.	ively slo	w grown 7.15	ing. 6.50
	1½ to 1¾ in	. 10.00	8.80	8.00
ru	Symmetrical tree at home in normal or wet situatio early spring; leaves brilliant red in autumn.	Red or ns. Sca	Scarlet rlet flow	Maple vers in
	1½ to 1½ in. 1½ to 1¾ in. 1¾ to 2 in. 2 to 2½ in. 2½ to 3 in.	8.60 10.60 14.75	5.50 7.70 9.45 13.25 18.50	5.00 7.00 8.50 12.00 16.75
	4 to 5 in		40.00	10.75
sac	charum — 65-75'		r Rock	
	Long-lived, stately tree of upright-spreading habit. If 6 to 8 ft. 8 to 10 ft. 1½ to 1½ in. 1½ to 1¾ in. 1¾ to 2 in. 2 to 2½ in. 2½ to 3 in.	Brilliant 4.10 5.60 7.35 10.00 11.65 15.50	fall cold 3.60 4.95 6.60 8.80 10.50 13.75 19.50	3.25 4.50 6.00 8.00 9.50
tat	aricum — 20-25'	Т	atarian	Maple
	Superbly-shaped, hardy, small tree for street or lawn age turns bright red and yellow in fall. These are typically low-branched, heavy.	use. De	nse gree	n foli-
a eccu	3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft.	3.00 3.80 6.20	1.75 2.50 3.30 5.50 8.25	1.50 2.25 3.00 5.00 7.50
AESCO	LUS hippocastanum — 50' Stately, dense tree with large compound leaves; lo handsome white flowers in May.		Horsech right spil	esinui kes of
	4 to 5 ft	4.35	3.85	3.50
pav	Rare small, rounded tree. Bright red flowers.	9.00	Red Bu	ckeye
	1½ to 2 ft. 2 to 3 ft.	3.80	$\frac{2.50}{3.30}$	
	THUS altissima (glandulosa) — 40' Large, palm-like leaves; rapid growth. Withstands po 2 to 2½ in	orest so	ree of H oil and s 6.60	moke. 6.00
AMELA	NCHIER canadensis — 25'	Dov	wny Sha	dblow
	Upright, usually narrow, with grayish young foliage in autumn. Early white flowers; red fruit later. Ofte grown into a distinctive small tree. Trees offered a good strong leader.	turning en a shr re bran	yellow tub, it is	to red
	5 to 6 ft 6 to 8 ft 8 to 10 ft	4.35	2.75 3.85 4.95	2.50 3.50 4.50

Nearly every item in this catalog is certified for shipment outside the Japanese Beetle Zone. You can't get the Beetle from Cole's.

		1-4	5-24	25 Up
		Each	Each	Each
ARALIZ	A elata — 15'	panese	Angelic	a-Tree
	Exotic unusual tree with thorny stems and compound l	eaves u	p to $2\frac{1}{2}$	long.
	Large, feathery spikes of white flowers are conspicuou	is in A	ugust.	Makes
	a striking tropical-appearing accent for modern archit	ecture.		
	a striking tropical-appearing accent for modern aroms	2.00	1.50	1.25
	3 to 4 ft		2.00	1.75
	4 to 5 ft	5.00	4.40	
	5 to 6 ft	0.00		
	6 to 8 ft	6.50	5.75	
BETIII	A alba (pendula). Clump form	uropean	n White	Birch
DETOL	Multiple-stemmed plants of this attractive species.	_		
	A to E st 2 store	3.25	2.75	2.50
	4 to 5 ft., 3-stem		- 317h:+-	
mai	ndshurica — 35'	Manch	u White	
	White-barked type with thick, blue-green leaves, yello	w in ai	atumn.	Twigs
	are polished red-brown.			
	4 to 5 ft. clumps	3.80	3.30	
	5 to 6 ft. clumps	5.00	4.40	
			Daner	Birch
pap	yrifera — 40'	ot moole	off in	nanor
	The well-known "Canoe Birch" with its white bark th	at peers	5 011 111	paper-
	thin sheets. One of our best native ornamental trees.	0.05	0.75	0.50
	6 to 8 ft	3.25	2.75	2.50
	8 to 10 ft	4.35	3.85	3.50
	1¼ to 1½ in	5.60	4.95	
	1½ to 2 in	7.35	6.60	
			Grav	Birch
pop	ulifolia — 30' (White bark)			
	White bark and graceful head; large handsome leave	es, turi	ning yer	10W 111
	fall. Stands poor, wet, or sandy soil.	0.05	4 ==	1.50
	5 to 6 ft	2.25	1.75	1.50
	6 to 8 ft	3.25	2.75	
	8 to 10 ft	4.35	3.85	
	1½ to 2 in	7.35	6.60	
		34 50	30.00	
	2½ to 3 in. (30" Ball)	42.50	37.50	
	3 to 3½ in. (33" Ball)	12.00	51.50	
class	mps — alba, papyrifera and populifolia			
CIU	mps — and, papithera and populations			
Ciu	Specimen sizes in limited quantities, priced as follows.	These	grades	are not
Cita	Specimen sizes in limited quantities, priced as follows.	a secon	grades d choice	are not
	Specimen sizes in limited quantities, priced as follows.	a secon	grades d choice 16.50	are not
Ciu	Specimen sizes in limited quantities, priced as follows. available in all species, therefore you should specify a to 10 ft 2 stem (24" Ball)	a secon 18.50	d choice 16.50	e.
	Specimen sizes in limited quantities, priced as follows. available in all species, therefore you should specify 8 to 10 ft., 2 stem (24" Ball)	a secon 18.50 24.00	d choice	e.
	Specimen sizes in limited quantities, priced as follows. available in all species, therefore you should specify 8 to 10 ft., 2 stem (24" Ball)	a secon 18.50 24 .00 3 3.00	16.50 21.50	e.
Cita	Specimen sizes in limited quantities, priced as follows. available in all species, therefore you should specify 8 to 10 ft., 2 stem (24" Ball) 10 to 12 ft., 2 stem (26" Ball) 12 to 14 ft., 2 stem (30" Ball) 6 to 8 ft 3 stem (22" Ball)	a secon 18.50 24.00 33.00 18.00	16.50 21.50 16.00	e
	Specimen sizes in limited quantities, priced as follows. available in all species, therefore you should specify 8 to 10 ft., 2 stem (24" Ball). 10 to 12 ft., 2 stem (26" Ball). 12 to 14 ft., 2 stem (30" Ball). 6 to 8 ft., 3 stem (22" Ball). 8 to 10 ft 3 stem (26" Ball).	a secon 18.50 24.00 33.00 18.00 24.00	d choice 16.50 21.50 16.00	e
	Specimen sizes in limited quantities, priced as follows. available in all species, therefore you should specify 8 to 10 ft., 2 stem (24" Ball). 10 to 12 ft., 2 stem (26" Ball). 12 to 14 ft., 2 stem (30" Ball). 6 to 8 ft., 3 stem (22" Ball). 8 to 10 ft., 3 stem (26" Ball). 10 to 12 ft., 3 stem (30" Ball).	a secon 18.50 24.00 33.00 18.00 24.00 33.00	16.50 21.50 16.00	e
	Specimen sizes in limited quantities, priced as follows. available in all species, therefore you should specify 8 to 10 ft., 2 stem (24" Ball). 10 to 12 ft., 2 stem (26" Ball). 12 to 14 ft., 2 stem (30" Ball). 6 to 8 ft., 3 stem (22" Ball). 8 to 10 ft., 3 stem (26" Ball). 10 to 12 ft., 3 stem (30" Ball). NUS betulus fastigiata — 35' Pyramid	a secon 18.50 24.00 33.00 18.00 24.00 33.00 Europe	16.50 21.50 16.00	e.
	Specimen sizes in limited quantities, priced as follows. available in all species, therefore you should specify 8 to 10 ft., 2 stem (24" Ball). 10 to 12 ft., 2 stem (26" Ball). 12 to 14 ft., 2 stem (30" Ball). 6 to 8 ft., 3 stem (22" Ball). 8 to 10 ft., 3 stem (26" Ball). 10 to 12 ft., 3 stem (30" Ball). NUS betulus fastigiata — 35' Pyramid	a secon 18.50 24.00 33.00 18.00 24.00 33.00 Europe	16.50 21.50 16.00	e.
	Specimen sizes in limited quantities, priced as follows. available in all species, therefore you should specify 8 to 10 ft., 2 stem (24" Ball). 10 to 12 ft., 2 stem (26" Ball). 12 to 14 ft., 2 stem (30" Ball). 6 to 8 ft., 3 stem (22" Ball). 8 to 10 ft., 3 stem (26" Ball). 10 to 12 ft., 3 stem (30" Ball). VUS betulus fastigiata — 35' Pyramid Dense, dark green foliage on a narrow tree that stand	a secon 18.50 24.00 33.00 18.00 24.00 33.00 Europe	16.50 21.50 16.00	e.
	Specimen sizes in limited quantities, priced as follows. available in all species, therefore you should specify 8 to 10 ft., 2 stem (24" Ball). 10 to 12 ft., 2 stem (26" Ball). 12 to 14 ft., 2 stem (30" Ball). 6 to 8 ft., 3 stem (22" Ball). 8 to 10 ft., 3 stem (26" Ball). 10 to 12 ft., 3 stem (30" Ball). NUS betulus fastigiata — 35' Pyramid Dense, dark green foliage on a narrow tree that stand of the finest, trouble-free, small specimen trees.	a secon 18.50 24.00 33.00 18.00 24.00 33.00 Europs s shear	d choice 16.50 21.50 16.00	nbeam
	Specimen sizes in limited quantities, priced as follows. available in all species, therefore you should specify 8 to 10 ft., 2 stem (24" Ball) 10 to 12 ft., 2 stem (26" Ball) 12 to 14 ft., 2 stem (30" Ball) 6 to 8 ft., 3 stem (22" Ball) 8 to 10 ft., 3 stem (26" Ball) 10 to 12 ft., 3 stem (30" Ball) NUS betulus fastigiata — 35' Dense, dark green foliage on a narrow tree that stand of the finest, trouble-free, small specimen trees. 4 to 5 ft. (15" Ball)	a secon 18.50 24.00 33.00 18.00 24.00 33.00 Europ s shear 10.00	d choice 16.50 21.50 16.00 ean Horing well 8.80	rnbeam L. One
	Specimen sizes in limited quantities, priced as follows. available in all species, therefore you should specify 8 to 10 ft., 2 stem (24" Ball) 10 to 12 ft., 2 stem (26" Ball) 12 to 14 ft., 2 stem (30" Ball) 6 to 8 ft., 3 stem (22" Ball) 8 to 10 ft., 3 stem (26" Ball) 10 to 12 ft., 3 stem (30" Ball) NUS betulus fastigiata — 35' Pyramid Dense, dark green foliage on a narrow tree that stand of the finest, trouble-free, small specimen trees. 4 to 5 ft. (15" Ball) 5 to 6 ft. (16" Ball)	a secon 18.50 24.00 33.00 18.00 24.00 33.00 Europ s shear 10.00 12.25	16.50 21.50 16.00 ean Horing well 8.80 11.00	rnbeam 1. One 8.00 10.00
CARPI	Specimen sizes in limited quantities, priced as follows. available in all species, therefore you should specify 8 to 10 ft., 2 stem (24" Ball) 10 to 12 ft., 2 stem (26" Ball) 12 to 14 ft., 2 stem (30" Ball) 6 to 8 ft., 3 stem (22" Ball) 8 to 10 ft., 3 stem (26" Ball) 10 to 12 ft., 3 stem (30" Ball) NUS betulus fastigiata — 35' Pyramid Dense, dark green foliage on a narrow tree that stand of the finest, trouble-free, small specimen trees. 4 to 5 ft. (15" Ball) 5 to 6 ft. (16" Ball) 6 to 7 ft. (17" Ball)	a secon 18.50 24.00 33.00 18.00 24.00 33.00 Europ s shear 10.00 12.25	16.50 21.50 16.00 16.00 ean Horing well 8.80 11.00 14.50	nbeam 1. One 8.00 10.00 13.00
CARPI	Specimen sizes in limited quantities, priced as follows. available in all species, therefore you should specify 8 to 10 ft., 2 stem (24" Ball) 10 to 12 ft., 2 stem (26" Ball) 12 to 14 ft., 2 stem (30" Ball) 6 to 8 ft., 3 stem (22" Ball) 8 to 10 ft., 3 stem (26" Ball) 10 to 12 ft., 3 stem (30" Ball) NUS betulus fastigiata — 35' Pyramid Dense, dark green foliage on a narrow tree that stand of the finest, trouble-free, small specimen trees. 4 to 5 ft. (15" Ball) 5 to 6 ft. (16" Ball) 6 to 7 ft. (17" Ball)	a secon 18.50 24.00 33.00 18.00 24.00 33.00 Europ s shear 10.00 12.25 16.20	16.50 21.50 16.00 16.00 ean Horing well 8.80 11.00 14.50	rnbeam 1. One 8.00 10.00
CARPI	Specimen sizes in limited quantities, priced as follows. available in all species, therefore you should specify 8 to 10 ft., 2 stem (24" Ball) 10 to 12 ft., 2 stem (26" Ball) 12 to 14 ft., 2 stem (30" Ball) 6 to 8 ft., 3 stem (22" Ball) 8 to 10 ft., 3 stem (26" Ball) 10 to 12 ft., 3 stem (30" Ball) NUS betulus fastigiata — 35' Pyramid Dense, dark green foliage on a narrow tree that stand of the finest, trouble-free, small specimen trees. 4 to 5 ft. (15" Ball) 5 to 6 ft. (16" Ball) 6 to 7 ft. (17" Ball)	a secon 18.50 24.00 33.00 18.00 24.00 33.00 Europ s shear 10.00 12.25 16.20	16.50 21.50 16.00 16.00 ean Horing well 8.80 11.00 14.50	nbeam 1. One 8.00 10.00 13.00
CARPI	Specimen sizes in limited quantities, priced as follows. available in all species, therefore you should specify 8 to 10 ft., 2 stem (24" Ball) 10 to 12 ft., 2 stem (26" Ball) 12 to 14 ft., 2 stem (30" Ball) 6 to 8 ft., 3 stem (22" Ball) 8 to 10 ft., 3 stem (26" Ball) 10 to 12 ft., 3 stem (30" Ball) NUS betulus fastigiata — 35' Pyramid Dense, dark green foliage on a narrow tree that stand of the finest, trouble-free, small specimen trees. 4 to 5 ft. (15" Ball) 5 to 6 ft. (16" Ball) 6 to 7 ft. (17" Ball) 7 occidentalis — 50' Hardy, relatively slow growing tree, resembling elm.	a secon 18.50 24.00 33.00 18.00 24.00 33.00 Europ s shear 10.00 12.25 16.20	d choice 16.50 21.50 16.00 ean Horing well 8.80 11.00 14.50	nbeam 1. One 8.00 10.00 13.00
CARPI	Specimen sizes in limited quantities, priced as follows. available in all species, therefore you should specify 8 to 10 ft., 2 stem (24" Ball) 10 to 12 ft., 2 stem (26" Ball) 12 to 14 ft., 2 stem (30" Ball) 6 to 8 ft., 3 stem (22" Ball) 10 to 12 ft., 3 stem (26" Ball) 10 to 12 ft., 3 stem (30" Ball) NUS betulus fastigiata — 35' Pyramid Dense, dark green foliage on a narrow tree that stand of the finest, trouble-free, small specimen trees. 4 to 5 ft. (15" Ball) 5 to 6 ft. (16" Ball) 6 to 7 ft. (17" Ball) 6 coccidentalis — 50' Hardy, relatively slow growing tree, resembling elm. locations well.	a secon 18.50 24.00 33.00 18.00 24.00 33.00 Europ s shear 10.00 12.25 16.20	and choice 16.50 21.50 16.00 16.00 8.80 11.00 14.50 Hack ds dry,	nbeam 1. One 8.00 10.00 13.00 18.berry windy
CARPI	Specimen sizes in limited quantities, priced as follows. available in all species, therefore you should specify 8 to 10 ft., 2 stem (24" Ball) 10 to 12 ft., 2 stem (26" Ball) 12 to 14 ft., 2 stem (30" Ball) 6 to 8 ft., 3 stem (22" Ball) 10 to 12 ft., 3 stem (26" Ball) 10 to 12 ft., 3 stem (30" Ball) NUS betulus fastigiata — 35' Pyramid Dense, dark green foliage on a narrow tree that stand of the finest, trouble-free, small specimen trees. 4 to 5 ft. (15" Ball) 5 to 6 ft. (16" Ball) 6 to 7 ft. (17" Ball) 6 occidentalis — 50' Hardy, relatively slow growing tree, resembling elm. locations well. 6 to 8 ft.	a secon 18.50 24.00 33.00 18.00 24.00 33.00 Europ s shear 10.00 12.25 16.20 . Stan 3.80	ean Horing well 8.80 11.00 14.50 Hac ds dry, 3.30	nbeam 1. One 8.00 10.00 13.00 18kberry windy 3.00
CARPI	Specimen sizes in limited quantities, priced as follows. available in all species, therefore you should specify 8 to 10 ft., 2 stem (24" Ball) 10 to 12 ft., 2 stem (26" Ball) 12 to 14 ft., 2 stem (30" Ball) 6 to 8 ft., 3 stem (22" Ball) 10 to 12 ft., 3 stem (26" Ball) 10 to 12 ft., 3 stem (30" Ball) NUS betulus fastigiata — 35' Pyramid Dense, dark green foliage on a narrow tree that stand of the finest, trouble-free, small specimen trees. 4 to 5 ft. (15" Ball) 5 to 6 ft. (16" Ball) 6 to 7 ft. (17" Ball) 6 to 7 ft. (17" Ball) 6 to 7 ft. (17" Ball) 10 caccidentalis — 50' Hardy, relatively slow growing tree, resembling elm. locations well. 6 to 8 ft. 1 to 114 in.	a secon 18.50 24.00 33.00 18.00 24.00 33.00 Europ s shear 10.00 12.25 16.20 . Stan 3.80 5.60	ean Horing well 8.80 11.00 14.50 Hac ds dry, 3.30 4.95	8.00 10.00 13.00 8kberry windy 3.00 4.50
CARPI	Specimen sizes in limited quantities, priced as follows. available in all species, therefore you should specify 8 to 10 ft., 2 stem (24" Ball) 10 to 12 ft., 2 stem (26" Ball) 12 to 14 ft., 2 stem (30" Ball) 6 to 8 ft., 3 stem (22" Ball) 8 to 10 ft., 3 stem (26" Ball) 10 to 12 ft., 3 stem (30" Ball) NUS betulus fastigiata — 35' Pyramid Dense, dark green foliage on a narrow tree that stand of the finest, trouble-free, small specimen trees. 4 to 5 ft. (15" Ball) 5 to 6 ft. (16" Ball) 6 to 7 ft. (17" Ball) 6 to 7 ft. (17" Ball) 6 to 8 ft. 1 to 1¼ in. 1¼ to 1½ in.	a secon 18.50 24.00 33.00 18.00 24.00 33.00 Europ s shear 10.00 12.25 16.20 . Stan 3.80 5.60	ean Horing well 8.80 11.00 14.50 Hac ds dry, 3.30 4.95 6.30	**************************************
CARPI	Specimen sizes in limited quantities, priced as follows. available in all species, therefore you should specify 8 to 10 ft., 2 stem (24" Ball) 10 to 12 ft., 2 stem (26" Ball) 12 to 14 ft., 2 stem (30" Ball) 6 to 8 ft., 3 stem (22" Ball) 10 to 12 ft., 3 stem (26" Ball) 10 to 12 ft., 3 stem (30" Ball) NUS betulus fastigiata — 35' Pyramid Dense, dark green foliage on a narrow tree that stand of the finest, trouble-free, small specimen trees. 4 to 5 ft. (15" Ball) 5 to 6 ft. (16" Ball) 6 to 7 ft. (17" Ball) 6 to 7 ft. (17" Ball) 6 to 8 ft. 1 to 1¼ in. 11¼ to 1½ in. DIPHYLLUM japonicum — 50'	a secon 18.50 24.00 33.00 18.00 24.00 33.00 Europs s shear 10.00 12.25 16.20 . Stan 3.80 5.60 7.00	ean Horing well 8.80 11.00 14.50 Hac ds dry, 3.30 4.95 6.30 Katsu	**************************************
CARPI	Specimen sizes in limited quantities, priced as follows. available in all species, therefore you should specify 8 to 10 ft., 2 stem (24" Ball) 10 to 12 ft., 2 stem (26" Ball) 12 to 14 ft., 2 stem (30" Ball) 6 to 8 ft., 3 stem (22" Ball) 10 to 12 ft., 3 stem (26" Ball) 10 to 12 ft., 3 stem (30" Ball) NUS betulus fastigiata — 35' Pyramid Dense, dark green foliage on a narrow tree that stand of the finest, trouble-free, small specimen trees. 4 to 5 ft. (15" Ball) 5 to 6 ft. (16" Ball) 6 to 7 ft. (17" Ball) 6 cocidentalis — 50' Hardy, relatively slow growing tree, resembling elmilocations well. 6 to 8 ft. 1 to 1¼ in. 11¼ to 1½ in. DIPHYLLUM japonicum — 50' Lovely, pest-free symmetrical tree; hardy and tough;	a secon 18.50 24.00 33.00 18.00 24.00 33.00 Europ s shear 10.00 12.25 16.20 . Stan 3.80 5.60 7.00 highly	and choice 16.50 21.50 16.00 1	e. Inbeam One 8.00 10.00 13.00 Ekberry windy 3.00 4.50 Ara-tree spring
CARPI	Specimen sizes in limited quantities, priced as follows. available in all species, therefore you should specify 8 to 10 ft., 2 stem (24" Ball) 10 to 12 ft., 2 stem (26" Ball) 12 to 14 ft., 2 stem (30" Ball) 6 to 8 ft., 3 stem (22" Ball) 10 to 12 ft., 3 stem (26" Ball) 10 to 12 ft., 3 stem (30" Ball) NUS betulus fastigiata — 35' Pyramid Dense, dark green foliage on a narrow tree that stand of the finest, trouble-free, small specimen trees. 4 to 5 ft. (15" Ball) 5 to 6 ft. (16" Ball) 6 to 7 ft. (17" Ball) 6 cocidentalis — 50' Hardy, relatively slow growing tree, resembling elm. locations well. 6 to 8 ft. 1 to 1¼ in. 1¼ to 1½ in. DIPHYLLUM japonicum — 50' Lovely, pest-free symmetrical tree; hardy and tough; and fall. We do not recommend balling in small siz	a secon 18.50 24.00 33.00 18.00 24.00 33.00 Europ s shear 10.00 12.25 16.20 . Stan 3.80 5.60 7.00 highly es. If	a choice 16.50 21.50 16.00 16.00 8.80 11.00 14.50 Hac ds dry, 3.30 4.95 6.30 Katsu colored heavier	nbeam none none none none none none none non
CARPI	Specimen sizes in limited quantities, priced as follows. available in all species, therefore you should specify 8 to 10 ft., 2 stem (24" Ball) 10 to 12 ft., 2 stem (26" Ball) 12 to 14 ft., 2 stem (30" Ball) 6 to 8 ft., 3 stem (22" Ball) 10 to 12 ft., 3 stem (26" Ball) 10 to 12 ft., 3 stem (30" Ball) NUS betulus fastigiata — 35' Pyramid Dense, dark green foliage on a narrow tree that stand of the finest, trouble-free, small specimen trees. 4 to 5 ft. (15" Ball) 5 to 6 ft. (16" Ball) 6 to 7 ft. (17" Ball) 6 cocidentalis — 50' Hardy, relatively slow growing tree, resembling elmilocations well. 6 to 8 ft. 1 to 1¼ in. 11¼ to 1½ in. DIPHYLLUM japonicum — 50' Lovely, pest-free symmetrical tree; hardy and tough;	a secon 18.50 24.00 33.00 18.00 24.00 33.00 Europ s shear 10.00 12.25 16.20 . Stan 3.80 5.60 7.00 highly es. If	a choice 16.50 21.50 16.00 16.00 8.80 11.00 14.50 Hac ds dry, 3.30 4.95 6.30 Katsu colored heavier	nbeam none none none none none none none non
CARPI	Specimen sizes in limited quantities, priced as follows. available in all species, therefore you should specify 8 to 10 ft., 2 stem (24" Ball) 10 to 12 ft., 2 stem (26" Ball) 12 to 14 ft., 2 stem (30" Ball) 6 to 8 ft., 3 stem (22" Ball) 10 to 12 ft., 3 stem (26" Ball) 10 to 12 ft., 3 stem (30" Ball) NUS betulus fastigiata — 35' Pyramid Dense, dark green foliage on a narrow tree that stand of the finest, trouble-free, small specimen trees. 4 to 5 ft. (15" Ball) 5 to 6 ft. (16" Ball) 6 to 7 ft. (17" Ball) 6 cocidentalis — 50' Hardy, relatively slow growing tree, resembling elm. locations well. 6 to 8 ft. 1 to 1¼ in. 1¼ to 1½ in. DIPHYLLUM japonicum — 50' Lovely, pest-free symmetrical tree; hardy and tough; and fall. We do not recommend balling in small siz	a secon 18.50 24.00 33.00 18.00 24.00 33.00 Europ s shear 10.00 12.25 16.20 . Stan 3.80 5.60 7.00 highly es. If	a choice 16.50 21.50 16.00 16.00 8.80 11.00 14.50 Hac ds dry, 3.30 4.95 6.30 Katsu colored heavier	nbeam none none none none none none none non
CARPI	Specimen sizes in limited quantities, priced as follows. available in all species, therefore you should specify 8 to 10 ft., 2 stem (24" Ball) 10 to 12 ft., 2 stem (26" Ball) 12 to 14 ft., 2 stem (30" Ball) 6 to 8 ft., 3 stem (22" Ball) 10 to 12 ft., 3 stem (26" Ball) 10 to 12 ft., 3 stem (30" Ball) NUS betulus fastigiata — 35' Pyramid Dense, dark green foliage on a narrow tree that stand of the finest, trouble-free, small specimen trees. 4 to 5 ft. (15" Ball) 5 to 6 ft. (16" Ball) 6 to 7 ft. (17" Ball) 6 cocidentalis — 50' Hardy, relatively slow growing tree, resembling elm. locations well. 6 to 8 ft. 1 to 1¼ in. 11¼ to 1½ in. DIPHYLLUM japonicum — 50' Lovely, pest-free symmetrical tree; hardy and tough; and fall. We do not recommend balling in small siz are wanted B&B, refer to schedule opposite page 48.	a secon 18.50 24.00 33.00 18.00 24.00 33.00 Europ s shear 10.00 12.25 16.20 . Stan 3.80 5.60 7.00 highly es. If	a choice 16.50 21.50 16.00 16.00 8.80 11.00 14.50 Hac ds dry, 3.30 4.95 6.30 Katsu colored heavier	nbeam none none none none none none none non
CARPI	Specimen sizes in limited quantities, priced as follows. available in all species, therefore you should specify 8 to 10 ft., 2 stem (24" Ball) 10 to 12 ft., 2 stem (26" Ball) 12 to 14 ft., 2 stem (30" Ball) 6 to 8 ft., 3 stem (22" Ball) 8 to 10 ft., 3 stem (26" Ball) 10 to 12 ft., 3 stem (30" Ball) NUS betulus fastigiata — 35' Pyramid Dense, dark green foliage on a narrow tree that stand of the finest, trouble-free, small specimen trees. 4 to 5 ft. (15" Ball) 5 to 6 ft. (16" Ball) 6 to 7 ft. (17" Ball) 6 to 7 ft. (17" Ball) 6 to 8 ft. 1 to 1¼ in. 1¼ to 1½ in. DIPHYLLUM japonicum — 50' Lovely, pest-free symmetrical tree; hardy and tough; and fall. We do not recommend balling in small siz are wanted B&B, refer to schedule opposite page 48. dium to low-branched. 4 to 5 ft.	a secon 18.50 24.00 33.00 18.00 24.00 33.00 Europs s shear 10.00 12.25 16.20 . Stan 3.80 5.60 7.00 highly es. If Trees o	an Horing well 8.80 11.00 14.50 Hac ds dry, 3.30 4.95 6.30 Katsu colored heavier ffered a	sinbeam d. One 8.00 10.00 13.00 skberry windy 3.00 4.50 dra-tree spring plants are me- 3.25
CARPI	Specimen sizes in limited quantities, priced as follows. available in all species, therefore you should specify 8 to 10 ft., 2 stem (24" Ball) 10 to 12 ft., 2 stem (26" Ball) 12 to 14 ft., 2 stem (30" Ball) 6 to 8 ft., 3 stem (22" Ball) 10 to 12 ft., 3 stem (26" Ball) 10 to 12 ft., 3 stem (30" Ball) NUS betulus fastigiata — 35' Pyramid Dense, dark green foliage on a narrow tree that stand of the finest, trouble-free, small specimen trees. 4 to 5 ft. (15" Ball) 5 to 6 ft. (16" Ball) 6 to 7 ft. (17" Ball) 6 to 7 ft. (17" Ball) 6 to 8 ft. 1 to 1¼ in. 1¼ to 1½ in. 11¼ to 1½ in. DIPHYLLUM japonicum — 50' Lovely, pest-free symmetrical tree; hardy and tough; and fall. We do not recommend balling in small siz are wanted B&B, refer to schedule opposite page 48. dium to low-branched. 4 to 5 ft. 5 to 6 ft.	a secon 18.50 24.00 33.00 18.00 24.00 33.00 Europs s shear 10.00 12.25 16.20 . Stan 3.80 5.60 7.00 highly es. If Trees of	ean Horing well 8.80 11.00 14.50 Hac ds dry, 3.30 4.95 6.30 Katsu colored heavier ffered a 3.60 4.40	nbeam n One 8.00 10.00 13.00 kberry windy 3.00 4.50 hra-tree spring plants hre me- 3.25
CARPI	Specimen sizes in limited quantities, priced as follows. available in all species, therefore you should specify 8 to 10 ft., 2 stem (24" Ball) 10 to 12 ft., 2 stem (26" Ball) 12 to 14 ft., 2 stem (30" Ball) 6 to 8 ft., 3 stem (22" Ball) 10 to 12 ft., 3 stem (26" Ball) 10 to 12 ft., 3 stem (30" Ball) NUS betulus fastigiata — 35' Pyramid Dense, dark green foliage on a narrow tree that stand of the finest, trouble-free, small specimen trees. 4 to 5 ft. (15" Ball) 5 to 6 ft. (16" Ball) 6 to 7 ft. (17" Ball) 6 to 7 ft. (17" Ball) 6 to 8 ft. 1 to 1¼ in. 11¼ to 1½ in. DIPHYLLUM japonicum — 50' Lovely, pest-free symmetrical tree; hardy and tough; and fall. We do not recommend balling in small siz are wanted B&B, refer to schedule opposite page 48. dium to low-branched. 4 to 5 ft. 5 to 6 ft. 5 to 6 ft. 6 to 8 ft.	a secon 18.50 24.00 33.00 18.00 24.00 33.00 Europes shear 10.00 12.25 16.20 . Stan 3.80 5.60 7.00 highly es. If Trees of 4.10 5.00 6.75	a. choice 16.50 21.50 16.00	nbeam none 8.00 10.00 13.00 13.00 4.50 ara-tree spring plants are me- 3.25
CARPI	Specimen sizes in limited quantities, priced as follows. available in all species, therefore you should specify 8 to 10 ft., 2 stem (24" Ball) 10 to 12 ft., 2 stem (26" Ball) 12 to 14 ft., 2 stem (30" Ball) 6 to 8 ft., 3 stem (22" Ball) 10 to 12 ft., 3 stem (26" Ball) 10 to 12 ft., 3 stem (30" Ball) NUS betulus fastigiata — 35' Pyramid Dense, dark green foliage on a narrow tree that stand of the finest, trouble-free, small specimen trees. 4 to 5 ft. (15" Ball) 5 to 6 ft. (16" Ball) 6 to 7 ft. (17" Ball) 6 to 7 ft. (17" Ball) 6 to 8 ft. 1 to 1¼ in. 11¼ to 1½ in. DIPHYLLUM japonicum — 50' Lovely, pest-free symmetrical tree; hardy and tough; and fall. We do not recommend balling in small siz are wanted B&B, refer to schedule opposite page 48. dium to low-branched. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 1 to 1½ in., 8 to 10 ft.	a secon 18.50 24.00 33.00 18.00 24.00 33.00 Europs s shear 10.00 12.25 16.20 . Stan 3.80 5.60 7.00 highly es. If Trees of 4.10 5.00 6.75 9.25	a. choice 16.50 21.50 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.50 16.50 16.00 16.00 16.50 16	e. Inbeam I. One 8.00 10.00 13.00 Isberry windy 3.00 4.50 Ira-tree spring plants Ire me- 3.25 7.50
CARPI	Specimen sizes in limited quantities, priced as follows. available in all species, therefore you should specify 8 to 10 ft., 2 stem (24" Ball) 10 to 12 ft., 2 stem (26" Ball) 12 to 14 ft., 2 stem (30" Ball) 6 to 8 ft., 3 stem (22" Ball) 10 to 12 ft., 3 stem (26" Ball) 10 to 12 ft., 3 stem (30" Ball) NUS betulus fastigiata — 35' Pyramid Dense, dark green foliage on a narrow tree that stand of the finest, trouble-free, small specimen trees. 4 to 5 ft. (15" Ball) 5 to 6 ft. (16" Ball) 6 to 7 ft. (17" Ball) 6 cocidentalis — 50' Hardy, relatively slow growing tree, resembling elmilocations well. 6 to 8 ft. 1 to 1¼ in. 11¼ to 1½ in. DIPHYLLUM japonicum — 50' Lovely, pest-free symmetrical tree; hardy and tough; and fall. We do not recommend balling in small siz are wanted B&B, refer to schedule opposite page 48. dium to low-branched. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 11¼ to 1½ in., 8 to 10 ft. 11½ to 1¾ in.	a secon 18.50 24.00 33.00 18.00 24.00 33.00 Europ s shear 10.00 12.25 16.20 . Stan 3.80 5.60 7.00 highly es. If Trees o 4.10 5.00 6.75 9.25 11.15	ad choice 16.50 21.50 16.00 16	8.00 10.00 13.00 8kberry windy 3.00 4.50 4.50 4.50 9.00
CARPI	Specimen sizes in limited quantities, priced as follows. available in all species, therefore you should specify 8 to 10 ft., 2 stem (24" Ball) 10 to 12 ft., 2 stem (26" Ball) 12 to 14 ft., 2 stem (30" Ball) 6 to 8 ft., 3 stem (22" Ball) 10 to 12 ft., 3 stem (26" Ball) 10 to 12 ft., 3 stem (26" Ball) 10 to 12 ft., 3 stem (30" Ball) NUS betulus fastigiata — 35' Pyramid Dense, dark green foliage on a narrow tree that stand of the finest, trouble-free, small specimen trees. 4 to 5 ft. (15" Ball) 5 to 6 ft. (16" Ball) 6 to 7 ft. (17" Ball) 6 cocidentalis — 50' Hardy, relatively slow growing tree, resembling elm. locations well. 6 to 8 ft. 1 to 1¼ in. 1¼ to 1½ in. DIPHYLLUM japonicum — 50' Lovely, pest-free symmetrical tree; hardy and tough; and fall. We do not recommend balling in small siz are wanted B&B, refer to schedule opposite page 48. dium to low-branched. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 11¼ to 1½ in., 8 to 10 ft. 11½ to 1¾ in. 11¼ to 1½ in., 8 to 10 ft. 11½ to 1¾ in. 13¼ to 2 in.	a secon 18.50 24.00 33.00 18.00 24.00 33.00 Europ s shear 10.00 12.25 16.20 . Stan 3.80 5.60 7.00 highly es. If Trees o 4.10 5.00 6.75 9.25 11.15 13.50	a choice 16.50 21.50 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.25 9.90 12.20	e. Inbeam I. One 8.00 10.00 13.00 Isberry windy 3.00 4.50 Ira-tree spring plants Ire me- 3.25 7.50
CARPI	Specimen sizes in limited quantities, priced as follows. available in all species, therefore you should specify 8 to 10 ft., 2 stem (24" Ball) 10 to 12 ft., 2 stem (26" Ball) 12 to 14 ft., 2 stem (30" Ball) 6 to 8 ft., 3 stem (22" Ball) 8 to 10 ft., 3 stem (26" Ball) 10 to 12 ft., 3 stem (30" Ball) NUS betulus fastigiata — 35' Pyramid Dense, dark green foliage on a narrow tree that stand of the finest, trouble-free, small specimen trees. 4 to 5 ft. (15" Ball) 5 to 6 ft. (16" Ball) 6 to 7 ft. (17" Ball) 6 cocidentalis — 50' Hardy, relatively slow growing tree, resembling elm. locations well. 6 to 8 ft. 1 to 1¼ in. 1¼ to 1½ in. DIPHYLLUM japonicum — 50' Lovely, pest-free symmetrical tree; hardy and tough; and fall. We do not recommend balling in small siz are wanted B&B, refer to schedule opposite page 48. dium to low-branched. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 1¼ to 1½ in., 8 to 10 ft. 1½ to 1¾ in. 1¼ to 1½ in., 8 to 10 ft. 1½ to 1¾ in. 1¾ to 2 in. 2 to 2½ in.	a secon 18.50 24.00 33.00 18.00 24.00 33.00 Europes shear 10.00 12.25 16.20 . Stan 3.80 5.60 7.00 highly es. If Trees of 4.10 5.00 6.75 9.25 11.15 13.50 16.75	ad choice 16.50 21.50 16.00 16	8.00 10.00 13.00 8kberry windy 3.00 4.50 4.50 4.50 9.00
CARPI	Specimen sizes in limited quantities, priced as follows. available in all species, therefore you should specify 8 to 10 ft., 2 stem (24" Ball) 10 to 12 ft., 2 stem (26" Ball) 12 to 14 ft., 2 stem (30" Ball) 6 to 8 ft., 3 stem (22" Ball) 10 to 12 ft., 3 stem (26" Ball) 10 to 12 ft., 3 stem (26" Ball) 10 to 12 ft., 3 stem (30" Ball) NUS betulus fastigiata — 35' Pyramid Dense, dark green foliage on a narrow tree that stand of the finest, trouble-free, small specimen trees. 4 to 5 ft. (15" Ball) 5 to 6 ft. (16" Ball) 6 to 7 ft. (17" Ball) 6 cocidentalis — 50' Hardy, relatively slow growing tree, resembling elm. locations well. 6 to 8 ft. 1 to 1¼ in. 1¼ to 1½ in. DIPHYLLUM japonicum — 50' Lovely, pest-free symmetrical tree; hardy and tough; and fall. We do not recommend balling in small siz are wanted B&B, refer to schedule opposite page 48. dium to low-branched. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 11¼ to 1½ in., 8 to 10 ft. 11½ to 1¾ in. 11¼ to 1½ in., 8 to 10 ft. 11½ to 1¾ in. 13¼ to 2 in.	a secon 18.50 24.00 33.00 18.00 24.00 33.00 Europes shear 10.00 12.25 16.20 . Stan 3.80 5.60 7.00 highly es. If Trees of 4.10 5.00 6.75 9.25 11.15 13.50 16.75	a choice 16.50 21.50 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.25 9.90 12.20	8.00 10.00 13.00 8kberry windy 3.00 4.50 4.50 4.50 9.00 11.00

Title Colle Hottomite Co., Third Ville, City			
	1-4 Each	5-24 Each	25 Up Each
CERCIS canadensis — 15'		stern R	
Rosy-pink flowers in April, all along the bare stems.	Large,	heart-s	shaped
leaves. Vase-shaped head. 3 to 4 ft. bush	1.50	1.10	.90
4 to 5 ft. bush	2.00	1.50	1.25
5 to 6 ft	13.75	$\frac{2.50}{12.50}$	2.25
1½ to 2 in. (22" Ball)	18.00	16.00	
2 to 2½ in. (26" Ball) 12 to 18 in. trans. (LOS)	23.75	21.00	.18
1½ to 2 ft. trans. (LOS)			.22
	Flower	_	_
Favorite small tree, for sun or shade. White flowers a	and red	fruit in	tiers.
Enjoys good drainage. 4 to 5 ft. (15" Ball)	5.00	4.40	4.00
5 to 6 ft. (16" Ball)	6.75	6.00	5.50
6 to 8 ft. (18" Ball)	9.25	8.80 8.25	8.00
6 to 8 ft. specimens (20" Ball)	12.20	11.20	
f. plena — 20' Double white flowered form of above.	Flower	ing Do	gwood
4 to 5 ft. (15" Ball)	9.00	.,	
	Flower	ring Do	gwood
Well-known, bright pink form of above. 3 to 4 ft. (13" Ball)	6.20	5.50	
4 to 4½ ft. (14" Ball)	8.10	7.25	
4½ to 5 ft. (14" Ball)		8.25 9.50	
5½ to 6 ft. (16" Ball)		11.00	
CRATAEGUS crusgalli — 25'		ckspur	
Lustrous, dense leaves; horizontal branching habit. flowers followed by bright red fruit.	Consp	oicuous	white
4 to 5 ft. heavy (16" Ball)	6.20	5.50	5.00
5 to 6 ft. heavy (18" Ball)	9.25	$8.25 \\ 11.00$	7.50 10.00
lavallei (carrieri) — 25' Outstanding small home or street tree. Dense, rich bronzy red in fall. Brick red berries hang on all win	green	lle Hav foliage	
8 to 10 ft., 2 yr	6.20	5.50	
8 to 10 ft., 4 yr	10.00	8.80	8.00
oxyacantha pauli — 18' Paul's Doul	ole Scar	let Hav	vthorn
Small tree—highly appreciated for street and ornament double, scarlet flowers in June. Bright green foliage:	al use. Dicture	Covered	d with
Plants listed are standards, twice transplanted. If w	anted E	B&B, re	fer to
schedule opposite page 48.	7.35	6.60	6.00
8 to 10 ft		7.70	7.00
134 to 2 in. 2 to 2½ in.		$10.50 \\ 12.70$	11.50
2½ to 3 in.		15.50	
	Vashing		
Dense tree with small shapely crown. White flowers; berries Excellent foliage, scarlet in autumn. These	are nari	nt oran row tyr	ge-rea e.
4 to 5 ft. (15" Ball)	6.75	6.00	5.50
5 to 6 ft. (16" Ball)	$9.25 \\ 12.20$	$8.25 \\ 11.00$	7.50 10.00
7 to 8 ft. (18" Ball)	14.00	12.70	11.50
134 to 2 in. specimens (24" Ball)	22.50	20.00 26.50	24.00
2½ to 3 in. specimens (30" Ball)	39.00	35.00	32.00

6	THE COLE NURSERY CO., PAINESVILLE, OHIO		
FDAA	1-4 Each	5-24 Each	25 Up Each
LUUL	NKLINIA alatamaha — 20'		nklinia
	The rare, exceedingly handsome, fall-flowering Franklin Tr Cannot be shipped outside the Japanese Beetle Zone.	ee.	
	3 to 3½ ft. (13" Ball) 8.35	7.50	
FRAS	KINUS americana — 70'	Wh	ite Ash
	Fast-growing, straight tree, withstanding wet locations. Fi to yellow fall color. Rounded top.	ne deep	purple
	6 to 8 ft	2.25	2.00
	1 to 1¼ in	2.75	2.50
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$6.60 \\ 9.45$	6.00 8.50
p	ennsylvanica lanceolata — 60'	Gree	n Ash
	Dense, shapely tree, smaller than White Ash, but a quick gro	wer. Fa	all foli-
	age good yellow. Withstands drought. The finest Ash sp America.	ecies fo	r mid-
	1½ to 1½ in. 4.65	4.15	3.75
	1½ to 1¾ in. 6.50 1¾ to 2 in. 8.00	5.75	5.25
	1¾ to 2 in	7.15	
p. 1	lanceolata "Marshall Seedless Green Ash" — 60 " Handsome, shapely tree with extremely dark green, glossy fol free of seed, and has few insect enemies. Most outstanding. 1 to $1\frac{1}{4}$ in. 4.65 $1\frac{1}{2}$ to $1\frac{3}{4}$ in. 6.75	iage. En	3.75
	Handsome, shapely tree with extremely dark green, glossy fol free of seed, and has few insect enemies. Most outstanding. 1 to 1½ in	4.15	3.75
	Handsome, shapely tree with extremely dark green, glossy fol free of seed, and has few insect enemies. Most outstanding. 1 to 1¼ in	4.15	3.75
	Handsome, shapely tree with extremely dark green, glossy fol free of seed, and has few insect enemies. Most outstanding. 1 to 1½ in	4.15 Quite ra	3.75
	Handsome, shapely tree with extremely dark green, glossy fol free of seed, and has few insect enemies. Most outstanding. 1 to 1½ in. 4.65 1½ to 1¾ in. 6.75 Lanceolata "Niobrara Green Ash" — 60' New pyramidal type with much the same form as Pin Oak. growth and looks promising.	4.15	3.75
p.	Handsome, shapely tree with extremely dark green, glossy fol free of seed, and has few insect enemies. Most outstanding. 1 to 1½ in. 4.65 1½ to 1¾ in. 6.75 Lanceolata "Niobrara Green Ash" — 60' New pyramidal type with much the same form as Pin Oak. growth and looks promising. 1¼ to 1½ in. 6.75 1½ to 1¾ in. 10.00 GGO biloba — 60'	4.15 Quite ra 6.00	3.75
p.	Handsome, shapely tree with extremely dark green, glossy fol free of seed, and has few insect enemies. Most outstanding. 1 to 1¼ in. 4.65 1½ to 1¾ in. 6.75 Lanceolata "Niobrara Green Ash" — 60' New pyramidal type with much the same form as Pin Oak. growth and looks promising. 1¼ to 1½ in. 6.75 1½ to 1¾ in. 10.00 GGO biloba — 60' Exotic open growth; fan-shaped leaves turn brilliant yellow pletely free of insects and disease. Grows well in smoke and	4.15 Quite ra 6.00 (aidenhai	3.75
p.	Handsome, shapely tree with extremely dark green, glossy fol free of seed, and has few insect enemies. Most outstanding. 1 to 1½ in. 4.65 1½ to 1¾ in. 6.75 Lanceolata "Niobrara Green Ash" — 60' New pyramidal type with much the same form as Pin Oak. growth and looks promising. 1¼ to 1½ in. 6.75 1½ to 1¾ in. 10.00 GGO biloba — 60' Exotic open growth; fan-shaped leaves turn brilliant yellow pletely free of insects and disease. Grows well in smoke and 1 to 1¼ in. 700	4.15 Quite ra 6.00 (aidenhai	3.75
p.	Handsome, shapely tree with extremely dark green, glossy fol free of seed, and has few insect enemies. Most outstanding. 1 to 1½ in. 4.65 1½ to 1¾ in. 6.75 Lanceolata "Niobrara Green Ash" — 60' New pyramidal type with much the same form as Pin Oak. growth and looks promising. 1¼ to 1½ in. 6.75 1½ to 1¾ in. 10.00 GGO biloba — 60' Exotic open growth; fan-shaped leaves turn brilliant yellow pletely free of insects and disease. Grows well in smoke and 1 to 1¼ in. 7.00 1¼ to 1½ in. 7.00 1¼ to 1½ in. 8.60	4.15 Quite ra 6.00 (aidenhai in fall. I dust of	3.75 apid in r Tree Comcities.
p.	Handsome, shapely tree with extremely dark green, glossy fol free of seed, and has few insect enemies. Most outstanding. 1 to 1½ in. 4.65 1½ to 1¾ in. 6.75 Lanceolata "Niobrara Green Ash" — 60' New pyramidal type with much the same form as Pin Oak. growth and looks promising. 1¼ to 1½ in. 6.75 1½ to 1¾ in. 10.00 GGO biloba — 60' Exotic open growth; fan-shaped leaves turn brilliant yellow pletely free of insects and disease. Grows well in smoke and 1 to 1¼ in. 7.00 1¼ to 1½ in. 7.00 1¼ to 1½ in. 8.60 2½ to 3 in. 25 00	4.15 Quite ra 6.00 Anidenhai in fall. d dust of 6.25	3.75 apid in r Tree Comcities. 5.75
p. GINK	Handsome, shapely tree with extremely dark green, glossy fol free of seed, and has few insect enemies. Most outstanding. 1 to $1\frac{1}{4}$ in. 4.65 $1\frac{1}{2}$ to $1\frac{3}{4}$ in. 6.75 Lanceolata "Niobrara Green Ash" — $60'$ New pyramidal type with much the same form as Pin Oak. growth and looks promising. $1\frac{1}{4}$ to $1\frac{1}{2}$ in. 6.75 $1\frac{1}{2}$ to $1\frac{3}{4}$ in. 10.00 GGO biloba — $60'$ Exotic open growth; fan-shaped leaves turn brilliant yellow pletely free of insects and disease. Grows well in smoke and 1 to $1\frac{1}{4}$ in. 7.00 $1\frac{1}{4}$ to $1\frac{1}{2}$ in. 8.60 $2\frac{1}{2}$ to 3 in. 25.00 3 to $3\frac{1}{2}$ in. 30.00	4.15 Quite ra 6.00 Anidenhai in fall. d dust of 6.25 7.70	3.75 apid in r Tree Comcities. 5.75
p. GINK	Handsome, shapely tree with extremely dark green, glossy fol free of seed, and has few insect enemies. Most outstanding. 1 to 1¼ in. 4.65 1½ to 1¾ in. 6.75 Lanceolata "Niobrara Green Ash" — 60' New pyramidal type with much the same form as Pin Oak. growth and looks promising. 1¼ to 1½ in. 6.75 1½ to 1¾ in. 10.00 GGO biloba — 60' Exotic open growth; fan-shaped leaves turn brilliant yellow pletely free of insects and disease. Grows well in smoke and 1 to 1¼ in. 7.00 1¼ to 1½ in. 8.60 2½ to 3 in. 25.00 3 to 3½ in. 30.00 NOCLADUS dioicus — 50'	4.15 Quite ra 6.00 Anidenhai in fall. d dust of 6.25 7.70	3.75 apid in r Tree Comcities. 5.75
p. GINK	Handsome, shapely tree with extremely dark green, glossy fol free of seed, and has few insect enemies. Most outstanding. 1 to 1¼ in. 4.65 1½ to 1¾ in. 6.75 Lanceolata "Niobrara Green Ash" — 60' New pyramidal type with much the same form as Pin Oak. growth and looks promising. 1¼ to 1½ in. 6.75 1½ to 1¾ in. 10.00 GO biloba — 60' Exotic open growth; fan-shaped leaves turn brilliant yellow pletely free of insects and disease. Grows well in smoke and 1 to 1¼ in. 7.00 1¼ to 1½ in. 8.60 2½ to 3 in. 25.00 3 to 3½ in. 30.00 NOCLADUS dioicus — 50' Rugged, pestfree tree of picturesque round-spreading habit	4.15 Quite ra 6.00 Anidenhai in fall. d dust of 6.25 7.70	3.75 apid in r Tree Comcities. 5.75
p. GINK	Handsome, shapely tree with extremely dark green, glossy fol free of seed, and has few insect enemies. Most outstanding. 1 to 1¼ in. 4.65 1½ to 1¾ in. 6.75 Lanceolata "Niobrara Green Ash" — 60' New pyramidal type with much the same form as Pin Oak. growth and looks promising. 1¼ to 1½ in. 6.75 1½ to 1¾ in. 10.00 GO biloba — 60' Exotic open growth; fan-shaped leaves turn brilliant yellow pletely free of insects and disease. Grows well in smoke and 1 to 1¼ in. 7.00 1¼ to 1½ in. 8.60 2½ to 3 in. 25.00 3 to 3½ in. 30.00 NOCLADUS dioicus — 50' Rugged, pestfree tree of picturesque round-spreading habit. winter with its gray, stubby twigs and twisted branches.	Quite ra 6.00 (aidenhai in fall. id dust of 6.25 7.70	3.75 apid in r Tree Comcities. 5.75
p. GINK	Handsome, shapely tree with extremely dark green, glossy fol free of seed, and has few insect enemies. Most outstanding. 1 to 1¼ in. 4.65 1½ to 1¾ in. 6.75 Lanceolata "Niobrara Green Ash" — 60' New pyramidal type with much the same form as Pin Oak. growth and looks promising. 1¼ to 1½ in. 6.75 1½ to 1¾ in. 10.00 GOO biloba — 60' Exotic open growth; fan-shaped leaves turn brilliant yellow pletely free of insects and disease. Grows well in smoke and 1 to 1¼ in. 7.00 1¼ to 1½ in. 8.60 2½ to 3 in. 25.00 3 to 3½ in. 30.00 NOCLADUS dioicus — 50' Rugged, pestfree tree of picturesque round-spreading habit. winter with its gray, stubby twigs and twisted branches. 5 to 7 ft. 3.80 1 to 1¼ in. 3.80 1 to 1¼ in. 3.80	Quite ra 6.00 (aidenhai in fall. d dust of 6.25 7.70 acky Cof Interest	3.75 apid in r Tree Comcities. 5.75 feetree
p. GINK	Handsome, shapely tree with extremely dark green, glossy fol free of seed, and has few insect enemies. Most outstanding. 1 to 1½ in. 4.65 1½ to 1¾ in. 6.75 Lanceolata "Niobrara Green Ash" — 60' New pyramidal type with much the same form as Pin Oak. growth and looks promising. 1¼ to 1½ in. 6.75 1½ to 1¾ in. 10.00 GGO biloba — 60' Exotic open growth; fan-shaped leaves turn brilliant yellow pletely free of insects and disease. Grows well in smoke and 1 to 1¼ in. 7.00 1¼ to 1½ in. 8.60 2½ to 3 in. 25.00 3 to 3½ in. 30.00 NOCLADUS dioicus — 50' Rugged, pestfree tree of picturesque round-spreading habit. winter with its gray, stubby twigs and twisted branches. 5 to 7 ft. 3.80 1 to 1¼ in. 4.35 1¼ to 1½ in. 4.35 1¼ to 1½ in. 5.00	Quite ra 6.00 Anidenhai in fall. d dust of 6.25 7.70 incky Coff Interest 3.30 3.85	3.75 apid in r Tree Comcities. 5.75 feetree cing in 3.00 3.50
p. GINK	Handsome, shapely tree with extremely dark green, glossy fol free of seed, and has few insect enemies. Most outstanding. 1 to 1¼ in. 4.65 1½ to 1¾ in. 6.75 Lanceolata "Niobrara Green Ash" — 60' New pyramidal type with much the same form as Pin Oak. growth and looks promising. 1¼ to 1½ in. 6.75 1½ to 1¾ in. 10.00 GO biloba — 60' Exotic open growth; fan-shaped leaves turn brilliant yellow pletely free of insects and disease. Grows well in smoke and 1 to 1¼ in. 7.00 1¼ to 1½ in. 8.60 2½ to 3 in. 25.00 3 to 3½ in. 30.00 NOCLADUS dioicus — 50' Rugged, pestfree tree of picturesque round-spreading habit. winter with its gray, stubby twigs and twisted branches. 5 to 7 ft. 380	Quite ra 6.00 (aidenhai in fall. d dust of 6.25 7.70 acky Cof Interest	3.75 apid in r Tree Comcities. 5.75 feetree ing in 3.00

FALL PLANTING

It is accepted knowledge that fall planting has great advantages in our area. Plants are better able to stand drought the next year, and growth is substantially greater. Certain trees, however, are considered somewhat risky to handle in the fall and we list these here for your guidance.

Acer rubrum
Betula species
Cornus florida
Franklinia
Koelreuteria
Laburnum
Liquidambar

Liriodendron Magnolia species Populus species Prunus species Quercus - most Salix Sorbus



Young block of Cole's Budded Thornless Honeylocust. Full-branched and vigorous with straight stems.

	1-4 Each	5-24 Each	25 Up Each
GLEDITSIA triacanthos inermis — 50-60'	Thornles	s Honer	zlocust
Our biggest selling tree, and deservedly so. Broad, gr			
foliage gives light shade. Grows rapidly and withsta	nds adve	erse con	ditions
well. Cole's trees are all budded from parent plants			
ness, full strongly-branched heads and vigorous grow		1 101 50	aigiit
6 to 8 ft. 2 year whips		2.00	1.75
1 to 1 ¹ / ₄ in.		3.85	3.50
1 to 174 in		5.25	4.75
1½ to 1¾ in	8.00	7.15	6.50
1¾ to 2 in.		9.45	8.50
2 to 2½ in.		13.75	12.50
a 10 a/a	. 10.20	10.10	12.00
t. Moraine Thornless Honeylocust, Pat. No. 836			
Round-headed when young, but tall and vase shaped	when ol	der. N	o seed
pods or thorns. Individually staked to provide straig	htest ste	ms poss	ible.
1½ to 1½ in	. 12.20	11.00	
1½ to 1¾ in	. 15.00	13.50	
13/4 to 2 in	16.75	15.00	
	D	£ 77	
t. nana		f Honey	
Slow growing, but ultimately a pretty, columnar sr foliage.	nam tree.	Dark	green
	3.25	2.75	
3 to 4 ft. 4 to 5 ft.		3.85	1 1 1 1
5 to 6 ft		4.95	
U U 16	0.00	4.90	

For your convenience, we have listed prices and weights of earth balls on page 48. Recommendations and prices are based on accurate records kept for many years.



IMPERIAL LOCUST

Cole's

WONDERFUL NEW HONEYLOCUSTS

THE MOST WIDELY
ADAPTABLE NEW TREES
ON THE MARKET TODAY

After years of experiment and study on more than ten thousand individual trees and further close observation and tests with two hundred and sixty early selections, Cole now presents whole new family of Thornless Honeylocusts. Each tree was selected with a specific form and purpose in mind. First came the spectacular Golden Sunburst, already becoming familiar in all parts of America. Now the exceedhandsome Skyline ingly and Imperial join their glamorous partner to form the world's finest series of new trees.

IMPERIAL LOCUST

(Plant Patent No. 1605)

Cole's new IMPERIAL locust is an exceptionally graceful, spreading variety that is destined for recognition as one of the outstanding trees of this age. Branches are symmetrically arranged, forming a much more regular and compact tree than other Honeylocusts. It grows straight and strong without staking and produces a dense and uniform crown with a minimum of trimming in the nursery.

Numerous, well-spaced branches emerge from the trunk at nearly 90-degree angles thereby assuring strong crotches. The prolific branching results in a uniform, fairly broad, yet compact head. Even small nursery trees, as young as two years

old, have the appearance of rather mature specimens.

The foliage is dainty and refined and has a fresh green color. Leaves are spaced closer than on the Common Honeylocust and, because of the dense branching habit, form a more dense cover.

	10-29 Each		100-299 Each
Available Spring 1958.	Dacu	Dacu	Laci
1½ to 1¾ in. (\$12.20 each)	11.00		
13/4 to 2 in. (\$16.00 each)		12.75	
2 to 2½ in. (\$20.00 each)	18.00		
Following For Fall 1958 Only:			
4 to 5 ft. Whips		1.80	1.60
5 to 6 ft. Whips		2.05	1.85
6 to 7 ft. Whips		2.55	2.30
7 to 8 ft. Whips	3.40	3.05	2.75



SKYLINE LOCUST

SUNBURST LOCUST (See page 10 for prices)

SKYLINE LOCUST

(Plant Patent No. 1619)

Cole's new Skyline locust is a stately and unusual variety with distinctive pyramidal form. It develops an exceptionally strong, sturdy trunk and shapely crown without being staked or specially trimmed.

Branches are uniformly spaced and arranged, resulting in a well-filled tree of rather formal appearance. Strong crotches result from the wide angle-60 to 90 de-

grees—at which the branches diverge from the trunk.

The leaves of SKYLINE are dark green and of a heavy, leathery texture. They are more closely spaced, and the leaflets are larger than the average Honeylocust produces, thereby contributing to the compact appearance of the crown. An added touch is the reddish-bronze cast which characterizes the emerging leaves.

Practically all of the flowers produced are male; but infrequently a polygamous flower has appeared in which a single floret is female. Since only a small percentage of these female florets are pollinated, seeding is of minor importance.

A 17 17 G 1 . 4050	10-29	30-99	100-299
Available Spring 1958	Each	Each	Each
3 to 4 ft. Whips	1.85	1.65	
1¾ to 2 in. (\$16.00 each)	14.00	12.75	
2 to 2½ in. (\$20.00 each)	18.00	16.50	
Following For Fall 1958 Only:			
4 to 5 ft. Whips	2.00	1.80	1.60
5 to 6 ft. Whips	2.30	2.05	1.85
6 to 7 ft. Whips	2.85	2.55	2.30
7 to 8 ft Whips	3 40	3.05	9 75



America's Newest Tree Sensation

(Plant Patent No. 1313)

The first new color in a hardy ornamental shade tree in decades. Bright golden foliage on 8 to 10 inches of branch tips, contrasts with the rich green of the balance of the tree; appears to be in bloom all summer.

Broadly pyramidal head and excellent branching habit creates a beautiful symmetry unmatched by other honeylocusts.

Producing only male flowers, Sunburst is absolutely seedless and causes no ground litter.

Sunburst has been planted from coast to coast, is adaptable to almost any location and transplants easily. Unusually strong, it has withstood ice and snow storms which completely ruined neighboring trees of other varieties.

				10-29 Each	30- 99 Each	100-299 Each
3	to	4	ft., 1 yr. whips			1.35
4	to		ft., 1 yr. whips	2.00	1.75	
6	to	7	ft., 1 yr. whips	2.80	2.50	2.25
7	to	8	ft., 1 yr. whips	3.35	3.00	2.70
8	to	_	ft., 1 yr. whips	3.90	3.50	:
3	to		ft., 1 yr. branched	2.15		
4	to	5	ft., 1 yr. branched	2.60		
8	to	10	ft., 2 yr. or more (\$8.40 each)	7.50	6.75	
$1\frac{1}{4}$	to	$1\frac{1}{2}$	in., (\$10.85 each)	9.50		
$1\frac{1}{2}$	to	$1\frac{3}{4}$	in., (\$13.50 each)			

MAJESTIC LOCUST

Plant Patent No. 1534

A strong, graceful tree of spreading growth habit, Majestic is much more regular and compact than the ordinary Honeylocust. It is entirely thornless and grows straight without staking.

The bold, abundant foliage is extremely dark green when mature, retains its richness even in drought or wet soils. Flowers are occasionally polygamous, but seeding has been relatively light.

Here is a sturdy tree of outstanding style and character available at ordinary prices.

				1.9 Each	10-29 Each	30 Up Each
6	to	8	ft., 2 yr. branched		3.65	3.25
8	to	10	ft., 2 yr. or more		4.85	4.50
$1\frac{1}{4}$	to	$1\frac{1}{2}$	in., 2 yr. or more	7.00		
13/4	to	2	in	14.00		
2	to	$2\frac{1}{2}$	in,	18.00	16.00	14.50

NOTE: Cole's varieties of Honeylocust are not affected by the Black Locust Borer.

THE COLE NORSERI CO., PAINESVIELE, OHIO	
1-4	
Each	Each Each
	Goldenrain Tree
Handsome flat-topped tree. Large clusters of yellow fl	owers in July.
Thrives in cities and in many soils. 4 to 5 ft	3.85 3.50
5 to 6 ft. 5.60	4.95 4.50
6 to 8 ft	6.60
V 00 0 20000000000000000000000000000000	
LABURNUM vossi — 15' New Hyb	id Goldenchain
Improved type with large, showy yellow flower clusters in	long racemes.
3 to 4 ft. (14" Ball)	
4 to 5 ft. (15" Ball)	
T TATUM TRANSPORT	er .
LIQUIDAMBAR styraciflua — 60' An excellent, broadly pyramidal specimen tree. Foliage sta	Sweetgum
outstanding scarlet in fall.	r-snaped, dense,
1 to 1½ in	4.40 4.00
1½ to 1½ in. 6.20	5.50 5.00
1½ to 1¾ in	7.70 7.00
134 to 2 in	9.45
LIRIODENDRON tulipifera — 80'	Tulip Tree
Fast-growing symmetrical tree with tall straight trunk. To	ılip-like, yellow
flowers in late spring.	4.40
1 to 1¼ in	4.40 4.00
1½ to 1½ in	5.25 4.75 6.00 5.50
1½ to 1¾ in. 6.75 1¾ to 2 in. 8.60	7.70 7.00
2 to 2½ in. 12.20	11.00
3 to 3½ in	20.00
MAGNOLIA soulangeana — 18'	aucer Magnolia
Most popular of all. Large cup-shaped blooms, lilac pink	
inside, in May. Large handsome foliage.	
1½ to 2 ft. (11" Ball)	3.00
2 to 3 ft. (12" Ball)	3.85 3.50
3 to 4 ft. (14" Ball) 6.00 4 to 5 ft. (15" Ball) 7.75	5.25 6.90 6.25
6 to 8 ft. (18" Ball)	11.60 10.50
s. Alexandrina — 20' Huge flowers, flushed rosy purple outside, pure white inside	laucer Magnolia
5 to 6 ft. (16" Ball)	
6 to 7 ft. (18" Ball)	
stellata — 10-12'	Star Magnolia
Dense, mounded habit. Foliage dark; bronzy yellow in fall.	
very fragrant flowers in mid-April.	200010, 1111100,
3 to 3½ ft. (14" Ball)	10.00
3½ to 4 ft. (15" Ball)	12.50
4 to 4½ ft. (16" Ball)	
	ew Almey Crab
Large fiery crimson blossoms with white star in center. Blo young. Small scarlet fruits hold on well.	ooms when very
5 to 6 ft	1.85
6 to 7 ft., 2 yr	2.25 2.00
7 to 8 ft., 2 yr	2.75 2.50
1 to 1¼ in., 2 yr 3.80	3.30
1½ to 1½ in., 4 yr 5.90	5.25 4.75
1½ to 1¾ in., 4 yr 7.35	6.60 6.00
134 to 2 in. specimens 10.00 2 to 2½ in. specimens 12.20	8.80 8.00 11.00 10.00
-	11.00 10.00
atrosanguinea — 12-15'	
District of the state of the st	Carmine Crab
Mounded, dense habit, almost shrublike. Rich carmine flov	
Mounded, dense habit, almost shrublike. Rich carmine flov red fruit. Superb dark green, glossy foliage. 7 to 8 ft., 2 yr. 3.25	

MALUS — Continued	1-4 Each	5-24 Each	25 Up Each
		** 1	
Porothea — 20' Rounded, dense, with fine textured foliage. Blooms wh double, light crimson to tyrian rose. Bright yellow fru	en very	Hybrid young,	
4 to 5 ft	2.35	1.85	
5 to 6 ft., 2 yr.	2.75	2.25	
6 to 7 ft., 2 yr.	3.25	2.75	
1 to 1¼ in., 2 yr.	4.00	3.50	
· · ·			
	nese Flo		
Graceful arching-spreading. Buds deep pink open ve	ry light	pink.	Fruit
small, reddish-yellow. Popular for its picturesque hab	it and	heavy l	oloom.
5 to 6 ft., 2 yr		1.85	
6 to 7 ft., 2 yr	2.75	2.25	2.00
7 to 8 ft., 2 yr	3.25	2.75	
1½ to 2 in, specimens	10.00	8.75	
-			
hopa — 20'		owering	
Upright growth habit; good bronze-green foliage. Large		nt, deer	pink
flowers. Orange-red fruit good for jelly. A vigorous	grower.		
5 to 6 ft	2.25	1.75	1.50
6 to 7 ft., 2 yr.	2.75	2.25	2.00
7 to 8 ft., 2 yr.	3.15	2.65	
134 to 2 in specimens			
2 to $2\frac{1}{2}$ in. specimens		11.00	
*			
ioensis plena — 15-18' Bechtel Do Neat, pyramidal growth. Double pink, fragrant bloom			
fruit.	1.05	1.05	
2 to 3 ft., 2 yr	1.85	1.35	
5 to 6 ft., 4 yr	3.75	3.25	
1¼ to 1½ in. specimens	6.75	6.00	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in. specimens	8.35	7.50	
1¾ to 2 in. specimens	11.00	10.00	
klehmi — 15' Fragrant double-pink blooms; symmetrical upright-roube a type of M. coronaria, the Sweet Crab.	uble Flo nded ha	wering bit. S	Crab aid to
1¾ to 2 in. specimens 2 to 2½ in. specimens		8.80 11.00	
numuron alawi 15 10'	E1	D1.	C
purpurea eleyi — 15-18' Large carmine flowers and reddish purple foliage. Ch	Frey	Purple	Crab
5 to 6 ft	2.35	1.85	1.60
$1\frac{1}{2}$ to $1\frac{3}{4}$ in. specimens.	8.35	7.50	
134 to 2 in. specimens		8.80	8.00
2 to $2\frac{1}{2}$ in, specimens	12.20	11.00	
p. lemoinei — 18-20' L Darkest red flowers of all, large and non-fading. Fruits age dense, dark green to purplish green.	emoine purpli	Purple sh-red.	Crab Foli-
6 to 7 ft., 2 yr	2.75	2.25	
7 to 8 ft., 2 yr	3.25	2.75	2.50
7 70 0 241, 2 3211	0.40	2.10	2.00
sargenti — 8'		Sargent	Crab
Dwarf spreading variety. Clusters of pure white f	lowers	followe	ed by
masses of small dark red fruits.			-0
2 to 3 ft	2.35	1.85	
3 to 4 ft	2.75	2.25	
4 to 5 ft	3.25	$\frac{2.25}{2.75}$	
scheideckeri — 15-18' Sch	eideckei	Crab	Apple
Small dense tree. Large, double, pale pink flowers; from	uit yello	w to o	range.
5 to 6 ft	2.50	2.00	
6 to 7 ft	3.00	2.50	

Unless usual planting practice, or the plants' normal habit, dictates otherwise, all Cole trees are standards. Great care is used to maintain a proper balance between stem length and head height.

THE COLD NOTIFIED CO., PAINESVILLE, OHIO			13
MALUS — Continued	1-4	5-24	25 Up
Strathmore — 20'	Each	Each	Each
	New	Upright	Type
Narrow pyramid. Leaves reddish all summer; strikin Flowers darker than Hopa, fade less.	gly red	d in au	tumn.
4 to 5 ft.	2.60	9.10	1 05
5 to 6 ft	3.00	$\frac{2.10}{2.50}$	$\frac{1.85}{2.25}$
	3.00	2.50	2.20
Sundog — 12-15'		Upright	Conh
Comparatively slow growing, broad column Flowers	cmaller	· hut ci	milar
in color to Hopa.		, but si	iiiiiai
1¼ to 1½ in. specimens	7.50	6.75	
$2\frac{1}{2}$ to 3 in specimens	17 00		
3 to 3½ in. specimens	22.50		
METASEQUOIA glyptostroboides — 70' (?)	Da	wn Red	wood
Fascinating newly discovered "living fossil" conifer fr	om W	estern (hina
Pyramidal, very rapid growth. Needles deciduous fe	therv	entirely	nect
if ee. Cole's are proud to be the first to offer specim	en ma	terial o	fthis
beautiful discovery.			
3 to 4 ft. (12" Ball)		4.40	4.00
4 to 5 ft. (13" Ball) 5 to 6 ft. (14" Ball)	6.20	5.50	5.00
6 to 7 ft. (16" Ball)	7.75	7.00	6.35
7 to 8 ft. (18" Ball)	9.70	8.50	
8 to 9 ft. (20" Ball)	15.00	10.50	
	10.00		
OXYDENDRUM arboreum — 25'		C	
Graceful pyramid with lustrous, dense, leathery leaves,	conrlot	in Fall	wood
dulous racemes of white flowers in summer. Needs acid	soil	III Faii.	ren-
2 to 3 ft	2.25	1.75	
		2	
PHELLODENDRON amurense — 40'	Amı	ır Cork	Tree
Vigorous, strong tree of broad habit. Massive picture	esque b	ranches	and
interesting corky bark.			
1¼ to 1½ in. 1½ to 2 in.	6.20	5.50	5.00
1½ to 2 in	8.60	7.70	7.00
PLATANUS acerifolia — 70'	Londor	Plane	Tree
One of today's most popular trees for lawn, street and p	ark nla	nting C	POTTC
rapidly and will stand smoke and abuse of the city. Rr	nad ra	gular for	ham
nead of dense handsome foliage, bright green and healt	hy. C	ole's cut	ting-
grown strain has been the leader for many years.			8
1 to 11/4 in	5.00	4.40	4.00
1½ to 1½ in	6.20	5.50	5.00
1½ to 1¾ in. 1¾ to 2 in.	8.00	7.15	6.50
174 10 2 111, 1	0.60	9.45	8.50
POPULUS alba bolleana — 50'	Bol	leana Po	
Hardy, long-lived type of tall, columnar form. Foliage	reen a	hove sil	piar
white beneath, deeply lobed.	siccii u	oove, sii	very
11/4 4 0 :	4.10	3.60	3.25
			0.20
nigra italica — 60'	Lomb	ardy Po	plar
Tall, stately, narrow tree. Widely used for quick screens	s, accen	t points	and
backgrounds.			
4 to 5 ft. 5 to 6 ft.	.75	.45	.35
	.95	.60	.50
U V U AU	1.25	.75	.60
simoni fastigiata — 40' Pyramid	al Cim	m Danl	
Newer type, hardy and longer-lived. Pyramidal habit. Da	ark gro	on glosse	ır
pear-shaped leaves.	irr gree	en gloss	y ,
4 to 5 ft	5 .5	5 .4	5
5 to 6 ft			
6 to 8 ft. (100 up 70c each)			



PLATANUS acerifolia — Cole's justly famous strain of London Planes. Disease-free and vigorous.

Slender, twiggy grower with dainty, small, bright gre-	1-4 Each colan or en leav	5-24 Each Cherry es. Frui	25 Up Each Plum t red,
cherry-like, juicy and sweet. A good ornamental. 5 to 6 ft	2.15	1.25 1.65 2.50	$1.00 \\ 1.40 \\ 2.25$
c. Thundercloud — 20' Dense tree; foliage deep solid purple all season. leaves unfold. Has proven best of the purple-leaved purple to 5 ft. 5 to 6 ft. 6 to 7 ft.	Rosy-pi plums f 2.15 2.50	Nurple nk flower this a 1.75 2.00 2.35	ers as
padus — 30' Small, rather open tree with drooping racemes of frag		n Bird C	
May. Leafs out very early in Spring. 3 to 4 ft	1.85 2.15	1.35 1.65 2.00	1.40
5 to 6 ft	2.50	2.00	
serrulata Amanogawa — 20' Very narrow, fastigiate form. Masses of large, fragr	eye Flo	wering C	herry
serrulata Amanogawa — 20' Hito	eye Flo ant ser	wering C	herry
serrulata Amanogawa — 20' Very narrow, fastigiate form. Masses of large, fragr flowers early spring. Transplanted, spaced plants. 1½ to 1¾ in. (22" Ball) 1¾ to 2 in. (24" Ball)	17.50 20.50 ble Floorich 13.55	wering Coni-double 15.50 18.00 wering Coink flow	herry
serrulata Amanogawa — 20' Very narrow, fastigiate form. Masses of large, fragr flowers early spring. Transplanted, spaced plants. 1½ to 1¾ in. (22" Ball). 1¾ to 2 in. (24" Ball) s. Kwanzan (sekiyama) — 25' Most satisfactory variety in our climate. Double, deep 4 to 5 ft. 1¾ to 2 in. (24" Ball) subhirtella pendula — 20' Well known for its weeping branches and early, light ing plants are on their own stems, having weeping side	17.50 20.50 ble Floorich Florich Floorich Floorich Floorich Floorich Floorich Floorich Floori	wering C ni-double 15.50 18.00 wering C pink flow 3.15 Higan C	Cherry ers. 2.85 Cherry ollow-
serrulata Amanogawa — 20' Very narrow, fastigiate form. Masses of large, fragr flowers early spring. Transplanted, spaced plants. 1½ to 1¾ in. (22" Ball). 1¾ to 2 in. (24" Ball) s. Kwanzan (sekiyama) — 25' Most satisfactory variety in our climate. Double, deep 4 to 5 ft. 1¾ to 2 in. (24" Ball) subhirtella pendula — 20' Well known for its weeping branches and early, light	17.50 20.50 ble Floorich r 3.55 20.00 /eeping pink flooring branch 4.50 5.90	wering C ni-double 15.50 18.00 wering C pink flow 3.15 Higan C	Cherry ers. 2.85 Cherry ollow-

1-4	5-24	or II.
PRUNUS — Continued Each	Each	25 Up Each
virginiana "Schubert Chokecherry — 30"		
Colorful new small tree. Leaves emerge green, but quickly ple and hold this all summer.		
4 to 6 ft		$\frac{2.50}{3.25}$
QUERCUS acutissima — 35' A beautiful, exotic specimen, round-headed and low-branched glossy, chestnutlike. Sold out for Spring.	Sawtoo d. Leaves	th Oak dense,
borealis (rubra) — 75' Valued native with broad round head and remarkable aut Excellent for shade in park, suburban and rural plantings.	rihern Re umn leaf	ed Oak color.
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	4.15 6.60 8.25 11.00	3.75 6.00 7.50
coccinea — 75'		-4 0-1-
Tall and straight, with graceful pyramidal head. Glossy sturns brightest scarlet in fall. Quite rapid growth and very $2\frac{1}{2}$ to 3 in	nmmor	et Oak foliage e.
palustris — 70'	Pi	n Onl-
Compact, broadly pyramidal head. One of the quickest grow in wet places. 5 to 6 ft. 3.00 6 to 8 ft. 3.80 1½ to 1½ in. 7.35 1½ to 1¾ in. 9.25 1¾ to 2 in. 11.65 2 to 2½ in. 15.25 2½ to 3 in. 22.50 3 to 3½ in. 30.00	2.50 3.30 6.60 8.25 10.50 13.75 20.00 27.00	2.25 3.00 6.00 7.50 9.50 12.50
SALIX blanda — 55' Wisconsin W	Zeening V	Willow
Graceful, hardy weeper. Green stems.		
8 to 10 ft. 2.50 1 ¹ / ₄ to 1 ¹ / ₂ in. 3.25	$1.50 \\ 2.00 \\ 2.75$	1.25 1.75
matsudana tortuosa — 25'	Innlyana 3	I7:11
The rare "Corkscrew" Willow. Branches and leaves curiously upright. A great novelty.	twisted;	habit
5 to 6 ft	$1.45 \\ 1.75$	$\frac{1.20}{1.50}$
niobe golden — 35' Long pendulous branches with golden bark. Golden W	Veeping V	Villow
5 to 6 ft	1.40	1.15
6 to 8 ft. 2.25 8 to 10 ft. 2.75 10 to 12 ft. 3.55	1.75 2.25 3.05	1.50 2.00
	3.00	2.75
SORBUS aria lutescens — 25' Tight, rounded tree with attractive foliage, dark green above the Secretary forms and models to the secretary forms are secretary forms.	Mountain	n Ash
beneath. Scarlet berries and reddish foliage in fall. Stands d 5 to 6 ft. 5.00 6 to 7 ft. 6.20	re and some solve to the solve the s	ilvery ons. 4.00

Cole's shade trees are planted on 3×7 foot spacing, have room for proper development of root, body and top. Also allows our frequent root pruning with power equipment.

SORBUS — Continued	1-4 Each	5-24 Each	25 Up Each
Small tree Compact head: clean, deep green foliage,	Fruit	Mountai	y with
bunches of bright orange-red berries in summer and budded from select, perfectly formed parent trees.	ian. C	ole's tre	es are
6 to 8 ft		2.75	2.50
8 to 10 ft		$\frac{3.60}{4.40}$	$\frac{3.25}{4.00}$
1½ to 1½ in. 1½ to 1¾ in.		5.50	5.00
134 to 2 in.		6.60	6.00
aucuparia Cole's Columnar No. 7 New Eu			
Selected for its narrow, columnar habit and uniform	oright 1 5.60	ruit colo	or. 4.50
1½ to 1½ in. 1½ to 1¾ in.		6.00	5.50
134 to 2 in.		7.50	6.75
TILIA cordata — 45'	Litt	le-leaf l	Linden
Dense pyramidal form, with compact, glossy foliage,	doing w	vell unde	er city
conditions. Unusually fragrant flowers in early July. tree. Our trees are typically short for the caliper.	A fine	street or	
6 to 8 ft. (Spring Only)	5.00	4.40	4.00
8 to 10 ft. 1½ to 1½ in.		$\frac{6.00}{7.70}$	$\frac{5.50}{7.00}$
134 to 2 in.		15.00	13.50
2 to 2½ in.			
euchlora — 40' A real gem, but rare in this country. Graceful, slight	ly pend	rimean l	
glossy, bright green foliage. Bears very fragrant flow 6 to 8 ft.		6.60	6.00
tomentosa — 55' Compact, dense pyramid with leaves green above ar	d silve	Silver l	
ceedingly lovely and still quite rare. 6 to 8 ft			5.00
III MIIC cominifolia con "Christina Deiamon CO"			
ULMUS carpinifolia var. "Christine Buisman — 60' Recommended by the U.S.D.A. as resistant to both D phloem necrosis. Bears glossy dark foliage on a den tree. A highly desirable, handsome plant.	utch El se, broa	m diseas	se and amidal
6 to 8 ft		3.30	
1½ to 1¾ in		8.00	
1¾ to 2 in. 2 to 2½ in.		$9.65 \\ 12.00$	10.75
2½ to 3 in.		15.50	14.00
pumila — 50' Very rapid grower, withstanding drought and city conmetrical head; small attractive foliage.		(Siberiar Round	
2 to 2½ in	8.35	7.50	6.75
2½ to 3 in		9.45	8.50
3 to 3½ in		12.20	11.00
$3\frac{1}{2}$ to 4 in	18.75	16.75	
		23.00	
ZELKOVA serrata — 60'	26.00		aaki)
ZELKOVA serrata — 60' Long neglected, this tree deserves recognition for its g and resistance to Dutch Elm disease. Foliage small, turns deep russet in fall.	26.00 ese Zell raceful	kova (Ko	e form
Long neglected, this tree deserves recognition for its g and resistance to Dutch Elm disease. Foliage small, turns deep russet in fall. 6 to 8 ft	26.00 ese Zell raceful elm-lik	kova (Ko	e form green,
Long neglected, this tree deserves recognition for its g and resistance to Dutch Elm disease. Foliage small, turns deep russet in fall.	ese Zell raceful elm-lik 6.20 8.00	kova (Ko vase-lik te, dark	e form

DECIDUOUS SHRUBS

EACH RATES in this catalog are for the accommodation of customers who place substantial orders, yet need small amounts of certain items to fill out their plantings. We do not have the facilities to handle orders calling entirely for small quantities of stock.

The size immediately following the name indicates approximate height at maturity, in cultivation.

turity, in cultivation.				
ACANTHOPANAX sieboldianus (pentaphyllum) — 8'	1-9 Each	10-29 Each F	30-199 Each 'iveleaf	Fooh
Dense, thorny, with light green, divided leaves.	Grows		nder cit;	
ditions, in shade, in dry soils. 2 to 3 ft\$.85	\$.70	\$.60	
3 to 4 ft			.75	\$.70
4 to 5 ft	1.40	1.15	1.00	
ALMOND. See Prunus glandulosa				
ALTHEA. See Hibiscus syriacus				
AMELANCHIER canadensis — 20' Shrub or small tree of distinctive habit. White fruit later. These are typical, having one, or f	flower ew can	s in ear	wny Sha ly sprin	dblow g; red
5 to 6 ft	3.25	2.75	2.50	
6 to 8 ft	4.35	3.85	3.50	
ARONIA arbutifolia — 7' White flowers in June; brilliant red foliage and fall. Stands shade and wet soil.	many	Re bright	ed Choke red ber	eberry ries in
1½ to 2 ft			.50	
2 to 3 ft	.90	.75	.65	
brilliantissima — 8' Fruit more highly colored than above. Taller	Bril l growing	liant Re	ed Choke	eberry
4 to 5 ft	1.40	1.15	1.00	
melanocarpa — 4' White flowers; black berries; red autumn foliage		growth		eberry
12 to 18 in. 1½ to 2 ft.	.55 .75	.60	.35 .50	.45
AZALEA mollis — 5'			hinese A	Azalea
Flowers vary from yellows to salmon reds, in 1	late Ma		1 55	
12 to 15 in. (10" Ball)	3.00	$\frac{2.00}{2.50}$	$1.75 \\ 2.25$	
mollis hybrids — from seed, but amazingly true to Select Red-Flowering. Select Orange-Flowering	color.			
12 to 15 in. (10" Ball)	2.85	2.35		
15 to 18 in. (11" Ball)	3.35	2.85		
1½ to 2 ft. (12" Ball)	4.10	3.60		
Hardy Hybrids, in finest new varieties Directeur Moerlands. Golden yellow. Dr. M. Oosthoek. Deep orange-red.				
Dr. Reichenbach. Salmon-orange. Fanny. Dark lilac-pink Ghent hybrid.				
Ignaea Nova. Late carmine-red, yellow blotch	Ghen	ıt.		
Koster's Brilliant Red. Best orange-red. Lemonora. Apricot yellow, tinted pink. Ghent. Mrs. Peter Koster. Finest deep red. 15" only;			stad price	0
			ted pric	c.
15 to 18 in. (11" Ball)	4.00 5.00	3.50 4.50		

	1-9 Each	10-29 Each	30-199 Each	200 Up Each
BERBERIS koreana — 6'	Each		rean Ba	
One of our best, dense, upright shrubs. Broad I	eaves.			
tumn, holds late. Showy yellow flower clusters	; persis	tent br	ight red	fruit.
1½ to 2 ft		.50	.40	
2 to 3 ft	.75 .90	.60	.50	.45
3 to 4 ft		.75	.65 .15	.12
5 10 10 mg = 51. mm, (2007,			.10	,12
mentorensis — 4'			ntor Ba	
Semi-evergreen here, fully evergreen farther so	uth. C	utstand	ling abil	lity to
stand heat and drought. Useful as specimen or 12 to 15 in	neage. .65	.50	.40	.35
1½ to 2 ft	.90	.75	.65	.60
6 to 12 in., 2 yr. trans. (LOS)			.18	.15
		_	_	
thunbergi — 4' Widely used thorny hedge plant standing shade	and due		nese Bar	
Widely used thorny hedge plant, standing shade and bright red berries in fall.	ana arc	ougnt.	Scariet	reaves
12 to 15 in	.45	.30	.25	.22
15 to 18 in	.50	.35	.30	.27
1½ to 2 ft	.60	.45	.37	.33
2 to 2½ ft	.70	.55	.45	.42
t. atropurpurea — 4'	Redlea	f Japai	nese Bar	rherry
Like preceding, except that leaves stay red all	l summ	ier. Co	olorful h	nedge:
fine for accent planting. Cole's strain is remar	kably 1	uniform		0 /
12 to 15 in	.50	.35	.30	.27
15 to 18 in. 1½ to 2 ft.	.65	.50	.40	.35
2 to 2½ ft	.70 .80	.55 .65	.48 .55	.40 .48
t. atropurpurea nana — 1'	Crim	son Pig	my Bar	berry
Deep red foliage on an extremely dense, low pla	nt.	son Pig	jmy Bar	berry
Deep red foliage on an extremely dense, low pla Sold out for Spring	nt.		•	
Deep red foliage on an extremely dense, low pla Sold out for Spring t. erecta Col	nt. e's Tru	ehedge	Column	berrv
Deep red foliage on an extremely dense, low pla Sold out for Spring t. erecta Rigidly columnar, compact form requiring almos	nt. e's Tru ost no	ehedge trimmi	Column	berry
Deep red foliage on an extremely dense, low plate Sold out for Spring 1. erecta Rigidly columnar, compact form requiring almost for narrow hedges, formal specimens, window be	e's Tru ost no	ehedge trimmin	Column ng. Val	iberry luable
Deep red foliage on an extremely dense, low plate Sold out for Spring 1. erecta Rigidly columnar, compact form requiring almost for narrow hedges, formal specimens, window be age turns red uniformly in autumn. Can be help	e's Tru ost no exes, etc d as lov	ehedge trimmin	Column ng. Val	iberry luable
Deep red foliage on an extremely dense, low plate Sold out for Spring 1. erecta Rigidly columnar, compact form requiring almost for narrow hedges, formal specimens, window be	e's Tru ost no exes, etc d as lov	ehedge trimming. Glos was 1	Column ng. Val sy dense foot tall	iberry luable
Deep red foliage on an extremely dense, low plate Sold out for Spring t. erecta Rigidly columnar, compact form requiring almost for narrow hedges, formal specimens, window be age turns red uniformly in autumn. Can be held 15 to 18 in.	e's Tru ost no exes, etc d as lov	ehedge trimming. Glos was 1	Column ng. Val sy dense foot tall	iberry luable
Deep red foliage on an extremely dense, low plate Sold out for Spring t. erecta Rigidly columnar, compact form requiring almost for narrow hedges, formal specimens, window be age turns red uniformly in autumn. Can be held 15 to 18 in. BUDDLEIA davidi varieties — 5'	e's Tru ost no exes, etc d as lov	ehedge trimming. Glos w as 1: .50	Column ng. Val sy dense foot tall	aberry luable e foli-
Deep red foliage on an extremely dense, low plate Sold out for Spring t. erecta Rigidly columnar, compact form requiring almost for narrow hedges, formal specimens, window be age turns red uniformly in autumn. Can be held to 18 in. BUDDLEIA davidi varieties — 5' Large pyramidal flower spikes in summer.	e's Tru ost no exes, etc d as lov .65	ehedge trimming. Glos w as 1: .50	Column ng. Val sy dense foot tall .40	aberry luable e foli-
Deep red foliage on an extremely dense, low plate Sold out for Spring t. erecta Rigidly columnar, compact form requiring almost for narrow hedges, formal specimens, window be age turns red uniformly in autumn. Can be held 15 to 18 in. BUDDLEIA davidi varieties — 5'	e's Tru ost no exes, etc d as lov .65	ehedge trimming. Glos w as 1: .50	Column ng. Val sy dense foot tall .40	aberry luable e foli-
Deep red foliage on an extremely dense, low plate Sold out for Spring 1. erecta Rigidly columnar, compact form requiring almost for narrow hedges, formal specimens, window be age turns red uniformly in autumn. Can be held 15 to 18 in. BUDDLEIA davidi varieties — 5' Large pyramidal flower spikes in summer. Burgundy. Burgundy red. New, strong-growing Charming. Pink Dubonnet. Wine-purple. Large spikes.	e's Tru ost no xes, etc d as lov .65	ehedge trimmin c. Glos w as 1 .50	Column ng. Val sy dense foot tall .40	aberry luable e foli-
Deep red foliage on an extremely dense, low plants Sold out for Spring t. erecta Rigidly columnar, compact form requiring almost for narrow hedges, formal specimens, window be age turns red uniformly in autumn. Can be held to 18 in. BUDDLEIA davidi varieties — 5' Large pyramidal flower spikes in summer. Burgundy. Burgundy red. New, strong-growing Charming. Pink Dubonnet. Wine-purple. Large spikes. Snowbank. Hardy pure white. Round compact.	e's Tru ost no oxes, etc d as lov .65	ehedge trimmin c. Glos w as 1 .50	Column ng. Val sy dense foot tall .40	aberry luable e foli-
t. erecta Rigidly columnar, compact form requiring almost for narrow hedges, formal specimens, window be age turns red uniformly in autumn. Can be held to 18 in. BUDDLEIA davidi varieties — 5' Large pyramidal flower spikes in summer. Burgundy. Burgundy red. New, strong-growing Charming. Pink Dubonnet. Wine-purple. Large spikes. Snowbank. Hardy pure white. Round compact 2 yr. Field Grown	e's Tru ost no exes, etc d as lov .65	ehedge trimmin c. Glos w as 1 .50	Column ng. Val sy dense foot tall .40	aberry luable e foli-
Deep red foliage on an extremely dense, low plants Sold out for Spring t. erecta Rigidly columnar, compact form requiring almost for narrow hedges, formal specimens, window be age turns red uniformly in autumn. Can be held to 18 in. BUDDLEIA davidi varieties — 5' Large pyramidal flower spikes in summer. Burgundy. Burgundy red. New, strong-growing Charming. Pink Dubonnet. Wine-purple. Large spikes. Snowbank. Hardy pure white. Round compact.	e's Tru ost no exes, etc d as lov .65	ehedge trimmin c. Glos w as 1 .50	Column ng. Val sy dense foot tall .40 utterfly	aberry luable e foli-
t. erecta Rigidly columnar, compact form requiring almost for narrow hedges, formal specimens, window be age turns red uniformly in autumn. Can be held to 18 in. BUDDLEIA davidi varieties — 5' Large pyramidal flower spikes in summer. Burgundy. Burgundy red. New, strong-growing Charming. Pink Dubonnet. Wine-purple. Large spikes. Snowbank. Hardy pure white. Round compact 2 yr. Field Grown	e's Tru ost no exes, etc d as lov .65	ehedge trimmin c. Glos w as 1 .50	Column ng. Val sy dense foot tall .40 utterfly	aberry luable e foli-
Deep red foliage on an extremely dense, low plate Sold out for Spring i. erecta Rigidly columnar, compact form requiring almost for narrow hedges, formal specimens, window be age turns red uniformly in autumn. Can be held to 18 in. BUDDLEIA davidi varieties — 5' Large pyramidal flower spikes in summer. Burgundy. Burgundy red. New, strong-growing Charming. Pink Dubonnet. Wine-purple. Large spikes. Snowbank. Hardy pure white. Round compact 2 yr. Field Grown (Orders for less than 10 of a variety take the each compact compact 2 yr. Field Grown (Orders for less than 10 of a variety take the each compact	e's Tru ost no oxes, etc d as lov .65	ehedge trimmin c. Glos w as 1 .50	Column ng. Val sy dense foot tall .40 utterfly	berry luable e foli- Bush
Deep red foliage on an extremely dense, low plate Sold out for Spring t. erecta Rigidly columnar, compact form requiring almost for narrow hedges, formal specimens, window be age turns red uniformly in autumn. Can be held to 18 in. BUDDLEIA davidi varieties — 5' Large pyramidal flower spikes in summer. Burgundy. Burgundy red. New, strong-growing Charming. Pink Dubonnet. Wine-purple. Large spikes. Snowbank. Hardy pure white. Round compact 2 yr. Field Grown. (Orders for less than 10 of a variety take the each compact specimen with large glossy leaves, growing control of the specimen with large glossy leaves, growing control of the specimen with large glossy leaves, growing control of the specimen with large glossy leaves, growing control of the specimen with large glossy leaves, growing control of the specimen with large glossy leaves, growing control of the specimen with large glossy leaves, growing control of the specimen with large glossy leaves, growing control of the specimen with large glossy leaves, growing control of the specimen with large glossy leaves, growing control of the specimen with large glossy leaves, growing control of the specimen with large glossy leaves, growing control of the specimen with large glossy leaves, growing control of the specimen with large glossy leaves, growing control of the specimen with large glossy leaves, growing control of the specimen with large glossy leaves, growing control of the specimen with large glossy leaves, growing control of the specimen with large glossy leaves.	e's Tru ost no oxes, etc d as lov .65 sprays50 ch rate)	ehedge trimmin c. Glos w as 1 .50	Column ng. Val sy dense foot tall .40 utterfly	berry luable e foli- Bush
Deep red foliage on an extremely dense, low plate Sold out for Spring 1. erecta Rigidly columnar, compact form requiring almost for narrow hedges, formal specimens, window be age turns red uniformly in autumn. Can be held 15 to 18 in. BUDDLEIA davidi varieties — 5' Large pyramidal flower spikes in summer. Burgundy. Burgundy red. New, strong-growing Charming. Pink Dubonnet. Wine-purple. Large spikes. Snowbank. Hardy pure white. Round compact 2 yr. Field Grown. (Orders for less than 10 of a variety take the each compact specimen with large glossy leaves, growing any soil. Fragrant, dark maroon flowers in early	e's Tru ost no oxes, etc d as lov .65 sprays50 ch rate) g well y June.	ehedge trimmin c. Glos w as 1 .50 B	Column ng. Val sy dense foot tall .40 utterfly .30 Sweet !	berry luable e foli- Bush
t. erecta Rigidly columnar, compact form requiring almost for narrow hedges, formal specimens, window be age turns red uniformly in autumn. Can be held to 18 in. BUDDLEIA davidi varieties — 5' Large pyramidal flower spikes in summer. Burgundy. Burgundy red. New, strong-growing Charming. Pink Dubonnet. Wine-purple. Large spikes. Snowbank. Hardy pure white. Round compact 2 yr. Field Grown. (Orders for less than 10 of a variety take the each compact co	e's Tru ost no oxes, etc d as lov .65 sprays50 ch rate) g well y June55	ehedge trimmin c. Glos w as 1 .50 B	Column ng. Val sy dense foot tall .40 utterfly .30 Sweet 1	berry luable e foli- Bush
t. erecta Rigidly columnar, compact form requiring almost for narrow hedges, formal specimens, window be age turns red uniformly in autumn. Can be held to 18 in. BUDDLEIA davidi varieties — 5' Large pyramidal flower spikes in summer. Burgundy. Burgundy red. New, strong-growing Charming. Pink Dubonnet. Wine-purple. Large spikes. Snowbank. Hardy pure white. Round compact 2 yr. Field Grown. (Orders for less than 10 of a variety take the each compact to 18 in. CALYCANTHUS floridus — 5' Dense specimen with large glossy leaves, growing any soil. Fragrant, dark maroon flowers in early 12 to 18 in 1½ to 2 ft.	e's Tru ost no oxes, etc d as lov .65 sprays50 ch rate) g well y June.	ehedge trimmin c. Glos w as 1 .50 B	Column ng. Val sy dense foot tall40 utterfly .30 Sweet ! le and a .35 .45	berry luable e foli Bush .25
Deep red foliage on an extremely dense, low plate Sold out for Spring t. erecta Rigidly columnar, compact form requiring almed for narrow hedges, formal specimens, window be age turns red uniformly in autumn. Can be held 15 to 18 in. BUDDLEIA davidi varieties — 5' Large pyramidal flower spikes in summer. Burgundy. Burgundy red. New, strong-growing Charming. Pink Dubonnet. Wine-purple. Large spikes. Snowbank. Hardy pure white. Round compact 2 yr. Field Grown. (Orders for less than 10 of a variety take the each compact specimen with large glossy leaves, growing any soil. Fragrant, dark maroon flowers in early to 18 in. 1½ to 2 ft.	e's Tru e's Tru e's Tru e's to compare the e's tru	ehedge trimmin c. Glos w as 1 .50 B	Column ng. Val sy dense foot tall .40 utterfly .30 Sweet 1	berry luable e foli- Bush
t. erecta Rigidly columnar, compact form requiring almost for narrow hedges, formal specimens, window be age turns red uniformly in autumn. Can be held to 18 in. BUDDLEIA davidi varieties — 5' Large pyramidal flower spikes in summer. Burgundy. Burgundy red. New, strong-growing Charming. Pink Dubonnet. Wine-purple. Large spikes. Snowbank. Hardy pure white. Round compact 2 yr. Field Grown. (Orders for less than 10 of a variety take the each content of the content of t	e's Tru e's Tru e's Tru e's to compare the e's tru	ehedge trimmin c. Glos w as 1 .50 B	Column ng. Val sy dense foot tall40 utterfly .30 Sweet ! le and a .35 .45	berry luable e foli Bush .25
t. erecta Rigidly columnar, compact form requiring almost for narrow hedges, formal specimens, window be age turns red uniformly in autumn. Can be held to 18 in. BUDDLEIA davidi varieties — 5' Large pyramidal flower spikes in summer. Burgundy. Burgundy red. New, strong-growing Charming. Pink Dubonnet. Wine-purple. Large spikes. Snowbank. Hardy pure white. Round compact 2 yr. Field Grown. (Orders for less than 10 of a variety take the each of the compact specimen with large glossy leaves, growing any soil. Fragrant, dark maroon flowers in early 12 to 18 in. 1½ to 2 ft. 2 to 3 ft. CARYOPTERIS "Blue Mist" — 4'	e's Tru ost no oxes, etc d as lov .65 sprays50 ch rate) g well y June55 .70 .80	ehedge trimmin c. Glos w as 1 .50 B	Column ng. Val sy dense foot tall .40 utterfly .30 Sweet ! de and a .35 .45 .55	berry luable e foli- Bush .25 Shrub llmost
t. erecta Rigidly columnar, compact form requiring almost for narrow hedges, formal specimens, window be age turns red uniformly in autumn. Can be held to 18 in. BUDDLEIA davidi varieties — 5' Large pyramidal flower spikes in summer. Burgundy. Burgundy red. New, strong-growing Charming. Pink Dubonnet. Wine-purple. Large spikes. Snowbank. Hardy pure white. Round compact 2 yr. Field Grown. (Orders for less than 10 of a variety take the each compact spikes. CALYCANTHUS floridus — 5' Dense specimen with large glossy leaves, growing any soil. Fragrant, dark maroon flowers in early 12 to 18 in. 1½ to 2 ft. 2 to 3 ft. CARYOPTERIS "Blue Mist" — 4' Compact shrub, covered from August to frost wing soil spikes.	e's Tru ost no oxes, etc d as lov .65 sprays50 ch rate) g well y June55 .70 .80	ehedge trimmin c. Glos w as 1 .50 B	Column ng. Val sy dense foot tall .40 utterfly .30 Sweet ! de and a .35 .45 .55	berry luable e foli- Bush .25 Shrub llmost
t. erecta Rigidly columnar, compact form requiring almost for narrow hedges, formal specimens, window be age turns red uniformly in autumn. Can be held to 18 in. BUDDLEIA davidi varieties — 5' Large pyramidal flower spikes in summer. Burgundy. Burgundy red. New, strong-growing Charming. Pink Dubonnet. Wine-purple. Large spikes. Snowbank. Hardy pure white. Round compact 2 yr. Field Grown. (Orders for less than 10 of a variety take the each of the compact specimen with large glossy leaves, growing any soil. Fragrant, dark maroon flowers in early 12 to 18 in. 1½ to 2 ft. 2 to 3 ft. CARYOPTERIS "Blue Mist" — 4'	e's Tru ost no oxes, etc d as lov .65 sprays50 ch rate) g well y June55 .70 .80	ehedge trimmin c. Glos w as 1 .50 B	Column ng. Val sy dense foot tall .40 utterfly .30 Sweet ! de and a .35 .45 .55	berry luable e foli- Bush .25 Shrub llmost

	1-9 Each	10-29 Each	30-199 Each	200 Up Each
CHAENOMELES lagenaria (Cydonia japonica) — 3' Low-growing, rounded bush with dark green flowers in May. Stands drought well.	foliage.		vering (ht oran	
12 to 18 in	.50 .65	.35 .50	.30 .40	.25 . 3 2
2 to 3 ft	.75	.60	.50	.32 .45
10 to 18 in., 2 yr. trans. (LOS)			.15	.12
1. pygmaea — 2½′ Dense, low form, similar to above.	Pygm	y Flov	vering (Quince
12 to 18 in	.55 .70	.40 .55	.35 .45	.28 .35
 Cole's Red — 4' Dense, upright form with lovely deep red flower foliage. Fruits very lightly, therefore leaves stated. 	rs and	extrem	t Red (dsome
12 to 18 in	.65	.50	.40	
1½ to 2 ft	.75	.60	.50	
Cutting-grown, upright strain with uniform brigh	r <mark>ight Re</mark> nt scarle			Quince
12 to 18 in. 1½ to 2 ft.	.55 .70	.40	.35	
2 to 3 ft	.85	.55 .70	.45 .60	
CHIONANTHUS virginicus — 20-25' A splendid ornamental large shrub or small tree, of fringy white flowers in May; bright blue be and city conditions.	covered erries in	d with	te Frin large cl Stands	usters
1½ to 2 ft. bushy	.95 1.25	.80 1.05	.70 .95	. 65
CLETHRA alnifolia — 5-7' Compact, neat plant, doing well in moist, shady white flower spikes in July-August.	places.		Summentsely fra	
1½ to 2 ft	.70	.55	.45	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$.85 1.00	.70 .85	.60 .75	
2/2 00 0 200000000000000000000000000000	1.00	.00	.10	
a. rosea — 5' Pink flowers, deliciously fragrant in late summedense, trim plant. Truly an outstanding shrub. Sold out for Spring.	New r. Dark	Pink : green	Summer foliage	sweet on a
barbinervis — 8'		Japa	anese C	lethra
Exceedingly handsome shrub, not as clumplike grant panicles of white flowers in July-August. edged.	as C. a. Small,	lnifolia	. Larg	e fra-
1½ to 2 ft	1.40 1.85	1.15 1.50	$\frac{1.00}{1.35}$	
CORNUS alba argenteo-marginata (elegantissima) — 6' Variegated cream and green foliage. Bright re Our strain is low-growing, highly colored.			l ge Dog ids wet	
1½ to 2 ft	.90 1.10	.75 .95	.65 .85	
a. siberica — 8'				
Bright coral-red bark, excellent in winter. Cluste	ers of w	Siber hite fl	ian Dog	wood oorce-
Bright coral-red bark, excellent in winter. Cluste lain-blue berries. Good in shade, wet soils.		hite flo	owers;]	orce-
Bright coral-red bark, excellent in winter. Clusto lain-blue berries. Good in shade, wet soils. 1½ to 2 ft. 2 to 3 ft.	.55 .70 .85	Siber hite flo	ian Dogowers; 1	wood porce- .30 .40

Mas — 20' Corneliancherry Dogwood Vigorous, sturdy shrub, narrow and dense in outline. Yellow flowers before the leaves; edible scarlet fruit. Most useful. 2 to 3 ft. 1.00 .85 .75 3 to 4 ft. 1.40 1.15 1.00 4 to 5 ft. 1.70 1.45 1.25	
the leaves; edible scarlet fruit. Most useful. 2 to 3 ft. 1.00 .85 .75 3 to 4 ft. 1.40 1.15 1.00 4 to 5 ft. 1.70 1.45 1.25 officinalis — 15' Shiny green foliage, yellow flowers and scarlet fruit. Very interesting flaky bark. Habit similar to C. mas. 4 to 5 ft. 2.30 2.00 5 to 6 ft. 2.80 2.50 racemosa (paniculata) — 12' Fine for massing in sun, shade, wet or dry soils. Creamy-white flowers and fruit. Gray stems, upright growth. 12 to 18 in. 45 .30 .25 1½ to 2 ft. 55 .40 .30 .25 3 to 4 ft. 80 .65 .55 .50 4 to 5 ft. 9.95 .80 .70 .65 5 to 6 ft. 1.20 1.00 .90 .85 6 to 8 ft. 1.70 1.45 1.25 stolonifera — 7' Red-Osier Dogwood Upright-spreading growth with brilliant red branches. Stoloniferous habit is ideal for bank holding, in normal or wet soils and sun or shade. 12 to 18 in. 45 .30 .25 .20 1½ to 2 ft. 5.0 .35 .30 .25 2 to 3 ft. 65 .50 .40 .35 3 to 4 ft. 7.75 .60 .50 S. Kelsey Dwarf — 2' Dwarf Red-Osier Dogwood Compact, low-growing Dogwood, much like Viburnum opulus nanum in habit. Highly useful. 12 to 18 in. spread .65 .50 .40 .35 1½ to 2 ft. spread .75 .60 .50 2 to 2½ ft. spread .75 .60 .50	
2 to 3 ft. 1.00 .85 .75 .3 to 4 ft. 1.40 1.15 1.00 .4 to 5 ft. 1.70 1.45 1.25	
4 to 5 ft. 1.70 1.45 1.25 officinalis — 15' Japanese Cornel Shiny green foliage, yellow flowers and scarlet fruit. Very interesting flaky bark. Habit similar to C. mas. 4 to 5 ft. 2.30 2.00 5 to 6 ft. 2.80 2.50 racemosa (paniculata) — 12' Gray Dogwood Fine for massing in sun, shade, wet or dry soils. Creamy-white flowers and fruit. Gray stems, upright growth. 12 to 18 in. .45 .30 .25 1½ to 2 ft. .55 .40 .30 .25 1½ to 2 ft. .55 .40 .30 .25 3 to 4 ft. .80 .65 .55 .50 4 to 5 ft. .95 .80 .70 .65 5 to 6 ft. .1.20 1.00 .90 .85 6 to 8 ft. .1.70 1.45 1.25 stolonifera — 7' Red-Osier Dogwood Upright-spreading growth with brilliant red branches. Stoloniferous habit is ideal for bank holding, in normal or wet soils and sun or shade. 12 to 18 in. .45 .30 .25 .20	
Officinalis — 15' Japanese Cornel Shiny green foliage, yellow flowers and scarlet fruit. Very interesting flaky bark. Habit similar to C. mas. 4 to 5 ft. 2.30 2.00 5 to 6 ft. 2.80 2.50 racemosa (paniculata) — 12' Gray Dogwood Fine for massing in sun, shade, wet or dry soils. Creamy-white flowers and fruit. Gray stems, upright growth. 12 to 18 in. 4.5 3.0 2.5 Caray Dogwood 1½ to 2 ft. 5.5 4.0 3.0 2.5 3.0 2.5 3.0 2.5 5.0 4 to 5 ft. 5.5 4.0 3.0 2.5 5.0 4 to 1.00 99 8.5 4.0 1.00 99 7.5 Red-Osier Dogwood Upright-spreading growth with brilliant red branches. Stoloniferous habit is ideal for bank holding, in normal or wet soils and sun or shade. 12 to 18 in. <th co<="" td=""></th>	
Shiny green foliage, yellow flowers and scarlet fruit. Very interesting flaky bark. Habit similar to C. mas. 4 to 5 ft	
4 to 5 ft. 2.30 2.00 5 to 6 ft. 2.80 2.50 racemosa (paniculata) — 12' Gray Dogwood Fine for massing in sun, shade, wet or dry soils. Creamy-white flowers and fruit. Gray stems, upright growth. 12 to 18 in	
racemosa (paniculata) — 12' Gray Dogwood Fine for massing in sun, shade, wet or dry soils. Creamy-white flowers and fruit. Gray stems, upright growth. 12 to 18 in. .45 .30 .25 1½ to 2 ft. .55 .40 .30 .25 3 to 4 ft. .80 .65 .55 .50 4 to 5 ft. .95 .80 .70 .65 5 to 6 ft. 1.20 1.00 .90 .85 6 to 8 ft. 1.70 1.45 1.25 stolonifera — 7' Red-Osier Dogwood Upright-spreading growth with brilliant red branches. Stoloniferous habit is ideal for bank holding, in normal or wet soils and sun or shade. 12 to 18 in. .45 .30 .25 .20 1½ to 2 ft. .50 .35 .30 .25 2 to 3 ft. .65 .50 .40 .35 3 to 4 ft. .75 .60 .50 Stelsey Dwarf — 2' Dwarf Red-Osier Dogwood Compact, low-growing Dogwood, much like Viburnum opulus nanum in habit. Highly useful. 12 to 18 in. spread .65 .50 .40 .35 1½ to 2 ft. spread .75 .60 .50 .50 .50 .20 .50 .50 2 to 2½ ft. spread .75 .60 .50 .50 .50 .50 .50 .50 .50 .50 .50 .5	
Fine for massing in sun, shade, wet or dry soils. Creamy-white flowers and fruit. Gray stems, upright growth. 12 to 18 in	
12 to 18 in.	
3 to 4 ft	
4 to 5 ft. .95 .80 .70 .65 5 to 6 ft. 1.20 1.00 .90 .85 6 to 8 ft. 1.70 1.45 1.25 stolonifera — 7' Red-Osier Dogwood Upright-spreading growth with brilliant red branches. Stoloniferous habit is ideal for bank holding, in normal or wet soils and sun or shade. 12 to 18 in. .45 .30 .25 .20 1½ to 2 ft. .50 .35 .30 .25 .20 1½ to 2 ft. .50 .35 .30 .25 .20 2 to 3 ft. .65 .50 .40 .35 3 to 4 ft. .75 .60 .50 Dwarf Red-Osier Dogwood Compact, low-growing Dogwood, much like Viburnum opulus nanum in habit. Highly useful. 12 to 18 in. spread .65 .50 .40 .35 1½ to 2 ft. spread .75 .60 .50 2 to 2½ ft. spread .75 .60 .50 2 to 2½ ft. spread .90 .75 .65	
5 to 6 ft. 1.20 1.00 .90 .85 6 to 8 ft. 1.70 1.45 1.25 stolonifera — 7' Red-Osier Dogwood Upright-spreading growth with brilliant red branches. Stoloniferous habit is ideal for bank holding, in normal or wet soils and sun or shade. 12 to 18 in. .45 .30 .25 .20 1½ to 2 ft. .50 .35 .30 .25 2 to 3 ft. .65 .50 .40 .35 3 to 4 ft. .75 .60 .50 s. Kelsey Dwarf — 2' Compact, low-growing Dogwood, much like Viburnum opulus nanum in habit. Highly useful. 12 to 18 in. spread .65 .50 .40 .35 1½ to 2 ft. spread .65 .50 .40 .35 1½ to 2 ft. spread .75 .60 .50 2 to 2½ ft. spread .90 .75 .65	
5 to 8 ft. 1.70 1.45 1.25 stolonifera — 7' Red-Osier Dogwood Upright-spreading growth with brilliant red branches. Stoloniferous habit is ideal for bank holding, in normal or wet soils and sun or shade. 12 to 18 in. .45 .30 .25 .20 1½ to 2 ft. .50 .35 .30 .25 2 to 3 ft. .65 .50 .40 .35 3 to 4 ft. .75 .60 .50 S. Kelsey Dwarf — 2' Dwarf Red-Osier Dogwood Compact, low-growing Dogwood, much like Viburnum opulus nanum in habit. Highly useful. 12 to 18 in. spread .65 .50 .40 .35 1½ to 2 ft. spread .75 .60 .50 2 to 2½ ft. spread .90 .75 .65	
stolonifera — 7' Red-Osier Dogwood Upright-spreading growth with brilliant red branches. Stoloniferous habit is ideal for bank holding, in normal or wet soils and sun or shade. 12 to 18 in. .45 .30 .25 .20 1½ to 2 ft. .50 .35 .30 .25 2 to 3 ft. .65 .50 .40 .35 3 to 4 ft. .75 .60 .50 S. Kelsey Dwarf — 2' Compact, low-growing Dogwood, much like Viburnum opulus nanum in habit. Highly useful. 12 to 18 in. spread .65 .50 .40 .35 1½ to 2 ft. spread .75 .60 .50 2 to 2½ ft. spread .90 .75 .65 COMMENTATION TO SET TO STORY TO SET TO	
Upright-spreading growth with brilliant red branches. Stoloniferous habit is ideal for bank holding, in normal or wet soils and sun or shade. 12 to 18 in	
is ideal for bank holding, in normal or wet soils and sun or shade. 12 to 18 in	
12 to 18 in.	
1½ to 2 ft. .50 .35 .30 .25 2 to 3 ft. .65 .50 .40 .35 3 to 4 ft. .75 .60 .50 S. Kelsey Dwarf — 2' Dwarf Red-Osier Dogwood Compact, low-growing Dogwood, much like Viburnum opulus nanum in habit. Highly useful. 12 to 18 in. spread .65 .50 .40 .35 1½ to 2 ft. spread .75 .60 .50 2 to 2½ ft. spread .90 .75 .65	
2 to 3 ft	
s. Kelsey Dwarf — 2' Dwarf Red-Osier Dogwood Compact, low-growing Dogwood, much like Viburnum opulus nanum in habit. Highly useful. 12 to 18 in. spread .65 .50 .40 .35 1½ to 2 ft. spread .75 .60 .50 2 to 2½ ft. spread .90 .75 .65	
Compact, low-growing Dogwood, much like Viburnum opulus nanum in habit. Highly useful. 12 to 18 in. spread .65 .50 .40 .35 1½ to 2 ft. spread .75 .60 .50 2 to 2½ ft. spread .90 .75 .65	
CODY III	
CORYLUS americana — 12' Hardy upright shrub with attractive foliage. Useful in shade and naturalistic	
plantings. Edible hazel nuts. 3 to 4 ft	
4 to 5 ft	
COTINUS coggygria (Rhus cotinus) — 15' Common Smoketree	
Huge, fluffy, smoky-appearing flower and fruit panicles, effective all summer. Yellow to orange fall foliage color.	
1½ to 2 ft	
2 to 3 ft	
3 to 4 ft	
4 to 5 it	
c. Royal Purple — 10-12' New Purple Smoketree	
c. Royal Purple — 10-12' New Purple Smoketree Outstanding new type. Deep maroon foliage color holds well all summer.	
c. Royal Purple — 10-12' Outstanding new type. Deep maroon foliage color holds well all summer. 2 to 3 ft	
c. Royal Purple — 10-12' Outstanding new type. Deep maroon foliage color holds well all summer. 2 to 3 ft. 2.30 2.00 3 to 4 ft. 2.70 2.40	
c. Royal Purple — 10-12' Outstanding new type. 2 to 3 ft. 3 to 4 ft. COTONEASTER acutifolia — 10' Upright, strong-growing with black fruit. New Purple Smoketree 2.30 2.00 2.70 2.40 Peking Cotoneaster Upright, strong-growing with black fruit. Dark green foliage, red in fall.	
c. Royal Purple — 10-12' Outstanding new type. Deep maroon foliage color holds well all summer. 2 to 3 ft. 2.30 2.00 3 to 4 ft. 2.70 2.40 COTONEASTER acutifolia — 10' Upright, strong-growing with black fruit. Dark green foliage, red in fall. Fine hardy hedge or specimen. 2 to 3 ft75 .60 .50	
c. Royal Purple — 10-12' Outstanding new type. Deep maroon foliage color holds well all summer. 2 to 3 ft. 2.30 2.00 3 to 4 ft. 2.70 2.40 COTONEASTER acutifolia — 10' Peking Cotoneaster Upright, strong-growing with black fruit. Dark green foliage, red in fall. Fine hardy hedge or specimen. 2 to 3 ft	
c. Royal Purple — 10-12' Outstanding new type. Deep maroon foliage color holds well all summer. 2 to 3 ft. 2.30 2.00 3 to 4 ft. 2.70 2.40 COTONEASTER acutifolia — 10' Peking Cotoneaster Upright, strong-growing with black fruit. Dark green foliage, red in fall. Fine hardy hedge or specimen. 2 to 3 ft	
c. Royal Purple — 10-12' Outstanding new type. Deep maroon foliage color holds well all summer. 2 to 3 ft. 2.30 2.00 3 to 4 ft. 2.70 2.40 COTONEASTER acutifolia — 10' Upright, strong-growing with black fruit. Dark green foliage, red in fall. Fine hardy hedge or specimen. 2 to 3 ft. 5.60 .50 apiculata — 3-4' Beautiful dwarf type with arching branches, Glossy green foliage; large red berries. Gal. cans 2.00 1.75 1.50	
c. Royal Purple — 10-12' Outstanding new type. Deep maroon foliage color holds well all summer. 2 to 3 ft. 2.30 2.00 3 to 4 ft. 2.70 2.40 COTONEASTER acutifolia — 10' Peking Cotoneaster Upright, strong-growing with black fruit. Dark green foliage, red in fall. Fine hardy hedge or specimen. 2 to 3 ft	



Deutzia gracilis—Slender Deutzia on the right. Densely pruned material. **Viburnum tomentosum (rotundifolium)**, Cole's cutting-grown strain, to the left. Sturdy heavy plants.

COTONEASTER — Continued	1-9 Each	10-29 Each	30-199 Each	200 Up Each
divaricata — 6' Outstanding arching-spreading habit. Pink flow great abundance.	wers;	Spreadin bright re	g Cotor ed berr	neaster ries in
1½ to 2 ft	1.15 3.25 4.10	.95 2.75 3.60	2.50 3.25	
CYDONIA — see Chaenomeles				
CYTISUS praecox — 4' A real gem, and absolutely hardy here. Creamy great profusion every spring. Green branches Bush rounded, upright.	y-yelle give	ow, pea-li	inister l ike bloc n appea	ms in
Gal. Cans 12 to 15 in. B&B 15 to 18 in. B&B 1½ to 2 ft. B&B	1.90 2.10 2.50 3.10	1.65 1.65 2.05 2.65	1.40 1.40 1.80	
DEUTZIA gracilis — 3' Upright-arching, dense, compact habit. Mass of Fine facer or low hedge. 12 to 15 in.	snow	Sle white b	ender D loom in	eutzia May.
15 to 18 in. 1½ to 2 ft.	.80	.65 .85	.55	.50

Rosepanicle Deutzia

gracilis rosea — 4'
Graceful, arching, pink-flowered form.
Sold out for Spring.

	1-9 Each	10-29 Each	30-199 Each	200 Up Each
DEUTZIA — Continued lemoinei — 5'		T.er	noine D)eutzia
Upright form of medium-height. Large showy	white			Culliu
15 to 18 in	.55	.40	.35	.30
1½ to 2 ft	.65	.50	.40	.35
2 to 2½ ft	.75	.60	.50	.45
montrose — 4' Neat upright-arching shrub. Large lavender flo		New H		
tinct in a hardy Deutzia. 2 to 3 ft	1.00	.85	.75	
3 to 4 ft	1.20	1.00	.90	
0 00 1 201				
DIERVILLA sessilifolia — 4'		Ruch	Honey	cucklo
Deep yellow, Weigela-like flowers in June-July.	Hand	some b	ronzy f	oliage.
reddish in fall. Holds soil because of its underg	round	stolons.	101125	orruge,
Sold out for Spring.	,			
ELAEACNIE provintifolia 10 20'		,	Russian	Olivo
ELAEAGNUS angustifolia — 18-20' Silvery gray foliage plant much used for scree	nc on			
hardy and adaptable.	,115 a11	a willow	n cans.	V CI J
1½ to 2 ft	.55	.40	.35	.30
2 to 3 ft	.70	.55	.45	.40
3 to 4 ft	.85	.70	.60	.55
EUONYMUS alatus — 9' Horizontal branches with corky wings, pictureso scarlet autumn color. Stands shade.	que in		ed Euoi Magni	
1½ to 2 ft	1.00	.85	.75	.70
2 to 3 ft	1.40	1.15	1.00	.90
a. compactus — 5-6'	"Dwarf	" Wing	ed Euo	nymus
Very choice compact variety, splendid for hedg	e and	specime	n use.	Bril-
liant fall coloring.				
12 to 15 in	.90	.75	.65	
15 to 18 in	1.10	.90	.80	.75
$1\frac{1}{2}$ to 2 ft	1.40 1.75	$1.15 \\ 1.50$	$\frac{1.00}{1.35}$	1.90
3 to 4 ft	2.60	$\frac{1.50}{2.25}$	$\frac{1.55}{2.00}$	1.25
0 to 1 th	4.00	4,40	2.00	
17/	_			
europaeus — 15' Upright shrub with dense, dark green leaves, scar	Lur Jot in c	opean I	Jurning	Bush
pink, opening to orange seeds. Stands shade, he	Pavv sc	iutumm.	Fruit	snowy
1½ to 2 ft	.65	.50	.40	
2 to 3 ft	.75	.60	.50	
europaeus Aldenhamensis — 15'	our Im-	proved 1	Rummin	Duck
More colorful fruit, brilliant pink capsules with	orang	e seeds	Deen	green
leaves, held late in fall, turn scarlet. An exce	eptiona	lly shar	pelv vi	gorous
upright plant.	, crosse.	-J DIIUL	V1,	Sorous
1½ to 2 ft	.75	.60	.50	
2 to 3 ft	.85	.70	.60	.55
3 to 4 ft	1.00	.85	.75	

FOR EVERGREEN EUONYMUS See "Evergreen Shrubs"

For your convenience, we have listed prices and weights of earth balls on page 48. Recommendations and prices are based on accurate records kept for many years.

	1-9 Each	10-29 Each	30-199 Each	200 Up Each				
FORSYTHIA Arnold Dwarf — 3'	134,011	Eacn	Data	Macii				
New, low-growing type of great merit for fou	ndatio	nn. accer	nt and	ground				
cover use. Drooping branches take root upon	touch	ing the s	round	Stouria				
12 to 18 in	.55	.40	.35	.25				
1½ to 2 ft	.65	.50	.40	.35				
2 to 2½ ft.	.75	.60	.50	.45				
2½ to 3 ft	.85							
272 00 0 10	.00	.70	.60	.55				
intermedia — 8'		Pos	der Fo	warrthin.				
12 to 18 in	.45							
1½ to 2 ft		.30	.25	.20				
2 to 3 ft	.55	.40	.30	.25				
2 to 3 th	.65	.50	.40	.35				
3 to 4 ft	.75	.60	.50					
i. Cole's Glorious — 8'		NT						
	. 1	New Sho	owy Fo	rsythia				
Extremely large golden-yellow flowers borne mu	ucn m	ore profi	asely th	an the				
new tetraploids. Otherwise similar to spectability		or.						
2 to 3 ft	.80	.65	.55					
3 to 4 ft	.95	.80	.70					
4 to 5 ft	1.20	1.00	.90					
i americhilia 0/		_						
i. spectabilis — 8' Hardy, upright with arching branches. Rich gol Most profuse.	den y	ellow flo	wers in	April.				
12 to 18 in	.45	.30	.25	.20				
1½ to 2 ft	.55	.40	.35	.25				
2 to 3 ft	.70	.55	.45	.35				
3 to 4 ft	.80	.65	.55	.45				
4 to 5 ft	1.00	.85	.75	.65				
200 200 200 200 200 200 200 200 200 200	1.00	.00	.10	.03				
Lynwood Gold		New Gol	don For	ucvethin				
Outstanding new variety. Erect branches smothers. Foliage excellent, deep green.	ered v	with deep	yellow	flow-				
1½ to 2 ft	.70	.55	.45					
2 to 3 ft	.80	.65	.55					
3 to 4 ft	.95	.80	.70	.55				
4 to 5 ft	1.20	1.00	.90					
		2.00						
Spring Glory — 8'		pring Gl						
Large pale yellow blossoms of great loveliness.	Ext	remely	heavy	flower				
production on an excellent bush.								
1½ to 2 ft	.55	.40	.35	.25				
2 to 3 ft	.70	.55	.45	.40				
3 to 4 ft	.80	.65	.55	.45				
suspensa — 4-6' Slender weeping branches root where they touch is the true, trailing, small-leaved type.	soil,	Weep hold bar	ing For	r sythia l. This				
12 to 18 in.	.50	.35	20	95				
1½ to 2 ft			.30	.25				
2 to 3 ft	.55 .85	.40	.35	.30				
2 00 5 10,	.00	.70	.60					
viridissima bronxensis — 18" Fascinating new variety, extremely dense and compact, with dainty, bright green, finely toothed leaves and bright yellow flowers. 9 to 12 in								
10		.00	.40	.35				

WHY BETTER SHRUBS?

Because Cole's shrubs are "normal grown" under Lake Erie Climatic conditions. They aren't forced by big doses of fertilizer, consequently have full tops with body and substance, plenty of spreading, fibrous roots. Long, cool fall seasons mean they are properly ripened for your transplanting success.

	1-9 Each	10-29 Each	30-199 Each	200 Up Each
HAMAMELIS japonica — 12' Compact, bushy; attractive foliage turns scarlet, yellow flowers late autumn.	orange		se Witc Small,	
2 to 3 ft	1.15	.95		
virginiana — 15' Rounded specimen; yellow flowers in fall. Au Good in moist, dry, or shady locations.	ıtumn	Commo foliage k	on Witc oright y	hhazel rellow.
1½ to 2 ft. 2 to 3 ft.	.75 .95		.50 .70	
Upright, dense shrubs, flowering spectacularly thick, beautiful hedge. Ardens. Double bluish purple. Lady Stanley. Double pink, red center. 3 to 4	in lat			
Lucy. Double rose-red. 2 to 3 ft	.75	.60	.50	
3 to 4 ft	.90	.75	.65	
4 to 5 ft		1.00	.90	
Hamabo. New. Single white; red center. Totus albus. Single pure lovely white. Woodbridge. New. Single glowing red. 2 to 3 ft.	.90	.75	.65	
3 to 4 ft. (Totus albus only)	1.05	.90	.80	
HYDRANGEA arborescens grandiflora — 3-4' Upright, dense growing with large, pure snow-w Will stand partial shade.		lowers Ju		angea July.
2 to 3 ft	.90 1.05	.75 .90	.65 .80	
macrophylla. Nikko Blue — 3' Hardiest and freest blooming of all Blue Hydr Blooms on new wood. 2 yr. No. 1			e every	year.
paniculata grandiflora — 10' Enormous trusses of white flowers, turning pinl Vigorous and hardy.	k, in A	Peego Lugust an	e e Hyd i id Septe	ember.
12 to 18 in. 1½ to 2 ft. 2 to 3 ft.	.50 .65 .80	.35 .50 .65	.30 .40 .55	
HYPERICUM hidcote — 2'	TN	lew Dwa	rf Hyne	ricum
New hardier, prostrate variety useful as facer p waxy, golden yellow flowers practically all sun	lant o nmer.	r ground	cover.	Large
2 yr. Med. 2 yr. No. 1	.65 .75	.50 .60	.40 .50	.45
kalmianum — 3' Dense, rounded shrub with blue-green foliage bright golden-yellow flowers in July-August. T	and i	Blueleaf mmense lest hard	quanti	ties of
1½ to 2 ft	.65 .75	.50 .60	.40	.35 .45
prolificum — 3' Dense, mounded plant, covered with bright yello August. Bark lustrous, smooth. Highly recomm	w flov	Shrubby vers for v	St. John weeks in	nswort n July-
15 to 18 in	.50	.35	.30	
1½ to 2 ft	.65 .75	.50 .60	.40 .50	

ILEX laevigata — 8' Bright rod borning fall and sixt (1)	10-29 Each oth Wint	Each	Holly
Bright red berries fall and winter; foliage bright gre Said to set fruit without pollinization.	en, yello	w in a	utumn.
1½ to 2 ft	.75 .90	.65 .80	
KOLKWITZIA amabilis — 8'		Boants	. Ruch
Upright arching branches are a bright mass of pink growth reddish, as is fall foliage. A serviceable hard	dy shrub.	n June	y Bush New
1½ to 2 ft	.55 .70	.45 .60	
LAGERSTROEMIA indica — 3' Cole's Ha	ardy Pink	Crape	myrtle
Hardiest form, with tremendous quantities of pink, c early August to frost. Other types do not bloom until drained soil, sun; needs protection first winter.	repe-like autumn.	flower Prefer	s from s well-
3-in. pot plants (Spring only)	.65	.55	
These Privet are grown and graded by Cole at Don't confuse with light, shipped-in sto	Paines rock.	ville.	
LIGUSTRUM amurense — 12'	Amur	North	Privet
Tall, upright, very hardy type. Rich olive-green foli		10	0.0
$1\frac{1}{2}$ to 2 ft., 3 canes and up	.20	.10 .15	.08
2 to 3 ft., 4 canes and up	.28	.21	.18
3 to 4 ft., 5 canes and up	.40	.30	.25
we're unsure of the nomenclature, but this is a lovely, with persistent foliage. Seems to be hardy enough to 15 to 18 in	warrant	ounded its use.	nrivet
18 to 24 in	1.15 1.55	$\frac{1.00}{1.40}$	
	1.55	1.40	Drivet
ibolium — 8' Similar to California Privet, but slightly hardier.	1.55		Privet
ibolium — 8' Similar to California Privet, but slightly hardier. 12 to 18 in., 2 canes and up	1.55	1.40 bolium	.08
ibolium — 8' Similar to California Privet, but slightly hardier. 12 to 18 in., 2 canes and up. 1½ to 2 ft., 3 canes and up. 2 to 3 ft., 4 canes and up.	1.55	1.40 bolium .10 .15	.08
ibolium — 8' Similar to California Privet, but slightly hardier. 12 to 18 in., 2 canes and up	1.55	1.40 bolium	.08
ibolium — 8' Similar to California Privet, but slightly hardier. 12 to 18 in., 2 canes and up. 1½ to 2 ft., 3 canes and up. 2 to 3 ft., 4 canes and up. 3 to 4 ft., 5 canes and up. 55 obtusifolium erecta — 8' Compact, superior, upright type with large lustrous he	1.55 II .20 .25 .40	1.40 bolium .10 .15 .20 .30	.08 .13 .17 .25
ibolium — 8' Similar to California Privet, but slightly hardier. 12 to 18 in., 2 canes and up. 1½ to 2 ft., 3 canes and up. 2 to 3 ft., 4 canes and up. 3 to 4 ft., 5 canes and up55 obtusifolium erecta — 8' Compact, superior, upright type with large lustrous he ly winter-hardy. 12 to 18 in., 2 canes and up.	1.55 11 .20 .25 .40 Erect 1 avy folia	1.40 bolium .10 .15 .20 .30 Border ge. Ex	.08 .13 .17 .25 Privet treme-
ibolium — 8' Similar to California Privet, but slightly hardier. 12 to 18 in., 2 canes and up. 1½ to 2 ft., 3 canes and up. 2 to 3 ft., 4 canes and up. 3 to 4 ft., 5 canes and up. 55 obtusifolium erecta — 8' Compact, superior, upright type with large lustrous he ly winter-hardy. 12 to 18 in., 2 canes and up. 1½ to 2 ft., 3 canes and up.	1.55 II .20 .25 .40	1.40 bolium .10 .15 .20 .30 Border ge. Ex:	.08 .13 .17 .25
ibolium — 8' Similar to California Privet, but slightly hardier. 12 to 18 in., 2 canes and up 1½ to 2 ft., 3 canes and up 2 to 3 ft., 4 canes and up 3 to 4 ft., 5 canes and up Compact, superior, upright type with large lustrous he ly winter-hardy. 12 to 18 in., 2 canes and up 1½ to 2 ft., 3 canes and up 2 to 3 ft., 4 canes and up 1½ to 2 ft., 3 canes and up 2 to 3 ft., 4 canes and up 3.45	1.55 11 .20 .25 .40 Erect 1 avy folia .20	1.40 bolium .10 .15 .20 .30 Border ge. Ex	.08 .13 .17 .25 Privet treme-
ibolium — 8' Similar to California Privet, but slightly hardier. 12 to 18 in., 2 canes and up. 1½ to 2 ft., 3 canes and up. 2 to 3 ft., 4 canes and up. 3 to 4 ft., 5 canes and up. 55 obtusifolium erecta — 8' Compact, superior, upright type with large lustrous he ly winter-hardy. 12 to 18 in., 2 canes and up. 1½ to 2 ft., 3 canes and up. 2 to 3 ft., 4 canes and up. 2 to 3 ft., 4 canes and up. 3 to 4 canes and up. 45	1.55 11 .20 .25 .40 Erect 1 avy folia .20 .25 .30 Begel 1	1.40 bolium .10 .15 .20 .30 Border ge. Ex: .12 .18 .23	.08 .13 .17 .25 Privet treme- .10 .15 .20
ibolium — 8' Similar to California Privet, but slightly hardier. 12 to 18 in., 2 canes and up. 1½ to 2 ft., 3 canes and up. 2 to 3 ft., 4 canes and up. 3 to 4 ft., 5 canes and up. 55 obtusifolium erecta — 8' Compact, superior, upright type with large lustrous he ly winter-hardy. 12 to 18 in., 2 canes and up. 1½ to 2 ft., 3 canes and up. 2 to 3 ft., 4 canes and up. 2 to 3 ft., 4 canes and up. 45 o. regelianum — 6' Neat horizontal branching habit with regularly space	1.55 11 .20 .25 .40 Erect 1 avy folia .20 .25 .30 Regel 1	1.40 bolium .10 .15 .20 .30 Border ge. Ex .12 .18 .23 Border	.08 .13 .17 .25 Privet treme- .10 .15 .20
ibolium — 8' Similar to California Privet, but slightly hardier. 12 to 18 in., 2 canes and up 1½ to 2 ft., 3 canes and up 2 to 3 ft., 4 canes and up 3 to 4 ft., 5 canes and up Compact, superior, upright type with large lustrous he ly winter-hardy. 12 to 18 in., 2 canes and up 1½ to 2 ft., 3 canes and up 1½ to 2 ft., 3 canes and up **The compact of the compact of t	1.55 11 .20 .25 .40 Erect 1 avy folia .20 .25 .30 Regel 1	1.40 bolium .10 .15 .20 .30 Border ge. Ex .12 .18 .23 Border	.08 .13 .17 .25 Privet treme- .10 .15 .20
ibolium — 8' Similar to California Privet, but slightly hardier. 12 to 18 in., 2 canes and up 1½ to 2 ft., 3 canes and up 2 to 3 ft., 4 canes and up 3 to 4 ft., 5 canes and up Compact, superior, upright type with large lustrous he ly winter-hardy. 12 to 18 in., 2 canes and up 1½ to 2 ft., 3 canes and up 1½ to 2 ft., 3 canes and up 5.55 obtusifolium erecta — 8' Compact, superior, upright type with large lustrous he ly winter-hardy. 12 to 18 in., 2 canes and up 1½ to 2 ft., 3 canes and up 2 to 3 ft., 4 canes and up 3.55 o. regelianum — 6' Neat horizontal branching habit with regularly space ing, hardy, dense shrub. Cole's stock is true, uniform, 12 to 18 in. spread 1½ to 2 ft. spread 60	20 .25 .40 Erect 1 avy folia	1.40 bolium .10 .15 .20 .30 Border ge. Ex: .12 .18 .23 Border Low- grown .25 .35	.08 .13 .17 .25 Privet treme- .10 .15 .20 Privet -grow- strain. .22 .30
ibolium — 8' Similar to California Privet, but slightly hardier. 12 to 18 in., 2 canes and up 1½ to 2 ft., 3 canes and up 2 to 3 ft., 4 canes and up 3 to 4 ft., 5 canes and up Compact, superior, upright type with large lustrous he ly winter-hardy. 12 to 18 in., 2 canes and up 1½ to 2 ft., 3 canes and up 1½ to 2 ft., 3 canes and up 1½ to 2 ft., 4 canes and up 5.55 considering type with large lustrous he ly winter-hardy. 12 to 18 in., 2 canes and up 1½ to 2 ft., 3 canes and up 2 to 3 ft., 4 canes and up 3.45 considering hardy, dense shrub. Cole's stock is true, uniform, hardy, dense shrub. Cole's stock is true, uniform, 12 to 18 in. spread 1½ to 2 ft. spread 2 to 2½ ft. spread 3.60 2 to 2½ ft. spread 70	1.55 .20 .25 .40 Erect 1 avy folia .20 .25 .30 Regel 1 d leaves. cutting30 .45 .55	1.40 bolium .10 .15 .20 .30 Border ge. Ex .12 .18 .23 Border Low- grown .25 .35 .45	.08 .13 .17 .25 Privet treme- .10 .15 .20 Privet -grow- strain. .22 .30 .40
ibolium — 8' Similar to California Privet, but slightly hardier. 12 to 18 in., 2 canes and up 1½ to 2 ft., 3 canes and up 2 to 3 ft., 4 canes and up 3 to 4 ft., 5 canes and up Compact, superior, upright type with large lustrous he ly winter-hardy. 12 to 18 in., 2 canes and up 1½ to 2 ft., 3 canes and up 1½ to 2 ft., 3 canes and up 1½ to 2 ft., 4 canes and up 5.55 considering type with large lustrous he ly winter-hardy. 12 to 18 in., 2 canes and up 1½ to 2 ft., 3 canes and up 2 to 3 ft., 4 canes and up 3.45 considering hardy, dense shrub. Cole's stock is true, uniform, hardy, dense shrub. Cole's stock is true, uniform, 12 to 18 in. spread 1½ to 2 ft. spread 2 to 2½ ft. spread 3.60 2 to 2½ ft. spread 70	1.55 .20 .25 .40 Erect 1 avy folia .20 .25 .30 Regel 1 d leaves. cutting30 .45 .55 .65	1.40 bolium .10 .15 .20 .30 Border ge. Ex: .12 .18 .23 Border Low- grown .25 .35 .45 .55	.08 .13 .17 .25 Privet treme- .10 .15 .20 Privet -grow- strain. .22 .30 .40 .50
ibolium — 8' Similar to California Privet, but slightly hardier. 12 to 18 in., 2 canes and up 1½ to 2 ft., 3 canes and up 2 to 3 ft., 4 canes and up 3 to 4 ft., 5 canes and up Compact, superior, upright type with large lustrous he ly winter-hardy. 12 to 18 in., 2 canes and up 1½ to 2 ft., 3 canes and up 1½ to 2 ft., 3 canes and up 1½ to 2 ft., 4 canes and up 2 to 3 ft., 4 canes and up 1½ to 2 ft., 5 canes and up 1½ to 2 ft., 6 canes and up 1½ to 2 ft., 6 canes and up 2 to 3 ft., 4 canes and up 2 to 3 ft., 4 canes and up 3 coregelianum — 6' Neat horizontal branching habit with regularly spaced ing, hardy, dense shrub. Cole's stock is true, uniform, 12 to 18 in. spread 1½ to 2 ft. spread 2 to 2½ ft. spread 60 2 to 2½ ft. spread 70 2½ to 3 ft. spread 80 ovalifolium — 10' Narrow, glossy-leaved hedge plant; extremely popular	20 .25 .40 Erect 1 avy folia .20 .25 .30 Regel 1 d leaves. cutting30 .45 .55 .65	1.40 bolium .10 .15 .20 .30 Border ge. Ex .12 .18 .23 Border Low- grown .25 .35 .45	.08 .13 .17 .25 Privet treme- .10 .15 .20 Privet -grow- strain. .22 .30 .40 .50
ibolium — 8' Similar to California Privet, but slightly hardier. 12 to 18 in., 2 canes and up 1½ to 2 ft., 3 canes and up 2 to 3 ft., 4 canes and up 3 to 4 ft., 5 canes and up 55 obtusifolium erecta — 8' Compact, superior, upright type with large lustrous he ly winter-hardy. 12 to 18 in., 2 canes and up 1½ to 2 ft., 3 canes and up 2 to 3 ft., 4 canes and up 1½ to 2 ft., 3 canes and up 1½ to 2 ft., 3 canes and up 2 to 3 ft., 4 canes and up 2 to 3 ft., 4 canes and up 3 to 18 in. spread to 18 in. spread to 18 in. spread to 2 to 2½ ft. spread to 2½ to 3 ft. spread to 3 ft	.20 .25 .40 Erect I avy folia .20 .25 .30 Regel I d leaves. cutting- .30 .45 .55 .65	1.40 bolium .10 .15 .20 .30 Border ge. Ex .12 .18 .23 Border Low- grown .25 .35 .45 .55 fornia .08	.08 .13 .17 .25 Privet treme- .10 .15 .20 Privet -grow- strain. .22 .30 .40 .50 Privet
ibolium — 8' Similar to California Privet, but slightly hardier. 12 to 18 in., 2 canes and up 1½ to 2 ft., 3 canes and up 2 to 3 ft., 4 canes and up 3 to 4 ft., 5 canes and up 55 obtusifolium erecta — 8' Compact, superior, upright type with large lustrous he ly winter-hardy. 12 to 18 in., 2 canes and up 1½ to 2 ft., 3 canes and up 2 to 3 ft., 4 canes and up 3 to 4 ft., 5 canes and up 1½ to 2 ft., 3 canes and up 1½ to 2 ft., 3 canes and up 2 to 3 ft., 4 canes and up 2 to 18 in. spread up 1½ to 18 in. spread 60 2 to 2½ ft. spread 60 2 to 2½ ft. spread 60 2 to 2½ ft. spread 80 ovalifolium — 10' Narrow, glossy-leaved hedge plant; extremely popular 12 to 18 in., 2 canes and up 1½ to 2 ft., 3 canes and up	1.55 .20 .25 .40 Erect 1 avy folia .20 .25 .30 Regel 1 d leaves. cutting .30 .45 .55 .65 Cali	1.40 bolium .10 .15 .20 .30 Border ge. Ex: .12 .18 .23 Border Low- grown .25 .35 .45 .55 fornia .08 .13	.08 .13 .17 .25 Privet treme10 .15 .20 Privet -grow-strain22 .30 .50 Privet .06 .10
ibolium — 8' Similar to California Privet, but slightly hardier. 12 to 18 in., 2 canes and up 1½ to 2 ft., 3 canes and up 2 to 3 ft., 4 canes and up 3 to 4 ft., 5 canes and up 55 obtusifolium erecta — 8' Compact, superior, upright type with large lustrous he ly winter-hardy. 12 to 18 in., 2 canes and up 1½ to 2 ft., 3 canes and up 2 to 3 ft., 4 canes and up 2 to 3 ft., 4 canes and up 3 to 4 canes and up 1½ to 2 ft., 3 canes and up 2 to 3 ft., 5 canes and up 1½ to 2 ft., 6 canes and up 2 to 3 ft., 5 canes and up 2 to 3 ft., 6 canes and up 1½ to 2 ft., 8 canes and up 1½ to 18 in. spread 2 to 1½ ft. spread 2 to 2½ ft. spread 30 ovalifolium — 10' Narrow, glossy-leaved hedge plant; extremely popular 12 to 18 in., 2 canes and up 1½ to 2 ft., 3 canes and up	.20 .25 .40 Erect I avy folia .20 .25 .30 Regel I d leaves. cutting- .30 .45 .55 .65	1.40 bolium .10 .15 .20 .30 Border ge. Ex .12 .18 .23 Border Low- grown .25 .35 .45 .55 fornia .08	.08 .13 .17 .25 Privet treme10 .15 .20 Privet -grow- strain22 .30 .40 .50 Privet .06
ibolium — 8' Similar to California Privet, but slightly hardier. 12 to 18 in., 2 canes and up 1½ to 2 ft., 3 canes and up 2 to 3 ft., 4 canes and up 3 to 4 ft., 5 canes and up 1½ to 18 in., 2 canes and up 1½ to 18 in., 2 canes and up 1½ to 2 ft., 3 canes and up 1½ to 2 ft., 3 canes and up 1½ to 2 ft., 3 canes and up 1½ to 2 ft., 4 canes and up 2 to 3 ft., 4 canes and up 2 to 3 ft., 4 canes and up 1½ to 18 in. spread 2 to 18 in. spread 3 to 4 ft. spread 60 2 to 2½ ft. spread 60 2 to 2½ ft. spread 60 60 70 2½ to 3 ft. spread 70 2½ to 3 ft. spread 80 covalifolium — 10' Narrow, glossy-leaved hedge plant; extremely popular 12 to 18 in., 2 canes and up 1½ to 2 ft., 3 canes and up 1½ to 5 ft., 4 canes and up 3 to 4 ft., 5 canes and up 45 vicaryi — 5'	1.55 .20 .25 .40 Erect 1 avy folia .20 .25 .30 Regel 1 d leaves. cutting30 .45 .55 .65 Cali	1.40 bolium .10 .15 .20 .30 Border ge. Ex: .12 .18 .23 Border grown .25 .35 .45 .55 fornia .08 .13 .17 .23	.08 .13 .17 .25 Privet treme10 .15 .20 Privet -grow- strain22 .30 .40 .50 Privet .06 .10 .14 .20
ibolium — 8' Similar to California Privet, but slightly hardier. 12 to 18 in., 2 canes and up 1½ to 2 ft., 3 canes and up 3 to 4 ft., 5 canes and up 5 Compact, superior, upright type with large lustrous he ly winter-hardy. 12 to 18 in., 2 canes and up 1½ to 2 ft., 3 canes and up 1½ to 2 ft., 3 canes and up 1½ to 2 ft., 4 canes and up 2 to 3 ft., 4 canes and up 1½ to 2 ft., 5 canes and up 2 to 18 in. spread ing, hardy, dense shrub. Cole's stock is true, uniform, 12 to 18 in. spread 1½ to 2 ft. spread 2 to 2½ ft. spread 3 ft. \$45 column 12 to 18 in. spread 3 to 2½ ft. spread 3 to 2½ ft. spread 3 to 2½ ft. spread 3 to 3 ft. spread 3 to 4 ft., 5 canes and up 45 Vicaryi — 5' Leaves golden-yellow all season. Neat, compact. ea	1.55 .20 .25 .40 Erect 1 avy folia .20 .25 .30 Regel 1 d leaves. cutting30 .45 .55 .65 Cali	1.40 bolium .10 .15 .20 .30 Border ge. Ex: .12 .18 .23 Border grown .25 .35 .45 .55 fornia .08 .13 .17 .23	.08 .13 .17 .25 Privet treme10 .15 .20 Privet -grow- strain22 .30 .40 .50 Privet .06 .10 .14 .20
ibolium — 8' Similar to California Privet, but slightly hardier. 12 to 18 in., 2 canes and up 1½ to 2 ft., 3 canes and up 2 to 3 ft., 4 canes and up 3 to 4 ft., 5 canes and up 1½ to 18 in., 2 canes and up 1½ to 18 in., 2 canes and up 1½ to 2 ft., 3 canes and up 1½ to 18 in., 2 canes and up 1½ to 2 ft., 3 canes and up 1½ to 2 ft., 4 canes and up 2 to 3 ft., 4 canes and up 45 c. regelianum — 6' Neat horizontal branching habit with regularly space ing, hardy, dense shrub. Cole's stock is true, uniform, 12 to 18 in. spread 2 to 1½ ft. spread 3 to 2½ ft. spread 60 2 to 2½ ft. spread 60 2 to 2½ ft. spread 70 2½ to 3 ft. spread 80 covalifolium — 10' Narrow, glossy-leaved hedge plant; extremely popular 12 to 18 in., 2 canes and up 1½ to 2 ft., 3 canes and up 1½ to 2 ft., 3 canes and up 2 to 3 ft., 4 canes and up 3 to 4 ft., 5 canes and up 45 vicaryi — 5'	1.55 .20 .25 .40 Erect 1 avy folia .20 .25 .30 Regel 1 d leaves. cutting30 .45 .55 .65 Cali	1.40 bolium .10 .15 .20 .30 Border ge. Ex: .12 .18 .23 Border grown .25 .35 .45 .55 fornia .08 .13 .17 .23	.08 .13 .17 .25 Privet treme10 .15 .20 Privet -grow- strain22 .30 .40 .50 Privet .06 .10 .14 .20

1-9 10-29 30-199 200 Up Each Each Each Each

Most graceful arching habit and delicate bluish l suckles. Profuse pale pink flowers, showy red habit to Morrowi, but much more attractive.	Arnold Ho eaves of a berries. S	ll Hon	ey-
1½ to 2 ft	.55 .4 .65 .5	30 . 45 55 75	.40 .50 .70
fragrantissima — 7' Spreading, with heavy semi-evergreen, round leaves.	Winter Highly fr		
flowers in April, red fruit later. 12 to 18 in	.30 .45	.25 .35	.20 .30
2 to 3 ft	.55	.45	.40
morrowi — 10' Arching-spreading habit. White flowers; dark red b	Morrow erries.	Honey	suckle
2 to 3 ft	.55 .65	.45 .55	.40 .50
3 to 4 ft	.85	.75	.70
tatarica grandiflora (rosea) — 9' Pink	Tatarian	Honey	suckle
Bright pink flowers; red fruit. Extremely popular adaptability, and tidy appearance.	because	of its	vigor,
12 to 18 in	.30	.25	.20
1½ to 2 ft	.35 .50	.30 .40	.25 .35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
	-flowered		suckle
Lovely light red flowers and uniform red fruit. Neat 2 to 3 ft		ush. .50	
3 to 4 ft	.75	.65	
zabeli — 8' Dense, shapely upright bush with blue-green foliage	l -flowered e. Bright	Honeys red fl	suckle owers
and excellent red fruit. 1½ to 2 ft	.45	.35	
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
MYRICA pennsylvanica — 5' Dark glossy, aromatic, semi-evergreen foliage. Wax	Northe v blue-gra	rn Bay	berry ies in
fall and winter. Will grow in shade or sun, moist o	r dry soils	s and a	it the
seashore. 12 to 15 in	.95 1.15	.85 1.00	
PHILADELPHUS Cole's Glorious — 8'	Glorious	Modes	, ranco
Strong, upright neat growth. Mammoth, snowy white	e, highly fr	agrant	flow-
ers in June. This variety is outstanding in all collect 12 to 18 in	ions of Ph .35	iladelpi .30	
12 to 18 in	.50	.40	
2 to 3 ft	.60	.50	
3 to 4 ft	.75		
coronarius — 9' Popular, hardy shrub, especially valuable in dry situation flowers early June.	Sweet ations. Fra	Mocko agrant,	white
11/2 to 2 ft	.35	.30	.25
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	

	1-9 Each	10-29 Each	30-199 Each	200 Up Each
PHILADELPHUS — Continued c. aureus — 4'	Liuch			
Compact, dwarf form with golden foliage.		Golder	n Mock	orange
9 to 12 in	.75	.60	.50	.45
12 to 15 in. 15 to 18 in.	.85 1.00	.70 .85	.60 .75	.55 .70
virginalis virginal — 8'		Virgina		
Semi-double, very fragrant flowers over a long free-blooming variety — flowers all summer.		d. Our	strain i	true,
1½ to 2 ft	.55 .70	.40 .55	.35 .45	.40
v. Argentine — 4'		Argentin	e Mocke	orange
Large, double, fragrant flowers on a low-growing to 3 ft.	ng pla			
3 to 4 ft	$\frac{.85}{1.00}$.70 .85		
PHOTINIA villosa — 15'		Orie	ntal Ph	otinia
Sometimes called Christmasberry, for its bright ful red-bronze fall foliage.	red, p	persistent	fruit.	Color-
3 to 4 ft		.85	.75	
4 to 5 ft	1.25	1.05	.95	
DHVCOCA PDUC amulifation of of				
PHYSOCARPUS opulifolius — 9' Vigorous, dependable shrub, fine for massing. V	White :	flowers in	Nir June	l ebark Does
well in partial shade.				
12 to 18 in. 1½ to 2 ft.		.30 .45	.25 .35	.20 .30
2 to 3 ft		.50	.40	.35
o. nana — 5'	_	Dw	arf Nin	ebark
Dwarf, bushy form; dainty deep green leaves. hedges at Morton Arboretum, Lisle, Illinois.	One	of the	tinest c	lipped
12 to 18 in		.30	.25	.20
1½ to 2 ft. 2 to 3 ft.	.65	.45 .50	.35 .40	.30 . 3 5
3 to 4 ft	.75	.60	.50	.45
DOTENTILLA formaci (C.I.I.D.)				
POTENTILLA farreri (Gold Drop) — 2½' Small, compact, very hardy shrub with dainty for yellow flowers the entire summer. Use in rock ders and foundations. Sold out for Spring.	ernlike eries,	New Bu e leaves. or foregr	Brillian	tdaan
PRUNUS glandulosa rosea — 4-5'		Double :	Pink Al	mond
Very double, pink flowers in early spring. C $1\frac{1}{2}$ to 2 ft., own root	utting	-grown.	E0.	
2 to 3 ft., own root	.85	.70	.50 .60	
3 to 4 ft., own roottomentosa — 6-7'	.95	.80	.70	
Extremely hardy, serviceable plant, used as her	dges o	r specim	nchu C	herry owers
profuse, pinkish-white; fruits bright red.				0 11 01 0
4 to 5 ft	1.30	1.10		
RHAMNUS frangula — 12' Vigorous dense, thornless shrub. Dark lustrous black. Stands shade and dry soils.	foliag	Gloss e; red be	y Buck erries tu	thorn rning
1½ to 2 ft	.65	.50	.40	
2 to 3 ft	.75	.60	.50	15
			.19	.15

EACH RATES in this catalog are for the accommodation of customers who place substantial orders, yet need small amounts of certain items to fill out their plantings. We do not have the facilities to handle orders calling entirely for small quantities of stock.



New Tallhedge

COLUMNAR BUCKTHORN

Rhamnus frangula columnaris

Plant Patent No. 1388

Vigorous, dense growth forms a compact, narrow hedge up to 12 to 15 feet tall, or may be easily sheared to as low as 4 ft. Lustrous dark green foliage; succession of attractive berries all summer change through cream, pink and red to black.

An ideal, thornless variety that fills a long-standing need for a good, tall, narrow hedge or accent plant.

				1-9 Each	10-29	30-199 Each	
44/		•	61				
			ft				
2	to	3	ft	1.00	.85	.75	
			ft			.95	
U	-	_	200	2.20			

Maria Cata					
		1-9 Each	10-29 Each	30-199 Each	200 Up Each
RHODO	OTYPOS scandens (kerrioides) — 6' Starry white flowers in June; jet black berries age. Does well in semi-shade.	all win	ter. Fre		etbead n foli-
	1½ to 2 ft	.70 .80 1.00	.55 .65 .85	.45 .55 .75	.50
RHUS	aromatica (canadensis) — 5' Excellent, round-growing shrub doing well umoisture and shade. Thick, aromatic foliage is low flowers in May; bright red fruit in summe	brillia	extremes	a grant s of di ll. Sma	ought,
	1½ to 2 ft		.60 .70	.50 .60	
ROBIN	IA hispida — 4' Large clusters of pink, pea-like flowers in Masoil on banks because of its suckering habit.	ay. Gr	aceful f		Acacia Holds
	12 to 18 in. 1½ to 2 ft. 3 to 4 ft.	.45 .60 .85	.30 .45 .70	.25 .35 .60	.20 .30 .50
ROSA	hugonis — 6' 2 to 3 ft	1.00	Golden 1 .85	im in	China
rug	osa — 5' Adaptable and beautiful, bushy rose. Dark bright orange in fall. Large pink to white, si Stands pruning well.	green, ngle fl	rugose	Rugos foliage rom Ju	turns
	2 to 3 ft	.75	.60	.50	

ROSA — Continued	1-9 Each	10-29 Each	30-199 Each	200 Up Each
r. Max Graf. Trailing Excellent prostrate ground cover or vine. Apple green leaves. Very choice.	e-bloss	Tr om pink	ailing F blooms	lugosa ; dark
2 year No. 1	.85	.70	.60	
wichuriana. Trailing Used widely for holding banks and rocky slopes White flowers; shiny foliage.	and a s		lemorial cover i	
2 year med. 2 year No. 1	.60 .70	.45 .55	.35 .45	.30 .40
POSE COLD DUSCAMULLOW	,			

ROSE	GOLD	PUSSYWILLOW
	(Salix	gracilistyla)

Low mounded plant to 3 ft., taking root where stems touch the ground. Foliage silvery, stays on late. Huge catkins silvery-gray, then turn silvery pink and rosy pink dotted with hundreds of bright yellow stamens, and finally become nearly solid gold.

12	to	18	in	.50	.35	.30	.25
$1\frac{1}{2}$	to	2	ft	.65	.50	.40	.35
2	to	3	ft	.75	.60	.50	.40

SALIX purpurea nana— 4' Compact, dense mound of blue-gray-green foli grows even in wet or heavy soils. Shears well 1½ to 2 ft. 2 to 2½ ft.	into for	extremel emal hea .35	dges.	, and
SPIRAEA bumalda Anthony Waterer — 3'	Dwa	rf Crim	son-flow	ering
Flat clusters of bright crimson flowers nearly habit, reddish green foliage.	all sur	nmer.	Dense,	dwarf
12 to 15 in	.55	.40	.30	.25
15 to 18 in	.65	.50	.40	.35
japonica coccinea — 3'		Dwar	f Red S	Iniras

July commended and								Dwall	Heu	Spirea
Dwarf,	compact,	with 1	rich,	clean,	red	flower	clusters.			•
12 to	15 in							.45	.35	
15 to	18 in						70	.55	45	
									.10	

EVERBLOOMING PINK SPIREA

(Spiraea macrothyrsa)

Blooms from late July into September with large heads of rich, warm pink flowers often 10 or more inches long on stems up to 4 feet long. Good crisp green foliage even during midsummer.

A fine plant for the shrub border and in masses on slopes, where its layering stems will hold soil against erosion.

			will fiold boll agailist closion.				
$1\frac{1}{2}$	to	2	ft	.60	.45	.35	.30
2	to	3	ft	.70	.55	.45	40
3	to	4	ft	.85	70	60	.10
						.00	

	houttei –								Vanho	utte Sp	irea
	Popular	shrub,	a mass	of archi	ng white	in 1	May.	Used	for large	hedges.	etc.
	12 to 18	in						.40	.25	.20	.17
	1½ to 2	ft						.45	.30	.25	.20
-	2 to 3	ft						.60	.45	.35	

SYMPHORICARPOS albus (racemosus) — 6' Pink flowers followed by many conspicuous when the state of the state o	1-9 Each	10-29 Each	Each Snov	200 Up Each wberry
arching branches; attractive foliage. 1½ to 2 ft. 2 to 3 ft.	.45 .55	.30 .40	.25 .30	
chenaulti — 5' Attractive, small foliage; slender arching bran	ches.	Rose-pi	ult Cora nk beri	alberry ries in
abundance. Succeeds in any normal soil and in 1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.45 .55 .65 .75	.30 .40 .50 .60	.25 .30 .40 .50	.20 .25 .35
An outstanding introduction for ground cover, shrub borders. Forms an extremely dense, neat refoliage and many rose-pink berries.	bank-h	rostrate tolding th small	or front l, attrac	of
	70	.55	.45	.40
orbiculatus (vulgaris) — 4' Coral-red berries fall and winter. Hardy, such bank planting or in shade.	Ind ekering	iancurra shrub	nt Cora excelle	lberry ent for
12 to 18 in		.25 .35	.20 .25	.15 .20
White Hedge — 6' Pink flowers followed by upright sprays of hu needed improvement.		ew Hybi nite beri		
1½ to 2 ft			.35 .45	
SYRINGA amurensis japonica — 18' A well-shaped small tree with shiny, cherrylike becreamy white flowers in June-July.	oark a		ese Tree leaves.	
4 to 5 ft	1.60	1.35		
chinensis (rothomagensis) — 10' Graceful upright-spreading habit, excellent for lilac flowers in late May and June.	hedg	e or bo	Chinese order.	
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft.	.65 .80 .95	.50 .65 .80	.40 .55 .70	.65
French Hybrids. Following named varieties — 10' Also odds and ends of many other kinds. No lis your color choice and we will do our best. Belle de Nancy. Double Pink. Ludwig Spaeth. Purple. 1½ to 2 ft., 2 to 3 ft. or		be furn	ished—s	specify
Mme. Antoine Buchner. Double Pink. President Grevy. Double Blue. 1½ to 2 ft	1.05	.85		
2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	1.30 1.60 2.00	1.10 1.35 1.75		

SYRINGA — Continued	1-9	10-29	30-199	
Mixed Hybrids. Best sorts; names lost.	Each	Each	Each	Each
2 to 3 ft 3 to 4 ft 4 to 5 ft	1.00 1.35 1.75	0.85 1.15 1.50	1.00 1.25	
microphylla — 6' Broad low habit; small, somewhat crinkled leave fragrant pinkish-lilac flowers in May and at in 2 to 3 ft.	es. A	wealth o	of delig nmer.	Lilac htfully
vulgaris — 15'		Common	Purple	Lilac
The old fashioned, very fragrant purple lilac.	C.E.		_	
2 to 3 ft	.65 .75	.50 .60	.40 .50	
3 to 4 ft	.90	.75	.65	.55
1 00 0 16	1.15	.95	.85	.80
TAMARIX Summer Glow — 8'				
The finest variety we have seen. Lacv. silver	y-blue	e foliage	tyria	n rose
flower spikes all summer. Good in dry soils, su shore planting.	n or p	art shade	and fo	or sea-
1½ to 2 ft	.65	.50	.40	
2 to 3 ft	.75	.60	.50	
4 to 5 ft	.90 1.10	.75 .95	.65 .85	
TEUCRIUM chamaedrys — 1' Lustrous, dark green leaves usually last all win pink flowers late summer. Excellent for edging sembling dwarf Boxwood.	nter h	ere. Brig ds, walks	tht law	ander ender- re-
1 year field-grown, about 5 to 9"	.50	.25 .35	.18 .30	.16 .25
Our choice of Jersey, Pioneer, Rancocas, Rubel		ge Fruitii	ng Blue	eberry
15 to 18 in. (10" Ball)	2.20 2.75	$\frac{1.75}{2.25}$	$\frac{1.50}{2.00}$	
VIBURNUM burkwoodi — 7' Vigorous semi-evergreen with glossy dark greclusters of deliciously fragrant, blush-white flosizes have been sheared repeatedly to form denoffered.	DYATE	in mid	ound, o	domed
2 to 3 ft. 2½ to 3 ft. (13" Ball)	1.20 1.55 3.25 4.10	1.00 1.30 2.75 3.60	.90 1.15 2.50 3.25	2.25 3.00
carlesi — 5' Light pink, deliciously fragrant flowers. Rounded Hardy and extremely popular. Except for the two	l habi	Coreanspic t. Wine-r gest grad	ed fall	color
15 to 18 in. (11" Ball) 1½ to 2 ft. (12" Ball) 2 to 2½ ft. (13" Ball) 2½ to 3 ft. (14" Ball)	2.75 3.25 4.10 4.90 6.35	2.25 2.75 3.60 4.40 5.75	2.00 2.50 3.25 4.00	

Nearly every item in this catalog is certified for shipment outside the Japanese Beetle Zone. You can't get the Beetle from Cole's.

1-9 10-29 30-199 200 Up Each Each Each Fach

VIBURNUM — Continued

chenaulti — 6' New semi-evergreen hybrid similar to V. bur		nenault Vi	
Highly promising. Own-root plants. 1½ to 2 ft. 2 to 2½ ft. 2½ to 3 ft. (13" Ball) 3 to 4 ft. (14" Ball)	1.55 1.3 3.25 2.	30 1.15 75 2.50	$\frac{1.00}{2.25}$

dentatum — 12'		Arrow		
Vigorous, rapid grower in almost any soil, under ma	ny cond	aitions.	Dark	
blue fruit; glossy red fall leaf color.			4.0	
2 to 3 ft	.55	.45	.40	
3 to 4 ft	.70	.60	.55	
4 to 5 ft. 1.20	1.00	.85	.80	
5 to 6 ft	1.25	1.10		
6 to 8 ft	1.60	1.40		
dilatatum — 9' Linden				
Dense, compact habit; bright red fruit and fall foliage				
2 to 3 ft	.85	.75		

juddi An outstanding origination of Arnold Arboretun	
smaller, with darker leaves and larger flowers.	. Own-root plants.
15 to 18 in. (11" Ball)	2.75 2.25 2.00
1½ to 2 ft. (12" Ball)	
2 to 2½ ft. (13" Ball)	
2½ to 3 ft. (14" Ball)	

lantana — 12-15' Stout upright, with leathery wrinkled foliage, black. Stands dry soil.		fall. Re	ayfaring ed fruit	
2 to 3 ft	.80 .95	.65 .80	.55 .70	
lentago — 20' Dense, upright, strong growing. Long, shiny fol Flat white flowers, blue-black berries. Thrives	in shad	de or sur	1.	tumn.
2 to 3 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft.	1.70	$ \begin{array}{r} .60 \\ 1.00 \\ 1.35 \\ 1.60 \end{array} $.50 .90 1.15 1.40	1.00 1.25
lobophyllum — 10' A real gem—new to the trade. Dark glossy fol in fall. Large white flowers in summer, foll Neat upright bush.				
3 to 4 ft. 4 to 5 ft.		$\frac{1.45}{1.80}$		
opulus — 12' Dense, vigorous plant with lobed leaves, red white flowers; long-lasting red berries.		opean Crumn. Pr		
2 to 3 ft. 3 to 4 ft. 5 to 6 ft. 6 to 8 ft.		.70 .85 1.15 1.50	.60 .75 1.00 1.35	.90

For your convenience in figuring loads, weights of earth balls are listed on inside back cover. Balling and burlapping costs are included in all evergreen prices.

VIBURNUM — Continued	1-9 Each	10-29 Each	30-199 Each	200 Up Each
Another extremely dense, dwarf beauty for hardy, it does well in light shade and in wet or	today'	ropean (s landsc soil.	Cranberr ape. R	y-bush eliably
9 to 12 in	.95 1.10	.80 .95	.70 .85	.65 .80
opulus sterile — 10' Profusion of white, ball-shaped flowers in May,	Tuno	Com	mon Sn	owball
1½ to 2 ft 2 to 3 ft	.75 .90	.60 .75	.50 .65	
prunifolium — 15' Distinct, rugged appearance, upright with horiz fruit; flat white flowers; fall color shining red.	ontal	branche	Black s. Blue	k Haw -black
2 to 3 ft. 4 to 5 ft. 5 to 6 ft.	1.40 2.20 2.60	1.15 1.85 2.25	$1.00 \\ 1.60 \\ 2.00$	
sieboldi — 15' Splendid, long, dark-green lustrous foliage turn	s red	Sieb in autu	old Vib	urnum reamy
white flowers are followed by red to black berry 2 to 3 ft.	1.00	.85		
tomentosum (var. rotundifolium) — 8' Cutting-grown strain of rounded, yet horizontal flowers, bright red berries. Rounded leaves have cellent, heavy material offered.	brancl ve god	hing hab	file Vib oit. Flat all color	white
2 to 3 ft 3 to 4 ft 4 to 5 ft	.90 1.15 1.50	.75 .95 1.25	.65 .85 1.15	.80 1.00
Hardier, more vigorous than t. plicatum, with May and June.	pure		'snowbal	lls" in
trilobum — 12'	1.85	1.50 erican C	****	- buah
Handsome, hardy shrub with lobed leaves, deep in late May; scarlet berries last into winter.	red i	n fall.	White fl	owers
1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.75 .90 1.10 1.40 2.00	.60 .75 .90 1.15 1.60	.50 .65 .80 1.00 1.40	.70
WEIGELA Eva Rathke — 5'				
Bright crimson flowers on long arching branches. 2 to 3 ft	.75 .95	.60 .80	.50 .70	
florida (rosea) — 8' Strong upright growth. Profusion of deep pink f	Oldfa	shioned	Pink W	eigela
2 to 3 ft	.70 .85	.55 .70	.45 .60	.40 .50
THE BEST HARDY RED WEIG	ELA			
vaniceki (Newport Red) — 6' New, vigorous red-flowered Weigela, hardier and			than old	der
types. Loaded with flowers for a long period. 1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 1.15) 5	.65 .80	.55 .70	.40 .50 .60 .80

VINES AND GROUND COVERS

	1-9 Each	10-29 Each	30-199 Each	200 Up Each
AMPELOPSIS (see Parthenocissus)				
CELASTRUS orbiculatus — 30' Lateral clusters of yellow and red berries. Province Vigorous, hardy twining vine.	fuse ar		a l Bitte dable f	
2 year med	.45 .50 .65	.30 .35 .50	.25 .30 .40	.20 .25 .35
orbiculatus — Heavy Fruiting Strain Cutting-grown from exceptionally heavy fruiting 2 year No. 1 3 year heavy	stock .65 .70	50	.40 .45	.3 5
scandens — 20'		America		
Orange-red fruit in terminal bunches. Fast-grovused for bank-holding. 2 year med.	ving, a .45	daptable .30	\cdot vine, \cdot .25	.20
2 year No. 1	.50	.35	.30	.25
EUONYMUS fortunei varieties (Listed under Broadleaf	Evergr	eens)		
HEDERA helix (Listed under Broadleaf Evergreens)				
HYDRANGEA petiolaris — 50' Handsome, high-climbing vine, clinging by roc clusters of white flowers cover this in June. Pa or stone buildings and on trees.	tlike l rticula	Climbin noldfasts rly e ffec	. Larg	e flat
4" pots, 9 to 12 in., branched	1.50 2.00	1.25 1.75	1.00 1.50	
LONICERA Gold Flame — 12' 2 year med. 2 year No. 1	Everb .65 .75	.50 .60	.40 .50	suckle
Strong-growing, semi-evergreen with very fragraflowers in June. Excellent as a bank-holding grant gran	ant, wh	Japanese nite to cr cover an	reamy	yellow
or trellis. 2 year med. 2 year No. 1	.40 .45	.25 .30	.18 .22	.16 .20
PARTHENOCISSUS tricuspidata lowi — 8' Refined, slow-growing type with dainty, deeply tumn. Holds tenaciously to stone, brick, or cemful tracery of design. Sold out for Spring.	-cut f	w's Japa oliage, s ock, crea	carlet i	n au-
tricuspidata veitchi — 50' Hardy, clinging vine, one of best for stone or br.	ick. B	rilliant	red fall	on Ivy color.
2 year med. 2 year No. 1	.75	.50 .60	.40 .50	
POLYGONUM auberti — 30' Fastest growth. Foliage dense; fleecy-white flower	rs late		er Lace	Vine
2 year No. 1 2 year med.	.65	.50 .35	.40 .30	.35 .25
dwarf reynoutria — 10-12" Not a vine, but a vigorous, easily-grown ground pink flowers in late summer; gorgeous autumn late August to frost. Sold out for Spring.	cover.	Red b	ef Polyg uds and Aflame	deep



Mme. Galen Hybrid Trumpetcreeper

	1-9	10-29	30-199	200 Up
	Each	Each	Each	Each
CAMPSIS (Bignonia) Mme. Galen — 20' Large scarlet and orange flowers in big showy	clusters.	brid Ti	umpetc	reeper
2 year med.	.75	.60	.50	.45
2 year No. 1		.70	.60	.55

A VALUABLE COLE SPEC	CIALTY		-A/X	
PAEONIA officinalis rubra	1-9 Each	Each	30-199 Each	Each
In bloom for Decoration Day in most seasons. bright red. Fine cut flower.	Free-flo	wering	ly Red , very (double,
3 to 5 eye		.70 1.00	.60 .90	.55 .85

GROUND COVER AND BANK PLANTING

Here are Cole's plants for your problem areas. Those with asterisk (*) will tolerate shade. Nearly all are suitable for bank planting, therefore we have noted (GC) the better low ground covers, growing up to $2\frac{1}{2}$ feet in height.

*Aronia melanocarpa	
*Berberis thunbergi	
*Celastrus species	
*Clethra alnifolia	
*Cornus stolonifera	
*C. "Kelsey Dwarf" (GC)	
Cotoneaster apiculata	
*Diervilla sessilifolia	
*Euonymus fortunei (GC)	
*E. fort. coloratus (GC)	
Forsythia Arnold Dwarf	
F. suspensa (true)	
*Hedera helix baltica (GC)	
Hypericum Hidcote (GC)	
Juniper horizontalis vars. (GC)	
*Lonicera jap. halliana (GC)	
*Myrica pennsylvanica	

bank planning, merelote we mave	2
up to $2\frac{1}{2}$ feet in height.	
*Pachistima canbyi (GC)	
*Pachysandra terminalis (GC)	
Physocarpus species	
Polygonum reynoutria (GC)	
Rhus aromatica	
Robinia hispida	
Rosa "Max Graf" (GC)	
Rosa rugosa	
R. wichuriana (GC)	
Salix gracilistyla	
Spirea macrothyrsa	
*Symphoricarpos "Hancock" (GC	;)
*S. orbiculatus	
*Viburnum dentatum	
*V. lentago	
*V. trilobum	

*V. trilobum

*Vinca minor and vars. (GC)

NEEDLE EVERGREENS

Cole's evergreens are properly spaced and sheared to produce dense, symmetrical, colorful specimens. Our light soils produce a naturally fibrous root system that assures successful transplanting. All can be shipped outside the Japanese Beetle Zone.

Prices include a definitely superior job of balling, burlapping and securely rope-typing roots.

Approximate ball sizes are given for your guidance in estimating shipping weights. See inside back cover for ball weights.

	1-4 Each	5-24 Each	25-99 Each	100 Up Each
CHAMAECYPARIS (Retinospora)				
pisifera magnifica — 15 ⁷	Mag	nificent	Falsed	ypress
Excellent golden-foliage form with better wint	er col	or than	other	types.
Well-sheared material.				
15 to 18 in. (10" Ball)\$	1.90 \$	1.60		
1½ to 2 ft. (11" Ball)	2.15	1.85	\$ 1.60	
2 to 2½ ft. (12" Ball)	2.65	2.35	2.10	
2½ to 3 ft. (13" Ball)	3.35	3.00		
p. plumosa aurea — 15'	Golde	nplume	Falsec	ypress
Golden yellow, finely textured foliage. Broad				
tightly sheared — will sell on sight.	F 5			
15 to 18 in. (10" Ball)	1.90	1.60	1.35	\$ 1.25
1½ to 2 ft. (11" Ball)	2.15	1.85	1.60	1.50
2 to 2½ ft. (12" Ball)	2.65	2.35	2.10	2.00
2½ to 3 ft. (13" Ball)	3.35	3.00	2.70	2.50
3 to 3½ ft. (15" Ball)	4.00	3.70	3.35	

DWARF GOLDENPLUME FALSECYPRESS

p. plumosa compacta aurea -- 5'

Flat-topped globes of gold with plenty of sales appeal. Mature plants become somewhat conical, as broad as high. A "natural" in fall season, when color is at its peak.

			Ball)	1.60	1.35	1.25
			Ball)	1.85	1.60	1.50
			Ball)	2.25	2.00	1.90
			Ball)	2.75	2.50	2.35
2 y	r. tran	s. (LOS).	 	 	.40	.35

A bright new color. More intense yellow in summer.	New	Golden Cyp	ress
12 to 15 in. (10" Ball) 1.80	1.50	1.25	
15 to 18 in. (10" Ball)	1.75	1.50	
1½ to 2 ft. (11" Ball)	2.10	1.05	
JUNIPERUS chinensis Armstrongi — 4' Armstr The finest new spreader we have seen. Bright green, is naturally compact, remains dense with practically enough to use under low windows in today's homes.	entire	elv adult fol	liage
15 to 18 in. spread (11" Ball) 3.00 1½ to 2 ft. spread (12" Ball) 3.70 2 to 2½ ft. spread (13" Ball) 4.25 2 yr. TT (LOS)	2.65 3.30 3.85	3.00	2.85 3.35

NOTICE

3 yr. TT (LOS)....

.55

.50

We cannot box balled evergreen for shipment, under any circumstances, but can often arrange for truck delivery of small orders. Please inquire.



SPREADING JUNIPERS—Compact Andorra in center; Andorra, Pfitzers and Hetzi to the left. Quality is tops and price is right.

JUNIPERUS — Continued	1-4 Each	5-24 Each	25-99 Each	100 Up Each
c. columnaris glauca — 20'	lver Co	lumn Cl	inese l	uninor
Narrow column of blue-gray foliage Compact	fact c	growth.	illiese J	umper
2 to 2½ it. (12" Ball)	3 35	3.00		
	4.50	4.10	3.75	
3½ to 4 ft. (15" Ball) 4 to 5 ft. (17" Ball)	5.50	5.00	4.50	
Title Daily	6.00			
c. pfitzeriana — 5'				
Popular, broad, full type; feathery grayish-gree	on folis		fitzer J	
cal Spreader for larger hulldings narks and of	lder ho	ige. Ine mes	e most	practi-
15 to 18 in. spread (11" Ball)	2.80	2.50	2.25	
1½ to 2 ft. spread (12" Ball)	3.35	3.00	2.75	2.60
2 to 2½ ft. spread (13" Ball) 2½ to 3 ft. spread (14" Ball)	4.00	3.60	3.25	3.10
2½ to 3 ft. spread (14" Ball)	5.00	4.40	4.00	
c. pfitzeriana plumosa — $2\frac{1}{2}$	ומו			
Low, dense, steel-blue type with plumy juvenil	la folia	ume Con	11 00000	
compact, fast-growing substitute for J. sargenti	being	similar i	n annes	ranco
ruly a worthwhile variety.			appec	rance.
15 to 18 in. spread (11" Ball)	2.95	2.60	2.35	2 .25
1½ to 2 ft. spread (12" Ball) 2 to 2½ ft. spread (13" Ball)	3.70	3.30	3.00	
2½ to 3 ft. spread (14" Ball)	$4.25 \\ 5.25$	3.85	3.50	3.10
= 72 to 0 1t. spicau (14 Dail)	5.45	4.75		
c. pfitzeriana Silver Blue — 6'	Silver	Blue Pi	fitzer J	ininar
Rich silver blue color throughout, much bluer the	han J. l	netzi. Ra	apid. co	mpact
growth. A best seller on sales lots.			1 /	
1½ to 2 ft. spread (12" Ball)	3.70	3.30		
2½ to 3 ft. spread (14" Ball)	4.25	3.85		
272 to 0 1tt. Spicau (I4 Dail)	5.25	4.75		
communis hibernica — 6'			Irish Ju	minor
Extremely narrow column of blue-green foliage	e. Plar	nts offere	ed are	dense.
sheared material, sure to please.				
1½ to 2 ft. (11" Ball)	2.05	1.75	1.50	
2 to 2½ ft. (12" Ball) 2½ to 3 ft. (13" Ball)	2.40	2.10	1.85	
2,2 to 0 1t, (10 Dail)	2.80	2.50	2.25	

J

	1-4 Each	5-24 Bach		100 Up Each
UNIPERUS — Continued		~ .	~ ,	
excelsa stricta — 4'			Greek .	
15 to 18 in. (11" Ball)	2.55	2.25		
1½ to 2 ft. (12" Ball)	3.10	2.75	2.50	
glauca hetzi — 7'		Het	z Blue	Juniper
Fast-growing blue spreader, more upright t	han F			
priced, best seller for garden store and landsca	pe use	e.		
15 to 18 in. (11" Ball)	2.65	2.35	2.10	2.00
1½ to 2 ft. (12" Ball)	3.10	2.75	2.50	2.40
2 to 2½ ft. (13" Ball)	3.70	3.30	3.00	
horizontalis — 1'		Cr	eeping .	Juniper
Procumbent branches; green needles. Valuable Sold out for Spring.	e grou	nd cov	er.	
h. douglasi — I'	Wauke	egan Cr	eeping 3	Juniper
Trailing form with steely-blue foliage. Good gr Sold out for Spring.	round (cover.		
h. plumosa — 2' Ando	rra D11	rnle Cr	eeping .	Iuniner
Feathery, bright green foliage, turning purple				
sheared plants of this distinctive form.	0.00	0.50	ຄຄະ	9.10
15 to 18 in. (11" Ball)	2.80	2.50	2.25	2.10
1½ to 2 ft. (12" Ball)	3.35	3.00	2.75	9 10
2 to 2½ ft. (13" Ball)	4.00	3.60	3.25	3.10
2½ to 3 ft. (14" Ball)	5.00	4.50	4.10	
h. plumosa compacta — 2' New, worthwhile form of above. Andorra colo like that of Compact Pfitzer. 15 to 18 in. (11" Ball)	r with 3 .10		2.50	
Low-growing vase-shaped type that does well a Sold out for Spring.	even in	limest		Juniper as.
virginiana canaerti — 20'			naert R	edcedar
Compact pyramidal type with dark green, adul				
2½ to 3 ft. (13" Ball)	4.00	3.60	3.25	
v. glauca — 20'		ş	Silver B	edcedar
Narrow column of silvery-blue foliage. Stands	shear	ing wel	11.	caccaar
2 to 2½ ft. (12" Ball)	3.35	3.00		
3 to 3½ ft. (14" Ball)	4.50	4.10	3.75	
			0	
v. keteleeri — 15'		Ke	teleer R	edcedar
Dense, deep green foliage. Compact, broad typ	e.	0.00		
2 to 2½ ft. (12" Ball)				
3 to 3½ ft. (14" Ball)	5.50	4.10	3.75	
o ² /2 to 4 − 1t. (10 − BaH)	5.50	5.00	4.50	
ilifornia (Don 1)				
v. pyramidiformis (Dundee) — 18'	P	urple P	yramid	Juniper
Compact column. Grayish green foliage, plum 2½ to 3 ft. (13" Ball)	color	in Iall.		
4½ to 5 It. (15 Ball)	4.00	3.60		

For your convenience in figuring loads, weights of earth balls are listed on inside back cover. Balling and burlapping costs are included in all evergreen prices.

	1-4 Each	5-24 Each	25-99 Each	100 Up
	Басц	LEASI C.II.	гасп	Each
PICEA abies nidiformis — 2½'		Nest 1	Vorway	Spruce
A fascinating type, low and rounded, with a de	finitely	flat top).	•
9 to 12 in. (10" Ball)	3 60	3.25		
12 to 15 in. (11" Ball)	4.15	3.75		
PINUS strobus — 70'			3871.24	e Pine
This graceful, soft-green foliaged tree is undou	htedly	our fine	et orna	montal
Pine. Can be easily pruned to remain relative	lv sma	Il for m	anv vea	rc
3 to 4 ft. (14" Ball)	7.35	6.60	6.00	T D+
	,,,,,	0.00	0.00	
TAVIIC hagests sensedons 01//	_			
TAXUS baccata repandens — 2½'	S	preading	Englis	h Yew
The hardiest English Yew, and distinct in its low	7, droo		it.	
15 to 18 in. (11" Ball)	4.50	4.10		
cuspidata — 6'	~			
Most popular and useful bushy, spreading yew.	Sp	reading		
12 to 15 in. (10" Ball)		stock is		
15 to 18 in. (11" Ball)	$\frac{3.35}{4.25}$	$\frac{3.00}{3.85}$	2.75	
1½ to 2 ft. (12" Ball)	5.50	5.00	$\frac{3.50}{4.50}$	
2 to 2½ ft. (13" Ball)	6.60	6.00	5.50	
3 to 3½ ft. (16" Ball)	13.50		9.00	
7 to 8 ft. specimens (33" Ball)	65.00			
8 to 10 ft, specimens (36" Ball)	75.00			
10 4- 10 : 4 . mm (T oc)				.75
12 to 18 in., 4 yr. TT (LOS)			.80	- (i)
12 to 18 in., 4 yr. TT (LOS)			.85	.10
c. capitata — 15'	1	Inright	Jananes	e Vew
c. capitata — 15' The favorite upright form—broadly pyramidal w	1	Inright	Jananes	e Vew
c. capitata — 15' The favorite upright form—broadly pyramidal wing, specimen or accent.	vhen ol	Upright der. Us	Japanes eful for	e Vew
c. capitata — 15' The favorite upright form—broadly pyramidal wing, specimen or accent. 2 to 2½ ft. (13" Ball)	when ol	Upright der. Us	Japanes eful for 5.50	e Vew
c. capitata — 15' The favorite upright form—broadly pyramidal wing, specimen or accent. 2 to 2½ ft. (13" Ball). 3½ to 4 ft. (16" Ball)	when ol	Upright der. Us	Japanes eful for 5.50	e Yew hedg-
c. capitata — 15' The favorite upright form—broadly pyramidal wing, specimen or accent. 2 to 2½ ft. (13" Ball) 3½ to 4 ft. (16" Ball) 4 to 4½ ft. (17" Ball)	when ol 6.65 13.75	Upright der. Us	Japanes eful for 5.50	e Yew hedg-
c. capitata — 15' The favorite upright form—broadly pyramidal wing, specimen or accent. 2 to 2½ ft. (13" Ball) 3½ to 4 ft. (16" Ball) 4 to 4½ ft. (17" Ball)	when ol 6.65 13.75	Upright der. Us	Japanes eful for 5.50	e Yew hedg-
c. capitata — 15' The favorite upright form—broadly pyramidal wing, specimen or accent. 2 to 2½ ft. (13" Ball). 3½ to 4 ft. (16" Ball). 4 to 4½ ft. (17" Ball). 6 to 7 ft. (22" Ball). 7 to 8 ft. specimens (33" Ball). 8 to 9 ft. specimens (36" Ball).	when of 6.65 13.75 18.50 32.00 60.00 75.00	Upright der. Us	Japanes eful for 5.50	e Yew hedg-
c. capitata — 15' The favorite upright form—broadly pyramidal wing, specimen or accent. 2 to 2½ ft. (13" Ball). 3½ to 4 ft. (16" Ball). 4 to 4½ ft. (17" Ball). 6 to 7 ft. (22" Ball). 7 to 8 ft. specimens (33" Ball). 8 to 9 ft. specimens (36" Ball).	when of 6.65 13.75 18.50 32.00 60.00 75.00	Upright der. Us	Japanes eful for 5.50	e Yew hedg-
c. capitata — 15' The favorite upright form—broadly pyramidal wing, specimen or accent. 2 to 2½ ft. (13" Ball) 3½ to 4 ft. (16" Ball) 4 to 4½ ft. (17" Ball) 6 to 7 ft. (22" Ball) 7 to 8 ft. specimens (33" Ball) 8 to 9 ft. specimens (36" Ball)	when of 6.65 13.75 18.50 32.00 60.00 75.00	Upright der. Us	Japanes eful for 5.50	e Yew hedg-
c. capitata — 15' The favorite upright form—broadly pyramidal wing, specimen or accent. 2 to 2½ ft. (13" Ball) 3½ to 4 ft. (16" Ball) 4 to 4½ ft. (17" Ball) 6 to 7 ft. (22" Ball) 7 to 8 ft. specimens (33" Ball) 8 to 9 ft. specimens (36" Ball) 9 to 10 ft. specimens (38" Ball) c. Cole's Globe — 5'	when ol 6.65 13.75 18.50 32.00 60.00 75.00 90.00	Upright der. Us	Japanes eful for 5.50	e Yew hedg-
c. capitata — 15' The favorite upright form—broadly pyramidal wing, specimen or accent. 2 to 2½ ft. (13" Ball) 3½ to 4 ft. (16" Ball) 4 to 4½ ft. (17" Ball) 6 to 7 ft. (22" Ball) 7 to 8 ft. specimens (33" Ball) 8 to 9 ft. specimens (36" Ball) 9 to 10 ft. specimens (38" Ball) c. Cole's Globe — 5' Interesting new, dense, slow-growing spreader	when ol 6.65 13.75 18.50 32.00 60.00 75.00 90.00	Upright der. Us	Japanes eful for 5.50	e Yew hedg-
c. capitata — 15' The favorite upright form—broadly pyramidal wing, specimen or accent. 2 to 2½ ft. (13" Ball) 3½ to 4 ft. (16" Ball) 4 to 4½ ft. (17" Ball) 6 to 7 ft. (22" Ball) 7 to 8 ft. specimens (33" Ball) 8 to 9 ft. specimens (36" Ball) 9 to 10 ft. specimens (38" Ball) c. Cole's Globe — 5' Interesting new, dense, slow-growing spreader new growth is bronzy.	when of 6.65 13.75 18.50 32.00 60.00 75.00 90.00	Upright der. Us	Japanes eful for 5.50	e Yew hedg-
c. capitata — 15' The favorite upright form—broadly pyramidal wing, specimen or accent. 2 to 2½ ft. (13" Ball) 3½ to 4 ft. (16" Ball) 4 to 4½ ft. (17" Ball) 6 to 7 ft. (22" Ball) 7 to 8 ft. specimens (33" Ball) 8 to 9 ft. specimens (36" Ball) 9 to 10 ft. specimens (38" Ball) c. Cole's Globe — 5' Interesting new, dense, slow-growing spreader new growth is bronzy. 12 to 15 in. (11" Ball)	6.65 13.75 18.50 32.00 60.00 75.00 90.00	Upright der. Us 6.00	Japanes eful for 5.50	e Yew hedg-
c. capitata — 15' The favorite upright form—broadly pyramidal wing, specimen or accent. 2 to 2½ ft. (13" Ball) 3½ to 4 ft. (16" Ball) 4 to 4½ ft. (17" Ball) 6 to 7 ft. (22" Ball) 7 to 8 ft. specimens (33" Ball) 8 to 9 ft. specimens (36" Ball) 9 to 10 ft. specimens (38" Ball) c. Cole's Globe — 5' Interesting new, dense, slow-growing spreader new growth is bronzy.	6.65 13.75 18.50 32.00 60.00 75.00 90.00	Upright der. Us 6.00	Japanes eful for 5.50	hedg-
c. capitata — 15' The favorite upright form—broadly pyramidal wing, specimen or accent. 2 to 2½ ft. (13" Ball) 3½ to 4 ft. (16" Ball) 4 to 4½ ft. (17" Ball) 6 to 7 ft. (22" Ball) 7 to 8 ft. specimens (33" Ball) 8 to 9 ft. specimens (36" Ball) 9 to 10 ft. specimens (38" Ball) c. Cole's Globe — 5' Interesting new, dense, slow-growing spreader new growth is bronzy. 12 to 15 in. (11" Ball) 15 to 18 in. (12" Ball)	6.65 13.75 18.50 32.00 60.00 75.00 90.00 Fol 3.10 4.25	Upright der. Us 6.00 iage dee 2.75 3.85	Japanes eful for 5.50	hedg-
c. capitata — 15' The favorite upright form—broadly pyramidal wing, specimen or accent. 2 to 2½ ft. (13" Ball). 3½ to 4 ft. (16" Ball). 4 to 4½ ft. (17" Ball). 6 to 7 ft. (22" Ball). 7 to 8 ft. specimens (33" Ball). 8 to 9 ft. specimens (36" Ball). 9 to 10 ft. specimens (38" Ball). c. Cole's Globe — 5' Interesting new, dense, slow-growing spreader new growth is bronzy. 12 to 15 in. (11" Ball). 15 to 18 in. (12" Ball). c. columnaris (Adams) — 15'	6.65 13.75 18.50 32.00 60.00 75.00 90.00 . Fol 3.10 4.25	der. Us 6.00 iage dee 2.75 3.85	Japanes eful for 5.50	hedg-
c. capitata — 15' The favorite upright form—broadly pyramidal wing, specimen or accent. 2 to 2½ ft. (13" Ball). 3½ to 4 ft. (16" Ball). 4 to 4½ ft. (17" Ball). 6 to 7 ft. (22" Ball). 7 to 8 ft. specimens (33" Ball). 8 to 9 ft. specimens (36" Ball). 9 to 10 ft. specimens (38" Ball). c. Cole's Globe — 5' Interesting new, dense, slow-growing spreader new growth is bronzy. 12 to 15 in. (11" Ball). 15 to 18 in. (12" Ball). c. columnaris (Adams) — 15' Upright type, usually with several leaders. Excellence in the specimen of the several leaders.	6.65 13.75 18.50 32.00 60.00 75.00 90.00 . Fol 3.10 4.25	der. Us 6.00 iage dee 2.75 3.85	Japanes eful for 5.50	hedg-
c. capitata — 15' The favorite upright form—broadly pyramidal wing, specimen or accent. 2 to 2½ ft. (13" Ball) 3½ to 4 ft. (16" Ball) 4 to 4½ ft. (17" Ball) 6 to 7 ft. (22" Ball) 7 to 8 ft. specimens (33" Ball) 8 to 9 ft. specimens (36" Ball) 9 to 10 ft. specimens (38" Ball) c. Cole's Globe — 5' Interesting new, dense, slow-growing spreader new growth is bronzy. 12 to 15 in. (11" Ball) 15 to 18 in. (12" Ball) c. columnaris (Adams) — 15' Upright type, usually with several leaders. Excesold out for Spring.	6.65 13.75 18.50 32.00 60.00 75.00 90.00 . Fol 3.10 4.25	der. Us 6.00 iage dee 2.75 3.85	Japanes eful for 5.50	hedg-
c. capitata — 15' The favorite upright form—broadly pyramidal wing, specimen or accent. 2 to 2½ ft. (13" Ball) 3½ to 4 ft. (16" Ball) 4 to 4½ ft. (17" Ball) 6 to 7 ft. (22" Ball) 7 to 8 ft. specimens (33" Ball) 8 to 9 ft. specimens (36" Ball) 9 to 10 ft. specimens (38" Ball) c. Cole's Globe — 5' Interesting new, dense, slow-growing spreader new growth is bronzy. 12 to 15 in. (11" Ball) 15 to 18 in. (12" Ball) c. columnaris (Adams) — 15' Upright type, usually with several leaders. Excessold out for Spring.	6.65 13.75 18.50 32.00 60.00 75.00 90.00 75.00 90.00 75.00 90.00	der. Us 6.00 iage dee 2.75 3.85 lumnar for hedg	Japanes eful for 5.50	hedg-
c. capitata — 15' The favorite upright form—broadly pyramidal wing, specimen or accent. 2 to 2½ ft. (13" Ball). 3½ to 4 ft. (16" Ball). 4 to 4½ ft. (17" Ball). 6 to 7 ft. (22" Ball). 7 to 8 ft. specimens (33" Ball). 8 to 9 ft. specimens (36" Ball). 9 to 10 ft. specimens (38" Ball). c. Cole's Globe — 5' Interesting new, dense, slow-growing spreader new growth is bronzy. 12 to 15 in. (11" Ball). 15 to 18 in. (12" Ball). c. columnaris (Adams) — 15' Upright type, usually with several leaders. Exc Sold out for Spring. c. densa — 2' Described as a "Dwarf, compact form with upri	6.65 13.75 18.50 32.00 60.00 75.00 90.00 Fol 3.10 4.25 Concellent	der. Us 6.00 iage dee 2.75 3.85 lumnar for hedg	Japanese et use.	hedg-
c. capitata — 15' The favorite upright form—broadly pyramidal wing, specimen or accent. 2 to 2½ ft. (13" Ball) 3½ to 4 ft. (16" Ball) 4 to 4½ ft. (17" Ball) 6 to 7 ft. (22" Ball) 7 to 8 ft. specimens (33" Ball) 8 to 9 ft. specimens (36" Ball) 9 to 10 ft. specimens (38" Ball) c. Cole's Globe — 5' Interesting new, dense, slow-growing spreader new growth is bronzy. 12 to 15 in. (11" Ball) 15 to 18 in. (12" Ball) c. columnaris (Adams) — 15' Upright type, usually with several leaders. Exc Sold out for Spring. c. densa — 2' Described as a "Dwarf, compact form with upricoming a broad conical bush, higher than broad	6.65 13.75 18.50 32.00 60.00 75.00 90.00 Fol 3.10 4.25 Corellent Coight as	der. Us 6.00 iage dee 2.75 3.85 lumnar for hedg	Japanes eful for 5.50	hedg-
c. capitata — 15' The favorite upright form—broadly pyramidal wing, specimen or accent. 2 to 2½ ft. (13" Ball) 3½ to 4 ft. (16" Ball) 4 to 4½ ft. (17" Ball) 6 to 7 ft. (22" Ball) 7 to 8 ft. specimens (33" Ball) 8 to 9 ft. specimens (36" Ball) 9 to 10 ft. specimens (38" Ball) c. Cole's Globe — 5' Interesting new, dense, slow-growing spreader new growth is bronzy. 12 to 15 in. (11" Ball) 15 to 18 in. (12" Ball) c. columnaris (Adams) — 15' Upright type, usually with several leaders. Exc Sold out for Spring. c. densa — 2' Described as a "Dwarf, compact form with upricoming a broad conical bush, higher than broad naming, but bought the liners as t. densa, and on aming, but bought the liners as t. densa, and on a series of the series and on the series of the series and on the series of the ser	6.65 13.75 18.50 32.00 60.00 75.00 90.00 Fol 3.10 4.25 Corellent Corellent Cuight as	der. Us 6.00 iage dec 2.75 3.85 lumnar for hedge cending re not ents fit the	Japanese et use. Japanese branche certain et descri	hedg-
c. capitata — 15' The favorite upright form—broadly pyramidal wing, specimen or accent. 2 to 2½ ft. (13" Ball) 3½ to 4 ft. (16" Ball) 4 to 4½ ft. (17" Ball) 6 to 7 ft. (22" Ball) 7 to 8 ft. specimens (33" Ball) 8 to 9 ft. specimens (36" Ball) 9 to 10 ft. specimens (38" Ball) c. Cole's Globe — 5' Interesting new, dense, slow-growing spreader new growth is bronzy. 12 to 15 in. (11" Ball) 15 to 18 in. (12" Ball) c. columnaris (Adams) — 15' Upright type, usually with several leaders. Exc Sold out for Spring. c. densa — 2' Described as a "Dwarf, compact form with upricoming a broad conical bush, higher than broad naming, but bought the liners as t. densa, and on 10 to 12 in. (11" Ball)	6.65 13.75 18.50 32.00 60.00 75.00 90.00 Fol 3.10 4.25 Correllent Correllent We ur plan 3.35	der. Us 6.00 iage dee 2.75 3.85 lumnar for hedg cending crending renot ints fit th 3.00	Japanes eful for 5.50	hedg-
c. capitata — 15' The favorite upright form—broadly pyramidal wing, specimen or accent. 2 to 2½ ft. (13" Ball) 3½ to 4 ft. (16" Ball) 4 to 4½ ft. (17" Ball) 6 to 7 ft. (22" Ball) 7 to 8 ft. specimens (33" Ball) 8 to 9 ft. specimens (36" Ball) 9 to 10 ft. specimens (38" Ball) c. Cole's Globe — 5' Interesting new, dense, slow-growing spreader new growth is bronzy. 12 to 15 in. (11" Ball) 15 to 18 in. (12" Ball) c. columnaris (Adams) — 15' Upright type, usually with several leaders. Exc Sold out for Spring. c. densa — 2' Described as a "Dwarf, compact form with upricoming a broad conical bush, higher than broad naming, but bought the liners as t. densa, and or 10 to 12 in. (11" Ball) 12 to 15 in. (12" Ball)	6.65 13.75 18.50 32.00 60.00 75.00 90.00 Fol 3.10 4.25 Coight as L." We ur plan 3.35 4.25	der. Us 6.00 iage dee 2.75 3.85 lumnar for hedg cushion crending cre not ints fit th 3.00 3.85	p green 2.50 3.50 Japanese ge use. Japanese branche certain de descri 2.75 3.50	hedg-
c. capitata — 15' The favorite upright form—broadly pyramidal wing, specimen or accent. 2 to 2½ ft. (13" Ball) 3½ to 4 ft. (16" Ball) 4 to 4½ ft. (17" Ball) 6 to 7 ft. (22" Ball) 7 to 8 ft. specimens (33" Ball) 8 to 9 ft. specimens (36" Ball) 9 to 10 ft. specimens (38" Ball) c. Cole's Globe — 5' Interesting new, dense, slow-growing spreader new growth is bronzy. 12 to 15 in. (11" Ball) 15 to 18 in. (12" Ball) c. columnaris (Adams) — 15' Upright type, usually with several leaders. Exc Sold out for Spring. c. densa — 2' Described as a "Dwarf, compact form with upricoming a broad conical bush, higher than broad naming, but bought the liners as t. densa, and on 10 to 12 in. (11" Ball)	6.65 13.75 18.50 32.00 60.00 75.00 90.00 C. Fol 3.10 4.25 Contellent Cight as L." We ur plan 3.35 4.25	der. Us 6.00 iage dee 2.75 3.85 lumnar for hedg cending crending renot ints fit th 3.00	Japanes eful for 5.50	hedg-

HYBRID RHODODENDRONS

Those listed on page 46 are the finest we have ever grown — full, bushy, and with plenty of flower buds.

TA

	1-4	5-24	25-99	100 Up
AXUS Continued	Each	Each	Each	Each
			.	. 37
c. intermedia — 4' Well-filled, uniform type with dark green foliag	Interm se. A	shapely	Japanes , easily	main-
tained variety.				
15 to 18 in. (11" Ball)	4.25 5.50	3.85 5.00	3. 50 4. 50	
10/		Ovata .	Japanes	Yew.
c. ovata — 10' A fine new columnar variety, upright-cylindric	al, wit	h rich	green	leaves.
Said to be a good fruiter. We like this one very 15 to 18 in. (11" Ball)	much. 4.25	3.85	3.50	3.30
				. 37
c. wilsoni — 6' Of uncertain origin, but certainly a worthwhile	type.	Plants	Japanes are con	mpact,
very dark green; taller than broad, vase-shaped rounder with age. Your customers will like thi	s one.	young	and bec	.OIIIIII6
15 to 18 in. (11" Ball)	4.25	3.85	3.50	3.30
1½ to 2 ft. (12" Ball)	5.50	5.00	4.50	4.30
	_		%1	. 37
media browni — 4'			Angloja	p rew
Compact and rounded, with fine-textured, dark g	4.00	3.60	3.25	
15 to 18 in. (11" Ball)	5.00	4.40	4.00	
1½ to 2 ft. (12" Ball)	6.00	5.50	5.00	
		*****		77
m. cliftoni — 2½' Slow growing, compact type with short, twisted	L brich:	diffon .	Angloja	Yew
15 to 18 in. (11" Ball)	5.00	4.40	4.00	
1½ to 2 ft. (12" Ball)	6.00	5.50	5.00	
m. densiformis — 4' An improved, dense and very handsome intermed			rmediat	e Yew
15 to 18 in. (11" Ball)	5.00	4.40	4.00	
1½ to 2 ft. (12" Ball)	6.00	5.50		
media hatfieldi — 8-10'	r. 1	1 1	Hatfiel	
Dense, dark green upright form; broader than H	11cks, a 4.00	na siov 3.60	ver grov 3.25	
15 to 18 in. (11 Ball)	5.25	4.75	$\frac{3.25}{4.25}$	
2 to 2½ ft. (13" Ball)	6.35	5.75	5.25	
2½ to 3 ft. (14" Ball)	8.35	7.50		
1:-1: 10/			T.T.: _1-	
m. hicksi — 10' Narrow columns of rich glossy green. Sheared	nlants	offered		s Yew
15 to 18 in. (11" Ball)	3.70	3.30	3.00	2.85
1½ to 2 ft. (12" Ball)	5.00	4.40	4.00	3.80
2 to 2½ ft. (13" Ball)	6.00	5.50	5.00	4.75
2½ to 3 ft. (14" Ball)	7.75	7.00		
3 to 3½ ft. (15" Ball)	9.40	$9.00 \\ 8.50$		
2 to 272 It. AA Divau (10 Dail)		0 .111		
2½ to 3 ft. XX Broad (16" Ball)				
2½ to 3 ft. XX Broad (16" Ball)	11.75 16.50	10.50		
2½ to 3 ft. XX Broad (16" Ball) 3 to 3½ ft. XX Broad (17" Ball) 3½ to 4 ft. XX Broad (18" Ball)	11.75 16.50			

WHY BETTER SHRUBS?

Because Cole's shrubs are "normal grown" under Lake Erie Climatic conditions. They aren't forced by big doses of fertilizer, consequently have full tops with body and substance, plenty of spreading, fibrous roots. Long, cool fall seasons mean they are properly ripened for your transplanting success.

		1-4 Each	5-24 Each	25-99 Each	100 Up Each
THUJA	occidentalis elegantissima — 20'		Cold+	ip Arbo	
	Compact pyramid, as broad as Dark Green Am green tipped with gold. A best-seller spring a	erican. ind fall	Foliage	rich lu	
	1½ to 2 ft. (10" Ball)	9.55	2.25	2.00	
	2 to 2½ ft. (11" Ball)	3 10	2.75	2.50	2.40
	3 to 3½ ft. (13" Ball)	4.25	3.85		
o. n	igra — 20'	ъ.	ark Gree	N.L.	
	Dense, dark green all year. Broader than pyra ter. These are full, fat, sheared beauties.	midalis.	, and ho	lds colo	or bet-
	2 to 2½ ft. (11" Ball)	2.55	2.25	2.00	1.90
	2½ to 3 ft. (12" Ball)	2 10	2.75	2.50	2.40
	3 to 3½ tt. U3" Ball)	3.70	3.30	3.00	2.85
	3½ to 4 ft. (14" Ball) 4 to 5 ft. (15" Ball)	4.25	3.85	3.50	3.30
	L to b It. (10 Dail)	5.25	4.75	4.25	
o. p	yramidalis — 25'	1	Pyramid	al Arbo	rvitae
	Narrow, spire-shaped, bright green type. Alwa will like our sheared specimen plants.	ys popu	ılar. Yo	our cust	omers
	2 to 2½ ft. (11" Ball)	2.55	9.95	9.00	1.00
	$2\frac{1}{2}$ to 3 ft. (12" Ball)	3.10	$\frac{2.25}{2.75}$	$\frac{2.00}{2.50}$	$\frac{1.90}{2.40}$
	3 to 4 ft. (13" Ball)	3.70	3.30	3.00	2.85
	4 to 5 It. (14" Ball)	5.00	4.40	4.00	3.80
	5 to 6 ft. (15" Ball)	6.00	5.50	5.00	
o. sl	nermani — 15'	Now W	intovano	an Naha	
	Holds a good green color over winter, even in	the plain	i ntergre e ns states	en Arbo Look	rviiae s like
	1. figra, but grows a bit slower.	-			
	2 to 2½ ft. (11" Ball)	2.80	2.50		
	2½ to 3 ft. (12" Ball) 3 to 4 ft. (13" Ball)	3.35	3.00	2.75	
	3 to 4 ft. (13" Ball)	4.00 5.50	3.60	3.25	
		5.50	5.00	4.50	
o. w	areana — 12'	Vare or	Siberia	n Arbo	rvitae
	Broad pyramid with steel-green foliage. Prefer	red by 1	many la	ndscape	rs.
	1½ to 2 ft. (10" Ball)	2.55	2.25		
	2 to 2½ ft. (11" Ball)	3.10	2.75	2.50	
O. W	oodwardi — 4'	XZ 1			
	Compact, bushy globe, a little broader than tall.	ooαwa Good	rd Glob	e Arbo	rvitae
	12 to 15 in. (10" Ball)	2.05	1.75	1.50	1.40
	l5 to 18 in. (11" Ball)	2.40	2.10	1.50 1.85	$\frac{1.40}{1.75}$
	1½ to 2 ft. (12" Ball)	2.80	2.50	2.25	2.15
orien	talis Rochester Strain Ro	chester	Orienta	l Arbon	vitae
i	A superior, hardy strain from Rochester, N. Y. oreak, etc., and stands severe shearing.	Excelle	ent for s	creen, v	wind-
		0.00	9.00	4	
5	14/2 to 3 ft. (12" Ball)	2.30	2.00	1.75	
	AVI (14 A)(11/1	2.00	2.50	2.25	

NOTICE

We cannot box balled evergreen for shipment, under any circumstance but can often arrange for truck delivery of small orders. Please inquire.



TSUGA CANADENSIS—Hemlock. Two beautiful blocks of these specimens to choose from. Silty soil holds a good ball.

1-4 5-24 25- Each Each Each Each Hamler	
	in loamy,
good balling soil. They don't come any better.	
1½ to 2 ft. (11" Ball) 3.70 3.30 3.6	0
2 to 2½ ft. (12" Ball) 4.25 3.85 3.5	
2½ to 3 ft. (13" Ball)	
3 to 3½ ft. (14" Ball) 5.65 5.15 4.6	35 4.40
3½ to 4 ft. (15" Ball)	50
caroliniana — 50' Compact, graceful, pyramidal tree, somewhat slower than the above	Hemlock
2 to 2½ ft. (12" Ball)	
2½ to 3 ft. (13" Ball) 6.30 5.75	
14 to 16 ft. specimens (36" Ball)	

TRUCKLOADS

For your convenience in figuring loads, weights of earth balls are listed on inside back cover. Balling and burlapping costs are included in all evergreen prices.

HYBRID RHODODENDRONS

Those listed on page 46 are the finest we have ever grown — full, bushy, and with plenty of flower buds.

BROADLEAF EVERGREENS

Prices include a definitely superior job of balling, burlapping and securely ropetying roots.

Approximate ball sizes are given for your guidance in estimating shipping weights. See inside back cover for ball weights.

All can be shipped outside the Japanese Beetle Zone.

	1-4 Each	5-24 Each	25-99 Each	100 Up Each
ABELIA grandiflora — 3'			Cl	74.1 7.1
Choice arching-spreading evergreen with bright	nt glossy	foliage	TO: 1 '	Abelia sh-lilac
				er.
1½ to 2 ft. (11" Ball) 2 to 2½ ft. (12" Ball)			\$ 1.75	
	4.00	2.30		
DAPHNE cneorum — 1'			D	
Low, mounded. Fragrant garlands of rosy-nir	ık flowe	rs. in N	Hose 1 Mavand	Daphne
ver vars are summer.		, 111 1	iaj ana	at III-
6 to 9 in. B&B 9 to 12 in. B&B	1.75	1.50	1.25	1.10
14 to 15 in. B&B	9.40	$\frac{1.75}{2.10}$	1.50 1.85	1.35 1.70
10 to 10 m. B&B	9 00	2.50	2.25	1.70
1½ to 2 ft. B&B.	3.30	3.00	2.75	
EUONYMUS fortunei (acutus). Creeper or Vine.				
Lowest-growing of the evergreen wintercreen	ore this	gom :	Winterc	
			s seldon is exces	n over
handsome. Can also be grown as a very effect Sold out for Spring.	tive vin	e.	IS CACCC	dingly
Sold out for Spring.				
f. coloratus	Dire	nlolonf	387: A	
Leaves quite large, purplish fall and winter,	Anav	callant.	Winterc	
Duriums up to about 1/ menes or will elimb to	. U ~w 10	foot	suppor	t.
10 to 15 in., Field Trans		.30	.25	
1½ to 2 ft., 3 year	.80	65	.55	
		.00	.00	
f. erecta — 3'	υ	pright	Winterc	reeper
Dense, bushy growth. Small, glossy, dark green either tightly sheared or grown informally. The to 12 in bushy	en leave	s. Fine	hedge	plant,
10 to 12 mi, bushy,,,,,	55	4.0	niii stra .35	ıın.
15 to 18 in., bushy	.85	.70	.60	.55
f. radicans "Sarcoxie" — 3½-4'				
New, distinct hardy type, forming a dense, relating a dense, relating to the state of the state	Ne	w Uprig	ht Euor	nymus
siossy, tilica, about one men long, noid their god	nvery na od color	all wint	olumn. L	_eaves
ard outstanding introduction.		W11 W111		is is a
15 to 18 in. Bare Root. 1½ to 2 ft. (11" Ball)	1.60	1.40	1.25	
2 to 2½ it. (12" Ball)	2 70	$\frac{2.50}{3.30}$	$\frac{2.25}{3.00}$	
2½ to 3 ft. (13" Ball)	5.00	4.50	3. 00	
f. vegetus — 4'				
Thick, leathery, round leaves. Colorful orange	t fruite	in nro	Winterci	eeper
grow as a bush, vine or creener	o marcs	in pro	rusion.	VV 111
9 to 12 in., 2 yr. field	.75	.60	.50	.45
12 to 15 in., 2 yr. field 15 to 18 in., 2 yr. field	.90	.75	.65	.60
1½ to 2 ft., 3 yr. field	$1.20 \\ 1.50$	$1.00 \\ 1.25$	$\frac{.90}{1.10}$.85
The following are spaced, lightly trimmed	2.00	1.20	1.10	1.00
15 to 18 in. (10" Ball)	2.30	2.00	1.75	1.65
$1\frac{1}{2}$ to 2 - it. (11" Ball)	2.80	2.50	2.25	2.00
2 to 2½ ft. (12" Ball)	3.70	3.30	3.00	2.75

	1-4 Each	5-2 4 Each	25-99 Each	100 Up Each
	Ha:	dv Balt	ic Engli	sh Ivv
HEDERA helix baltica.	Пa.	call loan	od form	hardy
One of the best evergreen vines or ground cover	S. 511	iaii-ieav	ca ioiii	1142 45
				.20
2½ in. pots		.30	.25	.20
(300 or more, \$0.16 each)				
		.45	.40	.32
3 in. pots, heavy tops				
0/	TJ	pright 3	Sapanese	Holly
ILEX crenata Cole's Hardy Type - 8'	mmad	in form	nal sha	pes or
Dense branched pyramidal form; may be tri	ome for	25 3702	re while	e com-
hedges Cole's' strain has been willter hardy h	ere 101	25 yea	15, WIIII	C COIII
mon crenata has been repeatedly killed.				
The following are sheared, heavy maierial.			0.50	9.90
2 to 2½ ft. (13" Ball)	4.25	3.85	3.50	3.30
2½ to 3 ft. (14" Ball)	5.25	4.75	4.25	4.00
3 to 3½ ft. (15" Ball)	6.00	5.50	5.00	4.75
4 CH TO TI	7.25	6.60	6.00	5.60
3½ to 4 ft. (16" Ball)	9.10	8.25	7.50	
4 to 4½ II. (17 Dall)		9.90	9.00	
4½ to 5 ft. (18" Ball)	15.00			
5 to 5½ ft. (19" Ball)	15.00			
ar a see a see a see a see also made				
Following are lightly trimmed, well-shaped.	3.35	3.00	2.75	2.60
2 to 2½ ft. (12" Ball)		3.70	3.35	3.20
2½ to 3 ft. (13" Ball)	4.10			3.80
3 to 3½ ft. (14" Ball)	4.90	4.40	4.00	
3½ to 4 ft. (15" Ball)	5.90	5.35	4.85	4.60
4 to 4½ ft. (16" Ball)	7.00	6.35	5.75	
1 10 1/2 10 (10 2022)				
c. convexa (bullata) — 3'	Conv	rexleaf	Japanese	Holly
Compact, hardy shrub, wider than tall. Small,	shiny,	curved J	eaves.	Can be
charred readily				
10 to 12 in. (9" Ball)	2.30	2.00	1.75	1.65
	2.55	2.25	2.00	1.90
	3.10	2.75	2.50	2.40
15 to 18 in. (11" Ball)	4.25	3.85	3.50	3.25
1½ to 2 ft. (12" Ball)		5.50	5.00	4.75
2 to 2½ ft. (13" Ball)	0.00	5.50	0.00	1110
				r . 11
c. hetzi — 3½'			anese F	
Leaves curved, glossy, larger than convexa. Seer	ns to 1	oe hardi	er than	con-
Leaves curved, glossy, larger than convented to				
is containly a handsome plant overa	11.			
vexa and is certainly a handsome plant overa-				
vexa and is certainly a handsome plant overa-	ll. . 3 5	3.00	2.75	
vexa and is certainly a handsome plant overa				
vexa and is certainly a handsome plant overa	.35	3.00	2.75	
vexa and is certainly a handsome plant overa	.35	3.00	2.75	
vexa and is certainly a handsome plant overa 15 to 18 in. (11" Ball)	.35 .50	3.00 5.00	2.75 4.50	4.25
vexa and is certainly a handsome plant overa 15 to 18 in. (11" Ball)	.35 .50	3.00 5.00 undleaf	2.75 4.50 Japanes	4.25
vexa and is certainly a handsome plant overa 15 to 18 in. (11" Ball)	.35 .50	3.00 5.00 undleaf	2.75 4.50 Japanes	4.25
vexa and is certainly a handsome plant overal 15 to 18 in. (11" Ball)	.35 .50 Rot eact g	3.00 5.00 undleaf lobes.	2.75 4.50 Japanes An outs	4.25 e Holly tanding
vexa and is certainly a handsome plant overa 15 to 18 in. (11" Ball)	.35 .50 Rot eact g	3.00 5.00 undleaf lobes.	2.75 4.50 Japanes An outs 1.75	4.25 e Holly tanding 1.65
vexa and is certainly a handsome plant overa 15 to 18 in. (11" Ball)	35 .50 Rotact g t. 2.30 2.75	3.00 5.00 undleaf lobes. 2.00 2.50	2.75 4.50 Japanes An outs 1.75 2.25	4.25 e Holly tanding 1.65 2.10
vexa and is certainly a handsome plant overa 15 to 18 in. (11" Ball)	Roy eact g t. 2.30 2.75 3.35	3.00 5.00 undleaf lobes. 2.00 2.50 3.00	2.75 4.50 Japanes An outs 1.75 2.25 2.75	4.25 e Holly tanding 1.65 2.10 2.60
vexa and is certainly a handsome plant overa 15 to 18 in. (11" Ball)	Roy eact g t. 2.30 2.75 3.35	3.00 5.00 undleaf lobes. 2.00 2.50 3.00 4.10	2.75 4.50 Japanes An outs 1.75 2.25	4.25 e Holly tanding 1.65 2.10
vexa and is certainly a handsome plant overa 15 to 18 in. (11" Ball)	35 .50 Rocact g t. 2.30 2.75 3.35 4.50	3.00 5.00 undleaf lobes. 2.00 2.50 3.00	2.75 4.50 Japanes An outs 1.75 2.25 2.75	4.25 e Holly tanding 1.65 2.10 2.60
vexa and is certainly a handsome plant overa 15 to 18 in. (11" Ball)	35 .50 Rocact g t. 2.30 2.75 3.35 4.50	3.00 5.00 undleaf lobes. 2.00 2.50 3.00 4.10 5.50	2.75 4.50 Japanes An outs 1.75 2.25 2.75 3.75	4.25 e Holly tanding 1.65 2.10 2.60 3.60
vexa and is certainly a handsome plant overa 15 to 18 in. (11" Ball)	Romact g t. 2.30 2.75 3.35 4.50 6.00	3.00 5.00 undleaf lobes. 2.00 2.50 3.00 4.10 5.50 Stokes	2.75 4.50 Japanes An outs 1.75 2.25 2.75 3.75 	4.25 e Holly tanding 1.65 2.10 2.60 3.60
vexa and is certainly a handsome plant overa 15 to 18 in. (11" Ball)	Romact g t. 2.30 2.75 3.35 4.50 6.00	3.00 5.00 undleaf lobes. 2.00 2.50 3.00 4.10 5.50 Stokes	2.75 4.50 Japanes An outs 1.75 2.25 2.75 3.75 	4.25 e Holly tanding 1.65 2.10 2.60 3.60
vexa and is certainly a handsome plant overa 15 to 18 in. (11" Ball)	Romact g t. 2.30 2.75 3.35 4.50 6.00	3.00 5.00 undleaf lobes. 2.00 2.50 3.00 4.10 5.50 Stokes	2.75 4.50 Japanes An outs 1.75 2.25 2.75 3.75 	4.25 e Holly tanding 1.65 2.10 2.60 3.60
vexa and is certainly a handsome plant overa 15 to 18 in. (11" Ball)	Ronact g t. 2.30 2.75 3.35 4.50 6.00	3.00 5.00 undleaf lobes. 2.00 2.50 3.00 4.10 5.50 Stokes	2.75 4.50 Japanes An outs 1.75 2.25 2.75 3.75 Japanes k glossy	4.25 e Holly tanding 1.65 2.10 2.60 3.60 e Holly leaves.
vexa and is certainly a handsome plant overa 15 to 18 in. (11" Ball)	Ronact g t. 2.30 2.75 3.35 4.50 6.00 aded, v 3.10	3.00 5.00 undleaf lobes. 2.00 2.50 3.00 4.10 5.50 Stokes vith dar 2.75	2.75 4.50 Japanes An outs 1.75 2.25 2.75 3.75 Japanes k glossy 2.50	4.25 e Holly tanding 1.65 2.10 2.60 3.60 e Holly leaves.
vexa and is certainly a handsome plant overa 15 to 18 in. (11" Ball)	Ronact g t. 2.30 2.75 3.35 4.50 6.00 aded, v 3.10	3.00 5.00 undleaf lobes. 2.00 2.50 3.00 4.10 5.50 Stokes	2.75 4.50 Japanes An outs 1.75 2.25 2.75 3.75 Japanes k glossy	4.25 e Holly tanding 1.65 2.10 2.60 3.60 e Holly leaves.

NOTICE

We cannot box balled evergreen for shipment, under any circumstances, but can often arrange for truck delivery of small orders. Please inquire.

ILEX — Continued Each Each	00 Up Each
glabra — 5' Inkberry 1 Rounded, compact shape. Glossy dark Good in shade or sun and wet places. Extremely useful and hardy. 15 to 18 in. (11" Ball) 2.55 2.25 2.00 1½ to 2 ft. (12" Ball) 3.10 2.75 2.50 2 to 2½ ft. (13" Ball) 3.70 3.30 3.00 2½ to 3 ft. (14" Ball) 4.90 4.40 4.00	1.90 2.35 2.85
opaca — 20' The well-known, red-berried American Christmas Holly. Not availab sexed plants. Sold out for Spring.	
LEUCOTHOE catesbaei — 3' Glossy, dark green leaves turn bronzy in fall. Waxy-white flowers us the gracefully arching branches.	
15 to 18 in. (11" Ball)	
MAHONIA aquifolium — 4' Upright with glossy, holly-like leaves. Yellow flowers in May; blue be late summer and fall. Stands shade, dry places.	
15 to 18 in. (11" Ball) 2.65 2.35 2.10 1½ to 2 ft. (12" Ball) 3.20 2.85 2.60 2 to 2½ ft. (13" Ball) 4.00 3.60	
PACHYSANDRA terminalis — 10' Japanese Sp	urge
Evergreen ground cover, excellent for partial shade. 2 year, strong	.14
2½ in. pots	.18
PACHISTIMA canbyi — 1' Canby Pachis	
Low, dense mass of fine foliage. Splendid for ground cover or foregroun foundation plantings. Good in shade. Sold out for Spring.	d of
PIERIS japonica — 6' Handsome shiny dark green foliage; pendulous white flower clusters. 15 to 18 in. (10" Ball)	neda
PYRACANTHA coccinea lalandi — 8-10' Cole Erect Firet	
New, hardy, deep green strain of upright habit. Fruits heavily, even vyoung, with large clusters of bright orange berries. Positively the firethorn for our area.	hen nest
12 to 15 in., gal. cans 1.80 1.55 1.35 15 to 18 in., gal. cans 2.00 1.70 1.50 2 to 3 ft. (13" Ball) 4.50 4.10 3.75 3 to 3½ ft. (14" Ball) 5.25 4.75	1.40

For your convenience in figuring loads, weights of earth balls are listed on inside back cover. Balling and burlapping costs are included in all evergreen prices.

H

		1-4 Each		25-99 Each	100 Up Each
RHODO	DENDRON carolinianum — 6' Lovely small-leaved species with pale rose flov		Carolina Heavy	Rhodod	
	2 to 3 ft. (14" Ball)	9.00			
	3 to 4 ft. (15" Ball)	12.00			
rata	wbiense — 8'		Catawba	Rhodod	endron
Curu	Lilac-purple flowers in early summer.				
	2 to 3 ft (13" Ball)	6.00	5.50		
	3 to 4 ft. (14" Ball)	8.00			
	4½ to 5 ft. (16" Ball)	14.00			
hyb	rids — Lavender and pink varieties. These are full, bushy specimens. Catawbiense Boursalt. Rosy-lilac. English Roseum. Rose. Grows heavier. Add 5% Parson's Gloriosum. Pink (Amaranth Rose).	<i>.</i>			
	Roseum Elegans. Lilac Pink.	5.75	5.25	4.75	
	15 to 18 in. (10" Ball)	7.00	6.30	5.75	
	2 to 2½ ft. (12" Ball)	8.25			
hyb	rid catawbiense grandiflorum. Cobalt-violet; strong, full grower with excellen	t foli	iage.	4.00	
	15 to 18 in. (10" Ball)	4.90 6.00		$\frac{4.00}{5.00}$	4.85
	1½ to 2 ft. (11" Ball)	7.70		3. 00	4.00
hyb	rid Cunningham's White Dwarf, dense, early white. Very choice. 12 to 15 in. (10" Ball)	5.75	5.25		
hyb	rids. Red varieties. Dr. H. C. Dresselhuys. Crimson-red.* Edward S. Rand. Clear red. van Weerden Poelman. Crimson-red. 15 to 18 in. (10" Ball) 1½ to 2 ft. (11" Ball) 2 to 2½ ft. (12" Ball)*only	6.30 7.60 9.00	6.90	5.25 6.25	
mas	rimum —		Rosebay	Rhodod	endron
	Light rose-pink flowers in summer. Excellent.	large	e foliage.		
	2 to 3 ft. (13" Ball)	5.50			
	3 to 4 ft. (14" Ball)	7.50	6.75		
VINCA	minor Dense evergreen ground cover for sun and sha	de	Periwi	nkle or	Myrtle
	Collected, strong (300 or more, \$0.10 each)		.20	.14	.12
m.	Bowles Variety Tends to grow more in clumps; vigorous; dark a ers large, light blue. Sold out for Spring.	green	textured	l leaves.	Flow-

WHY BETTER SHRUBS?

Because Cole's shrubs are "normal grown" under Lake Erie climatic conditions. They aren't forced by big doses of fertilizer, consequently have full tops with body and substance, plenty of spreading, fibrous roots. Long, cool fall seasons mean they are properly ripened for your transplanting success.

CROSS-REFERENCE INDEX

—A—	—F—	P
		—P—
Abelia43	Filbert20	
Acanthopanax	Forsythia23	
Ailanthus 3	Flowering Crab11-13	
Almond, Flowering27		Photinia27
Althea24	— G—	Pine
Amelanchier3, 17	Gingko 6	Plum, Purpleleaf14
Ampelopsis34	Goldenrain Tree11	Polygonum34
Aralia 4	Goldenchain11	Poplars13
Arborvitae41		Potentilla27
Aronia17	—H—	Privet
Ash	Haalshamme	Pussywillow29
Azalea17	Hackberry 4	Pyracantha45
	Hawthorn 5 Hemlock 42	—Q—
—B—	Holly44, 45	
	Honeylocust	Quince, Flowering19
Barberry18	Honeysuckle, Bush22, 26	
Bayberry	Honeysuckle, Vine34	—R—
Beauty Bush25	Hornbeam, Pyramidal 4	Red Bud 5
Bigonia35	Horsechestnut 3	Retinospora36
Birch 4	Hydrangea, Climbing34	Rhododendron46
Bittersweet34	Hydrangea, Shrub24	Rhodotypos28
Broadleaf Evergreens 43-46	Hypericum24	Rhus20, 28
Blueberry31	7	Rose Acacia28
Broom21	<u>—</u> I—	Rose Species28, 29
Buckeye 3		Russian Olive22
Buckthorn	Ilex25, 44	
Butterfly Bush18	Imperial Locust 8	S
	Ivy, Boston34	Shadblow
—C—	Ivy, English44	Shrubs17-33
	—J—	Silver Lace Vine34
Calycanthus		Skyline Locust 9
Carpinus 4	Jetbead28	Smoke Tree20
Caryopteris18	Junipers36-38	Snowberry30
Cedars		Sourwood13
Celastrus34	—K—	Spirea29
Cercidiphyllum 4	Katsura-tree 4	Sumac
Cherry, Flowering14	Kentucky Coffeetree 7	Summer Sweet
Chionanthus19	Kolkwitzia25	Sunburst Locust10
Chokeberry		Sweet Gum11 Symphoricarpos30
Coralberry30	—I.—	Symphoricarpos30
Cork Tree		—T—
Cornus	Leucothoe45	
Cotoneaster	Lilacs30, 31	Tallhedge28
Cydonia19	Linden	Tamarix31
Cypress	Locust	Taxus
Cytisus	London Plane Tree13	Teucrium
2, 1, 2, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	M	Thornless Honeylocust7-10
		Trees1-16
—D—	Magnolia11	Trumpet Vine35
Daphne43	Mahonia45	Tulip Tree
Dawn Redwood	Majestic Locust10	
Deutzia	Maples1-3	v_
Diervilla	Metasequoia13	Viburnum31-33
Dogwood, Shrub19, 20	Mockorange	Vinca46
Dogwood, Tree 5	Mountain Ash15-16	Vines34, 35
	Myrica26	
—E—	Myrtle46	W
731	—N—	Weigela33
Elaeagnus22	Ninebark27	White Fringe
Elm16	0	Willow, Shrub29
Euonymus, Evergreen43	-0-	Willow, Trees
Euonymus, Shrub22	Oaks15	Wintercreeper43
Evergreens	Oregon Holly45	Witch-hazel24

NOTES

BALLING SCHEDULE

In this catalog, where ball sizes are shown, viz., (15" Ball), etc., the price includes a definitely superior job of balling, burlapping and securely rope-tying roots. Sizes and weights are listed for your guidance in estimating shipping weights, and are only approximate; varieties and soil conditions cause them to vary.

Where customer requires balls on shrubs, trees and plants not catalogued as above, the following charges will be added to the listed price of the plant:

SHRUBS — FLOWERING TREES

Ball size 10 x 10" 11 x 10" 12 x 11" 13 x 11" 14 x 12" 15 x 12" 16 x 13" 17 x 13" 18 x 14" 20 x 15" 22 x 16"	wt. lbs. 32 38 47 58 80 90 110 130 160 210 270	1½ to 2' 2 to 3' 3 to 4' 4 to 5' 5 to 6' 6 to 7' 7 to 8' 8 to 10'	1 each \$ 1.10 1.20 1.35 1.75 2.10 2.55 3.10 3.70 4.55 6.15 8.10	2-4 each \$.95 1.05 1.20 1.60 1.90 2.30 2.80 3.35 4.15 5.60 7.35	5-19 each .85 .95 1.05 1.40 1.70 2.10 2.55 3.05 3.75 5.10 6.70	20 up each \$.75 .85 .95 1.30 1.60 1.95 2.40 2.85 3.40 4.70 6.15
18 x 14" 20 x 15"	160 210	SHADE 1 to 1¼" 1¼ to 1½"	4.55	4.15	3.75	3.40
22 x 16" 24 x 17" 26 x 18"	270 340 450	1½ to 1¾" 1¾ to 2 " 2 to 2½"	6.15 8.10 10.55 13.25	5.60 7.35 9.60 12.00	5.10 6.70 8.80 11.00	4.70 6.15 8.00 10.15
30 x 20" 33 x 22" 36 x 23" 40 x 25" 44 x 27" 48 x 29"	680 880 1100 1500 2000 2600	2½ to 3 "	18.75 24.25 30.50 38.00 47.00 58.00	17.00 22.00 27.50 34.50 42.50 52.50	15.50 20.00 25.00 31.50 39.00 48.00	14.30 18.25 22.50 28.50 36.00 44.00

Prices include loading on open trucks or trailers at the nursery. Railroad loading on "Tree" sizes entails extra cost.

Platforms require additional labor and handling, therefore an additional cost will be added for their use. Part of this charge will be refunded on prepaid return of platforms in good conditions.

WHOLESALE ONLY

The Cole Nursery Company is strictly a wholesale establishment, specializing in high quality woody ornamentals. To better serve persons entitled to trade prices, all retail business was discontinued some years ago.

Because of this, we have neither personnel nor facilities to handle orders, from any source, calling entirely for small quantities of stock. Each rates are published only for the accomodation of wholesale buyers needing small lots of certain items to complete their lists.

By specializing our efforts, we are able to furnish the finest quality available, at competitive prices, with service you will appreciate.

